

DAFTAR PUSTAKA

- 1 Hay RJ, Johns NE, Williams H, Bollinger IW, Dellavalle RP, Morgolis DJ,dkk. The global burden of skin disease in 2010: an analysis of the prevalence and impact of skin conditions. *J Invest Dermatol.* 2014;134:1527-34.
- 2 Kelompok Studi Dermatologi Kosmetik Indonesia PERDOSKI. 2013. Indonesian Acne Expert Meeting 2012. 1 st ed., Centra communications, Jakarta.
- 3 RS Indera Provinsi Bali 2013. Laporan Tahunan 2012 RS Indera Provinsi Bali. [online] Denpasar. Available from: <http://www.baliprov.go.id/files/subdomain/rsindera/file/laporan%20tahunan/LAPTAHRSI%202012.pdf>.
- 4 Wasitaatmadja SM, Arimuko A, Norawati L, Bernadette I, Legiawati L. Pedoman tatalaksana akne di Indonesia. Edisi 2. Jakarta: Centra communications. 2016;1-13.
- 5 Bernadette I, Wasitaatmadja SM. Akne vulgaris. Ilmu penyakit kulit dan kelamin. Edisi 7. Jakarta: FKUI. 2018;288-91.
- 6 Shen Y, Wang T, Zhou C dkk. Prevalence of acne vulgaris in Chinese adolescents and adults: a community-based study of 17,345 subjects in six cities. *Acta Derm Venereol.* 2012;92:40-4.
- 7 Augustin M, Herberger K, Hintzen S dkk. Prevalence of skin lesions and need for treatment in a cohort of 90 880 workers. *Br J Dermatol.* 2011;165:865-7.
- 8 Knutsen-Larson S, Dawson AL, Dunnick CA, Dellavalle RP. Acne vulgaris: Pathogenesis, treatment, and needs assessment. *Dermatol Clin.* 2012;30(1):99-106.
- 9 Thappa D, Adityan B. Profile of acne vulgaris- A hospital-based study from South India. *Indian J Dermatol Venereol Leprol.* 2009;75(3):272.
- 10 Williams HC, Delavalle RP, Garner S. Acne vulgaris. *Lancet.* 2012;379(9813):361-72.
- 11 Kang S, Amagai M, Bruckner AL, Enk AH, Margolis DJ, Mc Michael AJ, Orringer. *Fitzpatrick's Dermatology.* 9th ed. New York: Mc Graw Hill Education. 2019: 1391-1418.

- 12 Tasoula E, Gregoriou S, Chalikias J, Lazarou D, Danopoulou I, Katsambas A dkk. The impact of acne vulgaris on quality of life and physic health in young adolescents in Greece:results of a population survey. *An Bras Dermatol*. 2012;87(6):862-69.
- 13 Tanghetti EA, Kawata AK, Daniels SR, Yeomans K, Burk CT, Callender VD. Understanding the burden of adult female acne. *J Clin Aesthet Dermatol*. 2014;7:22-30.
- 14 Gieler U, Gieler T, Kupfer J. Acne and quality of life- impact and management. *J Eur Acad Dermatol Venereol*. 2015;29:12-4.
- 15 Kaminaka C, Uede M, Matsunaka H, Furukawa F, Yamamoto Y. Clinical studies of the treatment of facial atrophic acne scars and acne with a bipolar fractional radiofrequency system. *J Dermatol*. 2015;42:580-7.
- 16 Misery L, Wolkenstein P, Amici JM, Maghia R, Brenaut E, Cazeau C dkk. Consequences of acne on stress, fatigue, sleep disorders and sexual activity: A population-based study. *Acta Derm Venereol*. 2015;95:485-8.
- 17 Uslu G, Sendur N, Uslu M, Savek E, Karaman G, Eskin M. Acne: Prevalence, perceptions and effects on psychological health among adolescents in Aydin, Turkey. *J Eur Acad Dermatol Venereol*. 2008;22:462-9.
- 18 Shahzad N, Nasir J, Ikram U, Asmaa-ul-Haque, Qadir A, Sohail MA. Frequency and psychosocial impact of acne on university and college students. *J Coll Physicians Surg Pak*. 2011;21(7):442-3.
- 19 Gawkrödger DJ. *Dermatology: An Illustrated Colour Text*. 3rd ed. USA:Elsevier. 2002:2-3.
- 20 Gartner LP, Hiatt JL. *Buku Ajar Berwarna Histologi*. Edisi 3. Singapura: Elsevier. 2014:317-33.
- 21 Mescher AL. *Histologi Dasar Junquiera Teks dan Atlas*. Edisi 12. Jakarta: EGC. 2011:316-31.
- 22 Pappas A, Johnsen S, Liu JC dkk. Sebum analysis of individuals with and without acne. *Dermatoendocrinol*. 2009;1:157-61.
- 23 Abdallah MAR, Zuelfakkar NM, ELbana RH. Comparative study of male and female sebum production. *The Egyptian J Hosp Med*. 2017;1874-9

- 24 Kanwar IL, Haider T, Kumari A, Dubey S, Jain P, Soni V. Models for acne: A comprehensive study. *Drug Discoveries & Therapeutics*. 2018; 12(6): 329-40.
- 25 Wolff K, Goldsmith LA, Katz SI, Gilchrest BA, Paller AS, Leffell DJ. *Fitzpatrick's Dermatology in General Medicine*. 7th ed. New York: Mc Graw-Hill. 2008: 690-703.
- 26 Firooz A, Sadr B, Babakoochi S, Sarraf-Yazdy M, Fanian F, Kazerouni-Timsar A, et al. Variation of biophysical parameters of the skin with age, gender, and body region. *Sci World J*. 2012:386936
- 27 Bhate K, Williams HC. Epidemiology of acne vulgaris. *BAD*. 2013;168: 474-85.
- 28 Harahap, M. *Ilmu Penyakit Kulit*. Jakarta:Hipokrates. 2000:35-45.
- 29 Tahir M. Pathogenesis of Acne Vulgaris: simplified. *JPAD*. 2010;20:93-7.
- 30 Sofyan A, Tabri F, Muchtar SV, Jayaganda I, Alam G, Amin S, Irawan AA. Comparison of the Effectiveness of Tretinoin 0.05% Gel and Adapalene 0.1% Gel Based on Clinical Manifestations and Sebum Levels in Mild Acne Vulgaris Patients. *AJCEM*. 2016;118-121.
- 31 Vora S, Ovhal A, Jerajani H, et al. Correlation of facial sebum to serum insulin-like growth factor-1 in patients with acne. *Br J Dermatol*. 2008;159:990-99.
- 32 Vijay K, Scott N, Peter W. The skin microbiome is it affected by UV- induced immune suppression. *Front Microbiol*. 2016;7:1235.
- 33 Yonhan W, Wenhong Z, Muya S, Yong J, Richard L, Yu-Tsueng L, et al. The response of human skin commensal bacteria as a reflection of UV radiation: UV-B decreases porphyrin production. *PLoS one*. 2012;7(10):e47798.
- 34 Rigopoulos D, Gregoriou S, Ifandi A. Coping with acne: beliefs and perceptions in a sample of secondary school Greek pupils. *J Eur Acad Dermatol Venereol*. 2007;21:806-10.
- 35 El-Kawi Z, Nemr NA, Abdul-Razzak K. Factors believed by Jordanian acne patients to affect their acne condition. *East Medit Health J*. 2006;12:840-6.
- 36 Bhate K, Williams HC. Epidemiology of acne vulgaris. *BAD*. 2013;168:474-85.

- 37 Smith RN, Mann NJ, Braue A et Al. A low- glycemic-load diet improves symptoms in acne vulgaris patients: a randomized controlled trial. *Am J Clin Nutr.* 2007;86:107-15.
- 38 Tanghetti EA, Papp KF. A current review of topical benzoyl peroxide: new perspectives on formulation and utilization. *Dermatol Clin.* 2009;17-24.
- 39 Leyden J, Stein-Gold L, Weiss J. Why Topical Retinoids Are Mainstay of Therapy for Acne. *Dermatology and Therapy.* 2017;7(3):293-304.
- 40 Jacobs A, Starke G, Rosumeck S, Nast A. Systematic review on the rapidity of the onset of action of topical treatments in the therapy of mild-to-moderate acne vulgaris. *Br J Dermatol.* 2014;170:557–564.
- 41 Arif T. Salicylic acid as a peeling agent: A comprehensive review. *Clinical, Cosmetic and Investigational Dermatology.* 2015;8:455-61.
- 42 Sieber MA, Hegel JKE. Azelaic acid: properties and mode of action. *Skin Pharmacol Physiol.* 2014;27suppl:9-17.
- 43 Goh CL, Noppakun N, Micali G, Azizan NZ, Boonchai W, Chan Y dkk. Meting the challenges of the acne treatment in Asian patients: a review of the role of Dermocosmetics as adjunctive therapy. *J Cutan Aesthet Surg.* 2016;85-92.
- 44 Fabbrocini G, Annunziata MC, D'Arco V, De Vita V, Lodi G, Mauriello MC dkk. Acne scars: pathogenesis, classification and treatment. *Dermatology Research and Practice.* 2010;1-13.
- 45 Sun K-L, Chang J-M. Special types of folliculitis which should be differentiated from acne. *Dermatoendocrinol.* 2017;(9)1:e1356519.
- 46 Gawkrödger DJ. *Dermatology: An Illustrated Colour Text.* 4rd ed. Churchill Livingstone:Elsevier. 2008:62-3.
- 47 Uslu M, Savk E, Karaman G, Sendur N. Rosacea treatment with intermediate-dose isotretinoin: followup with erythema and sebum measurements. *Acta Derm Venereol.* 2012;92(1):73-7.
- 48 Sostroasmoro S, Ismael S. *Dasar-dasar metodologi penelitian klinis.* Edisi 5. Jakarta: Sagung Seto. 2014: 328-51.
- 49 Sampelan MG, Pangemanan D, Kundre RM. Hubungan timbulnya akne vulgaris dengan tingkat kecemasan pada remaja di SMPN 1 Likupang Timur. *E-Kp.* 2017;1-8.

- 50 Manarisip CK, Kepel BJ, Rompas SS. Hubungan stress dengan kejadian akne vulgaris pada mahasiswa semester V program studi ilmu keperawatan FK Unsrat Manado.e-Kp. 2015;1-6.
- 51 Nazaya M, Praharsini IGAA, Rusyati LMM. Profil gangguan kualitas hidup akibat akne vulgaris pada mahasiswa FK Udayana tahun 2015. E-Jurnal Medika. 2018;1-5.
- 52 Mizwar M, Kapantow MG, Suling PL. Profil akne vulgaris di RSUP Prof. Dr.RD Kandou Manado periode 2009-2011. Journal E-clinic. 2013;1-7.
- 53 Putra IPIA, Winaya KK. Pengaruh personal hygiene terhadap timbulnya akne vulgaris pada mahasiswa program studi pendidikan dokter angkatan 2014 di FK Udayana. Intisari sains medis.2018;156-9.
- 54 Veraldi S, Barbareschi M, Micali G, Skroza N, Guanziroli E, Schianchi R, Tedeschi A. Role of cleansers in management of acne: results of an Italian survey in 786 patients. J Dermatolog Treat. 2016;1-4.
- 55 Ayudianti P, Indramaya DM. Studi retrospektif: Faktor pencetus akne vulgaris. Berkala Ilmu Kesehatan Kulit dan Kelamin. 2014:41-7.
- 56 Tjekyan RMS. Kejadian dan faktor resiko akne vulgaris.vol 43.no 1.media neliti. 2008:37-43.
- 57 Abdallah MAR, Zuelfakkar NM, ELbana RH. Comparative study of male and female sebum production. The Egyptian Journal of Hospital Medicine. 2017;1874-9.
- 58 Rahmawati D. Hubungan perawatan kulit wajah dengan timbulnya akne vulgaris.FK Undip.2012.
- 59 Youn SW, Park ES, Lee DH, Huh CH, Park KC. Does facial sebum excretion really affect the development of acne?. British Journal of Dermatology. 2005;153:919-24.
- 60 Mizukoshi K, Akamtsu H. The investigation of the skin characteristics of males focusing on gender differences, skin perception, and skin care habits. Skin Research and Technology. 2013;19:91-9.
- 61 Dreno B, Bettoli V, Araviskaia E, Viera MS, Bouloc A. The influence of exposome on acne. JEADV. 2018;32:812-19.

- 62 Yang HO, Jiang LI, Meyer K, Wang SQ, Farberg AS, Rigel DS. Sun protection by beach umbrella vs sunscreen with a high sun protection factor. A randomized clinical trial. *JAMA Dermatol.* 2017;E1-5.
- 63 Del Rosso JQ. The role of skin care as an integral component in the management of acne vulgaris. Part 1: the importance of cleanser and moisturizer ingredients, design and product selection. *J Clin Aesthet Dermatol.* 2013;6(12):19-27.
- 64 Nguyen QG, Markus R, Katta R. Diet and acne: An exploratory survey study of patients beliefs. *Dermatol pract concept.* 2015;6(2):5.
- 65 Lim S, Shin J, Cho Y, Kim KP. Dietary patterns associated with sebum content, skin hydration and pH, and their sex-dependent differences in healthy Korean adults. *Nutrients.* 2019;11:619.
- 66 Luebberding S, Krueger N, Kerscher M dkk. Skin physiology in men and women: in vivo evaluation of 300 people including TEWL, SC hydration, sebum content and skin surface pH. *Int J CosmetSci.* 2013;35(5):477-83.
- 67 Pappas A, Johnsen S, Liu JC dkk. Sebum analysis of individuals with and without acne. *Dermatoendocrinol.* 2009;1:157-61.