

DAFTAR PUSTAKA

1. Murray RK, Bender DA, Botham KM, Kennelly PJ, Rodwell VW, Weil PA. Biokimia Harper. 29th ed. Soeharsono R, Sandra F, Ong HO, editors. Jakarta: ECG; 2014.
2. Read KB, Sheehan JR, Huerta MF, Knecht LS, Mork JG, Humphreys BL. Sizing the Problem of Improving Discovery and Access to NIH-Funded Data. A Preliminary Study. PLOS ONE. 2015 [dikutip 8 Desember 2017]. 10(7). Tersedia pada: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4514623/>
3. Lobo V, Patil A, Phatak A, Chandra N. Free radicals, antioxidants and functional foods: Impact on human health. Pharmacogn Rev. 2010;4(8):118–26
4. Sherwood, L. Human physiology from cells to systems. Edisi 8. Jakarta: ECG; 2010.
5. Rahman K. Studies on free radicals, antioxidants, and co-factors: Clin Interv Aging. 2007;2(2):219–36.
6. Kass NE. An Ethics Framework for Public Health: Am J Public Health. November 2001;91(11):1776–82.
7. Semenza G. Hypoxia-inducible factor 1 and cardiovascular disease. Belin 2013. [dikutip 8 Desember 2017];76(39) Tersedia pada: <https://www.ncbi.nlm.nih.gov/pubmed/23988176>
8. Stelter Z, Strakova J, Yellamilli A, Fischer K, Sharpe K, Townsend D. Hypoxia-induced cardiac injury in dystrophic mice: Am J Physiol Heart Circ Physiol. 2016;310(7):938-948.
9. Nangaku M. Hypoxia and the HIF System in Kidney Disease. Germany, Friedrich Alexander University; 2007. [dikutip 8 Desember 2017];85(12) Tersedia pada: <https://link.springer.com/article/10.1007/s00109-007-0278-y>
10. Fu Q, Colgan SP, Shelley CS. Hypoxia: The Force that Drives Chronic Kidney Disease. Clin Med Res. 2016;14(1):15–39.
11. Maekawa H, Inagi R. Stress Signal Network between Hypoxia and ER Stress in Chronic Kidney Disease. Front Physiol. 2017 [dikutip 8 Desember 2017];8(74) Tersedia pada: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5296310/>
12. ITIS Standard Report Page: Maja. North America. 2011 [dikutip 8 Desember 2017];1(1) Tersedia pada: https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=506380#null
13. Reddy VP, Urooj A. Antioxidant properties and stability of maja leaves extracts: J Food Sci Technol; Februari 2013;50(1):135–40.
14. Rahman A, Imran H, Iqbal L, Staqvi S, Fatima N, Yaqeen Z. Dry and ripe fruit of Maja. L: A potent source of antioxidant, lipoxygenase inhibitors and free radical scavenger: Pak J Pharm Sci; 2016;29(4):1127–31.

15. Hammond EM, Asselin M-C, Forster D, O'Connor JPB, Senra JM, Williams KJ. The Meaning, Measurement and Modification of Hypoxia in the Laboratory and the Clinic: *Clin Oncol*: 2014;26(5):277–88.
16. Yang W, Zhang X, Wang N, Tan J, Fang X, Wang Q, dkk. Effects of Acute Systemic Hypoxia and Hypercapnia on Brain Damage in a Rat Model of Hypoxia-Ischemia: *PLOS ONE*; 2016;11(12):e0167359.
17. Cafaro RP. Hypoxia: Its Causes and Symptoms. *J Am Dent Soc Anesthesiol*: 1960;7(4):4–8.
18. West JB. Causes of and compensations for hypoxemia and hypercapnia: *Compr Physiol*: 2011;1(3):1541–53.
19. Qutub AA, Popel AS. A computational model of intracellular oxygen sensing by hypoxia-inducible factor HIF1 α : *Journal of Cell Science*; 2007.
20. Villamena FA. Molecular basis of oxidativ stress. Canada: John Wiley & Sons; 2013.
21. Zorov DB, Juhaszova M, Sollott SJ. Mitochondrial Reactive Oxygen Species (ROS) and ROS-Induced ROS Release. *Physiol Rev*. 2014;94(3):909–50.
22. Gemma C, Vila J, Bachstetter A, Bickford PC. Oxidative Stress and the Aging Brain: From Theory to Prevention. Riddle DR, editor. Boca Raton; 2017.
23. Held P. An Introduction to Reactive Oxygen Species. Vermont, USA: BioTek Instruments; 2015.
24. Fu Q, Colgan S, Shelley C. Hypoxia: The Force that Drives Chronic Kidney Disease. *PMC*. 2016 (cited 2016 Mar); 14(1): Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4851450/>
25. Barry H, John M.C.Gutteridge. Free radicals in biology and medicine. Fourth edition. Oxford: Oxford university press: 2007. p.1-95
26. Krishnamurthy P, Wadhvani A, Vaskova J, Vasko L, Kron I, Sen A et al. Antioxidant Enzyme. Rijeka, Croatia: InTech; 2012. p.14-20.
27. Harrison D. Antioxidant enzymes: a dynamic system for health. *NEC White Paper*; 2013.
28. Federer WT. Experimental design: Theory and Application. New York: Macmillan Publishers; 1963.
29. Al Nayeem A, Khatun A, Rahman M. Evaluation of phytochemical and pharmacological properties of *Mikania cordata* (Asteraceae) leaves: *Journal of Pharmacognosy and Phytotherapy*; 2011.
30. Xiong Q, Wilson WK, Pang J. The Liebermann–Burchard reaction: sulfonation, desaturation, and rearrangement of cholesterol in acid. *Lipids*. 2007 [cited 2017 Dec 14];42(1) Available from: <https://link.springer.com/article/10.1007/s11745-006-3013-5>.
31. Blois MS. Antioxidant determinations by the use of a stable free radical. *Nature*. 1958;29 (1199-1200)
32. Woisky, R. and Salatino, A. 1998. Analysis of propolis: some parameters and procedurs for chemical quality control.*J. Apic. Res*. 37: 99-105.
33. Singleton V L and Rossi J A Jr. Colorimetry of total phenolics with phosphomolybdic-phosphotungstic acid reagent. *Amer. J. Enol*: 1965; 16:144-58.

34. Meyer BN, Ferigni NA, Putnam JE, Jacobsen LB, Nichols DE, McLaughli JL. Brine Shrimp: A Convenient General Bioassay for Active Plant Constituent. *Journal of Medicinal Plant Research*. 1982;45:31-4.
35. Mate MJ, Zamocky M, Nykyri LM, Herzog C, Alzari PM, Betzel C, et al. Structure of catalase-A from *Saccharomyces cerevisiae*. *Journal of Molecular Biology*. 1999; 286(1):135-149.
36. Christian W, Warburg O. Isolierung und Kristallisation des Gärungsferments Enolase. *Biochem. Z*. 1941; 310:384-421.
37. Rajan S, Gokila M, Jency P, Brindha P, Sujatha RK. Antioxidant and phytochemical properties of Majafruit pulp. *Int J Curr Pharm Res*. 2011;3(2):65-70.
38. Sekar DK, Kumar G, Karthik L, Bhaskara KV. A review on pharmacological and phytochemical properties of Maja (L.) Corr. Serr. (Rutaceae). *Asian Journal of Plant Science and Research*. 2011;1 (2): 8-17.
39. Bristy NJ, Hasan A. Characterization of Antioxidant and Cytotoxic Potential of Methanolic Extract of Different Parts of *Aegle marmelos* (L.). *International Journal of Pharmaceutical Sciences and Research*. 2017; 8(3)
40. Kobayashi M, Sugiyama H, Wang D-H, Toda N, Maeshima Y, Yamasaki Y et al. Catalase deficiency renders remnant kidneys more susceptible to oxidant tissue injury and renal fibrosis in mice. *Kidney Int*. 2005;68(3):1018–31.
41. Kiss N, Hamar P. Histopathological evaluation of contrast-induced acute kidney injury rodent models. *BioMed Res*. 2016 [dikutip 24 Mei 2018];2016. Tersedia pada: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5128699/>