

DAFTAR PUSTAKA

1. Kementerian Kesehatan RI Pusat Data dan Informasi. Analisis Lansia di Indonesia. 2017.
2. Weinstein JR, Anderson S. THE AGING KIDNEY: PHYSIOLOGICAL CHANGES. *Adv Chronic Kidney Dis.* 2010 Jul;17(4):302–7.
3. Hazzard WR, Halter JB, editors. Hazzard's geriatric medicine and gerontology. 6th ed. New York: McGraw-Hill Medical; 2009. 1 p.
4. Martono HH, Pranaka K. Buku Ajar Boedhi-Darmojo Geriatri (Ilmu Kesehatan Usia Lanjut) Edisi 5. Badan Penerbit Fakultas Kedokteran Universitas Indonesia;
5. Modig S, Lannering C, Östgren CJ, Mölstad S, Midlöv P. The assessment of renal function in relation to the use of drugs in elderly in nursing homes; a cohort study. *BMC Geriatr [Internet].* 2011 Dec [cited 2018 Oct 25];11(1). Available from: <http://bmcgeriatr.biomedcentral.com/articles/10.1186/1471-2318-11-1>
6. Mula-Abed W-AS, Al Rasadi K, Al-Riyami D. Estimated Glomerular Filtration Rate (eGFR): A Serum Creatinine-Based Test for the Detection of Chronic Kidney Disease and its Impact on Clinical Practice. *Oman Med J.* 2012 Mar;27(2):108–13.
7. Martin JH, Fay MF, Ungerer JP. eGFR — use beyond the evidence. 2009;190(4):3.
8. Bhimji SS, Leslie SW. Anatomy, Abdomen and Pelvis, Kidneys [Internet]. StatPearls Publishing; 2018 [cited 2018 Oct 4]. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK482385/>
9. Moore KL, Dalley AF, Agur AMR. Moore Clinically Oriented Anatomy. 7th ed. Philadelphia: Wolters Kluwer, Lippincott Williams & Wilkins;
10. Barrett KE, Barman SM, Boitano S, Brooks HL. Ganong's Review of Medical Physiology. 24th ed. New York: McGraw-Hill Medical; 2012.
11. Sherwood L. Fisiologi Manusia Dari Sel ke Sistem. 8th ed. EGC; 2014.
12. Karam Z, Tuazon J. Anatomic and Physiologic Changes of the Aging Kidney. *Clin Geriatr Med.* 2013 Aug;29(3):555–64.
13. O'Sullivan ED, Hughes J, Ferenbach DA. Renal Aging: Causes and Consequences. *J Am Soc Nephrol JASN.* 2017 Feb;28(2):407–20.

14. Garasto S, Fusco S, Corica F, Rosignuolo M, Marino A, Montesanto A, et al. Estimating Glomerular Filtration Rate in Older People. BioMed Res Int [Internet]. 2014 [cited 2018 Nov 8];2014. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3977451/>
15. Verdiansah. Pemeriksaan Fungsi Ginjal. CDK-237. 2016;43 no.2.
16. Herget-Rosenthal S, Bökenkamp A, Hofmann W. How to estimate GFR- serum creatinine, serum cystatin C or equations? Clin Biochem. 2007 Feb;40(3–4):153–61.
17. Melamed ML, Bauer C, Hostetter TH. eGFR: Is It Ready for Early Identification of CKD? Clin J Am Soc Nephrol CJASN. 2008 Sep;3(5):1569–72.
18. Delanaye P, Cavalier E, Mariat C, Maillard N, Krzesinski J-M. MDRD or CKD-EPI study equations for estimating prevalence of stage 3 CKD in epidemiological studies: which difference? Is this difference relevant? BMC Nephrol. 2010 Jun 1;11:8.
19. Fraser SD, Blakeman T. Chronic kidney disease: identification and management in primary care. Pragmatic Obs Res. 2016 Aug 17;7:21–32.
20. Gowda S, Desai PB, Kulkarni SS, Hull VV, Math AAK, Vernekar SN. Markers of renal function tests. North Am J Med Sci. 2010 Apr;2(4):170–3.
21. Thongprayoon C, Cheungpasitporn W, Kashani K. Serum creatinine level, a surrogate of muscle mass, predicts mortality in critically ill patients. J Thorac Dis. 2016 May;8(5):E305–11.
22. East DB. Biochemical Pathways of Creatine and Creatine Phosphate. :35.
23. Syal K, Banerjee D, Srinivasan A. Creatinine Estimation and Interference. Indian J Clin Biochem. 2013 Apr;28(2):210–1.
24. Hosten AO. BUN and Creatinine [Internet]. Butterworths; 1990 [cited 2018 Sep 23]. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK305/>
25. Delanaye P, Cavalier E, Pottel H. Serum Creatinine: Not So Simple! Nephron. 2017;136(4):302–8.
26. Odden MC, Shlipak MG, Tager IB. Serum Creatinine and Functional Limitation in Elderly Persons. J Gerontol A Biol Sci Med Sci. 2009 Mar 1;64A(3):370–6.
27. Shlipak MG, Katz R, Kestenbaum B, Fried LF, Newman AB, Siscovick DS, et al. Rate of Kidney Function Decline in Older Adults: A Comparison Using Creatinine and Cystatin C. Am J Nephrol. 2009 Sep;30(3):171–8.

28. Whole Body Creatine and Protein Kinetics in Healthy Men and Women: Effects of creatine and amino acid supplementation [Internet]. [cited 2019 May 6]. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4754151/>
29. da Silva RP, Nissim I, Brosnan ME, Brosnan JT. Creatine synthesis: hepatic metabolism of guanidinoacetate and creatine in the rat in vitro and in vivo. *Am J Physiol - Endocrinol Metab.* 2009 Feb;296(2):E256–61.
30. Deskur-Smielecka E, Kotlinska-Lemieszek A, Chudek J, Wieczorowska-Tobis K. Assessment of renal function in geriatric palliative care patients – comparison of creatinine-based estimation equations. *Clin Interv Aging.* 2017 Jun 23;12:977–83.
31. Chen J, Wildman RP, Gu D, Kusek JW, Spruill M, Reynolds K, et al. Prevalence of decreased kidney function in Chinese adults aged 35 to 74 years. *Kidney Int.* 2005 Dec;68(6):2837–45.
32. Passos VMA, Barreto SM, Lima-Costa MFF. Detection of renal dysfunction based on serum creatinine levels in a Brazilian community: the Bambuí Health and Ageing Study. *Braz J Med Biol Res.* 2003 Mar;36(3):393–401.
33. Tiao J. The effect of age on serum creatinine levels in an aging population: relevance to vascular surgery. *Cardiovasc Surg.* 2002 Oct;10(5):445–51.
34. Gourden V, Jialal I. Renal Function Tests [Internet]. StatPearls Publishing; 2019 [cited 2019 May 22]. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK507821/>
35. Dutra MC, Uliano EJM, Machado DFG de P, Martins T, Schuelter-Trevisol F, Trevisol DJ. Assessment of kidney function in the elderly: a population-based study. *J Bras Nefrol* [Internet]. 2014 [cited 2019 May 9];36(3). Available from: <http://www.gnresearch.org/doi/10.5935/0101-2800.20140043>
36. Malyszko J, Bachorzewska-Gajewska H, Malyszko J, Iaina-Levin N, Kobus G, Dobrzycki S. Markers of kidney function in the elderly in relation to the new CKD-EPI formula for estimation of glomerular filtration rate. *Arch Med Sci AMS.* 2011 Aug;7(4):658–64.