

DAFTAR PUSTAKA

- Achsan, A., Bisri, M., & Suhartanto, E. (2015). Analisis Kecenderungan Sedimentasi Waduk Bili-Bili Dalam Upaya Keberlanjutan Usia Guna Waduk. *Jurnal Teknik Pengairan: Journal of Water Resources Engineering*, 6(1), 30–36.
- Aksoy, H., Mahe, G., & Meddi, M. (2019). Modeling and Practice of Erosion and Sediment Transport under Change. *Water*, 11(8), 1665. <https://doi.org/10.3390/w11081665>
- Alam, S. (1999). The influence and management of sediment at hydro projects. *International Journal on Hydropower & Dams*, 6(3), 54–57.
- Alemu, M. M. (2016). Integrated Watershed Management and Sedimentation. *Journal of Environmental Protection*, 07(04), 490–494. <https://doi.org/10.4236/jep.2016.74043>
- Aleweli, C., Borrelli, P., Meusburger, K., & Panagos, P. (2019). Using the USLE: Chances, challenges and limitations of soil erosion modelling. *International Soil and Water Conservation Research*, 7(3), 203–225. <https://doi.org/10.1016/j.iswcr.2019.05.004>
- Annandale, G. W., Morris, G. L., & Karki, P. (2016). *Extending the Life of Reservoirs*. International Bank for Reconstruction and Development.
- Aprilian, D. P. (2020). *Proyek Pembangunan Bendungan Leuwikeris Kabupaten Ciamis Analisis dan Metode Pekerjaan Pada Segmen D-18 Plat Lantai Bangunan Pelimpah* (hlm. 101) [Laporan Kerja Praktik]. Universitas Teknologi Yogyakarta.

- Arsyad, S. (2009). *Konservasi tanah dan air*. PT Penerbit IPB Press.
- Auerswald, K., Fiener, P., Martin, W., & Elhaus, D. (2014). Use and misuse of the K factor equation in soil erosion modeling: An alternative equation for determining USLE nomograph soil erodibility values. *CATENA*, 118, 220–225. <https://doi.org/10.1016/j.catena.2014.01.008>
- Auerswald, K., Kainz, M., & Fiener, P. (2003). Soil erosion potential of organic versus conventional farming evaluated by USLE modelling of cropping statistics for agricultural districts in Bavaria. *Soil Use and Management*, 19(4), 305–311. <https://doi.org/10.1111/j.1475-2743.2003.tb00320.x>
- Badan Informasi Geospasial. (2010). *Peta Rupa Bumi Indonesia* [Map].
- Badan Standardisasi Nasional. (2000). *SNI 19-6459-2000 Tata Cara Pengontrolan Sedimentasi pada Waduk*. Badan Standardisasi Nasional.
- Bols, P. (1978). *The Iso-erodent Map of Java and Madura Belgian Technical Assistance project ATA 105*. Soil Research Institute.
- Bonta, J., & Sutton, P. (1983). *Erosion and reclamation plots: Research on the hydrology and water quality of watersheds subjected to surface mining*. NTIS.
- Borst, H., McCall, A., & Bell, F. (1945). Investigations in erosion control and the reclamation of eroded land at the Northwest Appalachian conservation experiment station. Dalam *Tech. Bull. No. 888* (hlm. 1934–1942). US Dept. Agr Washington, DC.
- Brandt, S. A. (2000). A review of reservoir desiltation. *International journal of sediment research*, 15(3), 321–342.

Brunner, G. W. (2016). *HEC-RAS River Analysis System Hydraulic Reference Manual* [Computer Program Documentation]. US Army Corps of Engineers Hydrologic Engineering Center.

Brunner, G. W. & CEIWR-HEC. (2016). *HEC-RAS River Analysis System User's Manual* [Computer Program Documentation]. US Army Corps of Engineers Hydrologic Engineering Center.

Capart, H. (2008). *Migration of a Gilbert-type delta into the Wushe reservoir, Central Taiwan*. Morphohydraulics Research Group.

Chow, V. T. (1959). *Open-channel hydraulics*. Caldwell.

Dargahi, B. (2012). Reservoir Sedimentation. Dalam *Encyclopedia of Lakes and Reservoirs* (hlm. 628–649). Springer Netherlands.

https://doi.org/10.1007/978-1-4020-4410-6_146

Departemen Pekerjaan Umum. (2004). *Pedoman Pengelolaan Sedimentasi Waduk*. Direktorat Jendral Sumber Daya Air.

Faghihirad, S., Lin, B., & Falconer, R. A. (2015). Application of a 3D layer integrated numerical model of flow and sediment transport processes to a reservoir. *Water*, 7(10), 5239–5257.

Fan, J., & Morris, G. L. (1992a). Reservoir sedimentation. II: Reservoir desiltation and long-term storage capacity. *Journal of Hydraulic Engineering*, 118(3), 370–384.

Fan, J., & Morris, G. L. (1992b). Reservoir Sedimentation. I: Delta and Density Current Deposits. *Journal of Hydraulic Engineering*, 118(3), 354–369.
[https://doi.org/10.1061/\(ASCE\)0733-9429\(1992\)118:3\(354\)](https://doi.org/10.1061/(ASCE)0733-9429(1992)118:3(354))

Fan, J.-C. (1987). *Measurements of erosion on highway slopes and use of the Universal Soil Loss Erosion Equation.*

Froditus, N. O. E. (2018). *Analisis Pola Sebaran Sedimen Terhadap Pendangkalan Dermaga Menggunakan Pemodelan Hidrodinamika 3 Dimensi*. Institut Teknologi Sepuluh Nopember.

García-Ruiz, J. M., Beguería, S., Nadal-Romero, E., González-Hidalgo, J. C., Lanaré Renault, N., & Sanjuán, Y. (2015). A meta-analysis of soil erosion rates across the world. *Geomorphology*, 239, 160–173.
<https://doi.org/10.1016/j.geomorph.2015.03.008>

Graf, W. (1984). Storage losses in reservoirs. *International water power & dam construction*, 36(4), 37–40.

Graf, W. H., & Altinakar, M. S. (1998). *Fluvial hydraulics: Flow and transport processes in channels of simple geometry* (Nomor 551.483 G7).

Harrison, A., & Mellema, W. (1982). *Sedimentation aspects of the Missouri River dams*. ICOLD 14th Congress, Rio de Janeiro.

Hummel, R., Duan, J. G., & Zhang, S. (2012). Comparison of Unsteady and Quasi-Unsteady Flow Models in Simulating Sediment Transport in an Ephemeral Arizona Stream 1. *JAWRA Journal of the American Water Resources Association*, 48(5), 987–998.

Ishak, N. A., Mohd Sidek, L., Yalit, M. R., Razad, S. K. A. Z. A., Sinnakaudan, S. A., & Aziz, A. M. A. (2020). Development of Soil Loss Erosion Forecasting Using the Revised Universal Soil Loss Equation and Geographic Information System. Dalam L. Mohd Sidek, G. H. A. Salih, & M. H. Boosroh (Ed.),

ICDSME 2019 (hlm. 103–114). Springer Singapore.

https://doi.org/10.1007/978-981-15-1971-0_10

Julia, H., & Novita, A. (2018). Analysis of Erosion Risk Level in Upstream of Sempor Reservoir. *International Conference Sustainable Agriculture and Natural Resources Management*, 2.

Kantor Staf Presiden. (2021, Juni 11). *Pembangunan Bendungan Leuwikeris Selesai pada 2022*. Portal Resmi Kantor Staf Presiden.
<https://ksp.go.id/pembangunan-bendungan-leuwikeris-selesai-pada-2022.html>

Karydas, C. G., Panagos, P., & Gitas, I. Z. (2014). A classification of water erosion models according to their geospatial characteristics. *International Journal of Digital Earth*, 7(3), 229–250.

<https://doi.org/10.1080/17538947.2012.671380>

Kementerian Lingkungan Hidup dan Kehutanan. (2018). *Peta Daerah Aliran Sungai Citanduy* [Map].

Kementerian Pekerjaan Umum. (2012). *Peta Wilayah Sungai Citanduy* [Map].

Pola Pengelolaan Sumber Daya Air Wilayah Sungai Citanduy, Pub. L. No. Keputusan Menteri Pekerjaan Umum Nomor 483/KPTS/M/2013 (2013).

Kementerian Pekerjaan Umum dan Perumahan Rakyat. (2015). *Peraturan Menteri Pekerjaan Umum dan Perumahan Rakyat Republik Indonesia Nomor 27/PRT/M/2015 Tentang Bendungan*. Kementerian Pekerjaan Umum dan Perumahan Rakyat.

Kementerian Pekerjaan Umum dan Perumahan Rakyat. (2016). *Data Bendungan*.

Database Pembangunan Bendungan.

[http://222.124.202.167/pusben/bendungan_detail.php?layer=bendungan&co
lumn=Kode&id=B35&zoom=7](http://222.124.202.167/pusben/bendungan_detail.php?layer=bendungan&column=Kode&id=B35&zoom=7)

Kilinc, M. Y. (1972). *Mechanics of soil erosion from overland flow generated by simulated rainfall*. Colorado State University.

Lai, S. Y., & Capart, H. (2009). Reservoir infill by hyperpycnal deltas over bedrock. *Geophysical Research Letters*, 36(8).

Liu, B., Nearing, M. A., & Risso, L. M. (1994). Slope gradient effects on soil loss for steep slopes. *Transactions of the ASAE*, 37(6), 1835–1840.

Marhendi, T.-. (2018). Analisa Perubahan Volume Sedimentasi Waduk Pangsar Soedirman Menggunakan Karakteristik Curah Hujan Berbasis Universal Soil Loss Equation (USLE). *TEKNIK*, 39(2), 120–125.
<https://doi.org/10.14710/teknik.v39i2.13763>

Morris, G. L., & Fan, J. H. (1998). *Reservoir Sedimentation Handbook*. McGraw-Hill Book Co.

Mustafa, A. S., Sulaiman, S. O., & Al, K. M. (2017). *Application of HEC-RAS Model to Predict Sediment Transport for Euphrates River from Haditha to Heet 2016*. 8.

Pham, T. G., Degener, J., & Kappas, M. (2018). Integrated universal soil loss equation (USLE) and Geographical Information System (GIS) for soil erosion estimation in A Sap basin: Central Vietnam. *International Soil and Water*

Conservation Research, 6(2), 99–110.

<https://doi.org/10.1016/j.iswcr.2018.01.001>

PT Indonesia Power. (2008). *Laporan Pelaksanaan Penyelidikan Sedimentasi Waduk PLTA PB Sudirman.*

Pusat Penelitian Tanah dan Agroklimat. (1987). *Peta Jenis Tanah Tinjau Pulau Jawa [Map].*

Ranzi, R., Le, T. H., & Rulli, M. C. (2012). A RUSLE approach to model suspended sediment load in the Lo river (Vietnam): Effects of reservoirs and land use changes. *Journal of Hydrology*, 422–423, 17–29.

<https://doi.org/10.1016/j.jhydrol.2011.12.009>

Rice, T. L., & Simons, D. B. (1982). Sediment Deposition Model for Reservoirs Based On The Dominant Physical Processes. *Canadian Water Resources Journal*, 7(2), 45–62. <https://doi.org/10.4296/cwrj0702045>

Robert, C. B. (1994). *Pendugaan Besar Angkutan Sedimen Pada Daerah Aliran Sungai Citanduy*. Institut Pertanian Bogor.

Rüttimann, M., Schaub, D., Prasuhn, V., & Rüegg, W. (1995). Measurement of runoff and soil erosion on regularly cultivated fields in Switzerland—Some critical considerations. *CATENA*, 25(1), 127–139.

[https://doi.org/10.1016/0341-8162\(95\)00005-D](https://doi.org/10.1016/0341-8162(95)00005-D)

Samantaray, S., Sahoo, A., & Ghose, D. K. (2021). *Watershed Management and Applications of AI*. CRC Press.

- Saputra, O., Ihsan, Y. N., & Sari, L. P. (2017). Sedimentasi dan Sebaran Makrozoobentos di Kawasan Laguna Segara Anakan Nusakambangan, Cilacap. *Jurnal Perikanan dan Kelautan*, VIII(1), 26–33.
- Schleiss, A., & De Cesare, G. (2010). Physical model experiments on reservoir sedimentation. *Journal of Hydraulic Research*, 48(ARTICLE), 54–57.
- Schleiss, A. J., Franca, M. J., Juez, C., & De Cesare, G. (2016). Reservoir sedimentation. *Journal of Hydraulic Research*, 54(6), 595–614.
<https://doi.org/10.1080/00221686.2016.1225320>
- Simons, R. K., Canali, G. E., Anderson-Newton, G. T., & Cotton, G. K. (2000). Sediment Transport Modeling: Calibration, Verification, and Evaluation. *Journal of Soil Contamination*, 9(3), 261–289.
<https://doi.org/10.1080/10588330091134239>
- Soewarno, & Syariman, P. (2008). Sedimentation Control: Part II. Intensive Measures The Inside of The Mrica Reservoir, Central Java. *Journal of Applied Sciences in Environmental Sanitation*, 3(1), 17–24.
- SRTM, USGS. (2015). *Digital Elevation Model 30 meters* [Map].
- Strand, R. I., & Pemberton, E. L. (1982). *Reservoir Sedimentation Technical Guide for Bureau of Reclamation*. U.S. Department of the Interior Bureau of Reclamation.
- Sumi, T., & Hirose, T. (2009). Accumulation of sediment in reservoirs. *Water storage, transport and distribution*, 224–252.

- Syvitski, J. P., & Milliman, J. D. (2007). Geology, geography, and humans battle for dominance over the delivery of fluvial sediment to the coastal ocean. *The Journal of Geology*, 115(1), 1–19.
- TKPSDA WS Citanduy. (2012). *Notulen Sidang Pleno II TKPSDA WS Citanduy*.
[https://sda.pu.go.id/tkpsda/citanduy/uploads/berita/files/4_%20NOTULEN%20sidang%20pleno%20ke-2%20\(4-5%20desember%202012\).pdf](https://sda.pu.go.id/tkpsda/citanduy/uploads/berita/files/4_%20NOTULEN%20sidang%20pleno%20ke-2%20(4-5%20desember%202012).pdf)
- Tresch, S. (2014). *Determination of the S-factor in steep slopes*.
- Trimble, S. W., & Wilson, B. (2012). Reservoir and Lake Trap Efficiency. Dalam *Encyclopedia of Lakes and Reservoirs* (hlm. 619–626). Springer Netherlands.
https://doi.org/10.1007/978-1-4020-4410-6_146
- USBR. (1987). *Design of Small Dams* (3rd Edition). United States Department of the Interior Bureau of Reclamation.
- Vanoni, V. A., American Society of Civil Engineers, & Environmental and Water Resources Institute (U.S.) (Ed.). (2006). *Sedimentation Engineering* (2nd ed). American Society of Civil Engineers.
- Wibowo, H. (2013). Analisa Perubahan Geometri Penampang Sungai Menggunakan HEC-6 untuk Menaksir Debit Sedimen pada Sungai Citanduy di Jawa Barat. *MEDIA KOMUNIKASI TEKNIK SIPIL*, 19(2), 7.
- Williams, G. P., & Wolman, M. G. (1984). *Downstream effects of dams on alluvial rivers* (Vol. 1286). US Government Printing Office.
- Wischmeier, W. H., Johnson, C. B., & Cross, B. (1971). Soil Erodibility Nomograph for Farmland and Construction Sites. *Journal of Soil and Water Conservation*, 26, 5189.

Wischmeier, W. H., & Smith, D. D. (1960). A universal soil-loss equation to guide conservation farm planning. *Transactions 7th int. Congr. Soil Sci.*, 1, 418–425.

Wischmeier, W. H., & Smith, D. D. (1965). *Predicting rainfall-erosion losses from cropland east of the Rocky Mountains: Guide for selection of practices for soil and water conservation* (Nomor 282). Agricultural Research Service, US Department of Agriculture.

Wischmeier, W. H., & Smith, D. D. (1978). *Predicting Rainfall Erosion Losses*. United States Department of Agriculture.

Zhang, F.-B., Wang, Z.-L., & Yang, M.-Y. (2014). Validating and improving interrill erosion equations. *Plos one*, 9(2), e88275.