

JURNAL MEDIKA HUTAMA

Journal of Scientific & Technical Research)



e-ISSN. 2715-9728
p-ISSN. 2715-8039

ICI World of Journals (/search/form) / **Jurnal Medika Hutama**[← Back](#)

Jurnal Medika Hutama

**English title:**

Journal of Medica Hutama

ISSN:

2715-9728 (online)

GICID:

n/d

DOI:

n/d

Website:<http://jurnalmedikahutama.com/index.php/JMH> (<http://jurnalmedikahutama.com/index.php/JMH>)**Publisher:**

Yayasan Medika Indonesia

Country:

ID

Language of publication:

ID

Deposited publications: 0 > Full text: 0% | Abstract: 0% | Keywords: 0% | References: 0%[Issues and contents](#)[Journal description \(\)](#)[Details \(\)](#)[Scientific profile \(\)](#)[Editorial office \(\)](#)[Publisher \(\)](#) [Metrics \(\)](#)

As part of our website we use cookies to provide you with services at the highest level , including in a manner tailored to individual needs . Using the site without changing the settings for cookies results in saving them in your device . You can change cookies' settings any time you want in your web browser. More details in our Cookies Policy

The Journal of Medical Medicine is a research journal, case study, and literature review in the areas of Health and Medicine (Epidemiology, Biomedics, Health Policy, Nursing, Midwifery, Pharmacy, Health Administration, Nutrition, Environmental Health, Health Economics, Health Information Technology, Health Law , Occupational Health and Safety and other relevant areas).

Non-indexed in the ICI Journals Master List 2021

Not reported for evaluation

Archival ratings [▶](#)

Main page (<http://jml.indexcopernicus.com>) . Rules

(http://indexcopernicus.com/images/PDF/Regulamin_serwisu_internetowego.pdf) . Privacy policy

Citations: Coming soon

(http://indexcopernicus.com/images/PDF/Polityka_prywatnosci.pdf) . Return policy

(http://indexcopernicus.com/images/PDF/Polityka_zwrotow.pdf)

MSHE points: n/d

© Index Copernicus 2022



As part of our website we use cookies to provide you with services at the highest level , including in a manner tailored to individual needs . Using the site without changing the settings for cookies results in saving them in your device . You can change cookies' settings any time you want in your web browser. More details in our Cookies Policy

Editorial Board

EDITOR-IN-CHIEF



Dwi Septian Wijaya, S.Kep., M.K.M

(Institut Teknologi Bisnis dan Kesehatan Muhammadiyah Tulungagung (<https://itbk.ac.id/>))

SECTION EDITORIAL

Hamdan Alwi, S.KM., M.K.M, STIKes Kuningan, Indonesia

Dr. Rustika., M.Si Litbangkes Kemenkes RI, Indonesia

Dr. Al Asyary, MPH Faculty of Public Health, Universitas Indonesia, Indonesia

Bagus Kurniawan, S.IKom., M.K.M, Kesdam Jaya, Jakarta, Indonesia

Nia Musniati, S.KM., M.K.M, Faculty of Public Health, Universitas Muhammadiyah Prof. HAMKA, Indonesia

LAYOUT EDITOR

Dwi Septian Wijaya, S.Kep., M.K.M

Edi Lesmono, S.Si., M.K.M

Widi Nurwijayanti, S.Pd., M.Pd

REVIEWER

Hamdan Alwi, S.KM., M.K.M, STIKes Kuningan, Indonesia

Dr. Rustika., M.Si Litbangkes Kemenkes RI, Indonesia

Dr. Al Asyary, MPH Faculty of Public Health, Universitas Indonesia, Indonesia

Nia Musniati, S.KM., M.K.M, Faculty of Public Health, Universitas Muhammadiyah Prof. HAMKA, Indonesia

Open Journal Systems (<http://pkp.sfu.ca/ojs/>)

Editorial Board (<http://jurnalmedikahutama.com/index.php/JMH/Board>)

Focus and Scope (<http://jurnalmedikahutama.com/index.php/JMH/Focus>)

Plagiarism Screening (<http://jurnalmedikahutama.com/index.php/JMH/Plagiarism>)

Publication Ethic (<http://jurnalmedikahutama.com/index.php/JMH/Ethic>)

Indexing & Abstracting (<http://jurnalmedikahutama.com/index.php/JMH/Indexing>)

Journal Template (https://drive.google.com/file/d/1XMuVnrX_4dVmwyVHoW1nZdmwQOhc-voL/view)

Author Fees (<http://jurnalmedikahutama.com/index.php/JMH/Fees>)

Author Guidelines (<http://jurnalmedikahutama.com/index.php/JMH/Guidelines>)


Download (<http://jurnalmedikahutama.com/index.php/JMH/Download>)

REFERENCE MANAGEMENT TOOLS

EndNote^{Web} (<https://www.endnote.com/>)
The Web-based Research & Writing Tool

 (<https://www.mendeley.com/download-desktop-new/>)
Mendeley

 (<https://www.grammarly.com/>)
grammarly

 (<https://plagiarism-detector.com/c/en/index.php>)

 **zotero** (<https://www.zotero.org/>)

Language

English (https://jurnalmedikahutama.com/index.php/JMH/user/setLocale/en_US?source=%2Findex.php%2FJM%2FBoard)

Bahasa Indonesia (https://jurnalmedikahutama.com/index.php/JMH/user/setLocale/id_ID?source=%2Findex.php%2FJM%2FBoard)

Information

For Readers (<https://jurnalmedikahutama.com/index.php/JMH/information/readers>)

For Authors (<https://jurnalmedikahutama.com/index.php/JMH/information/authors>)

For Librarians (<https://jurnalmedikahutama.com/index.php/JMH/information/librarians>)



(<https://info.flagcounter.com/z2lb>)

Yayasan Pendidikan Medika Indonesia

 Jl. Gas Alam No. 59 Depok, Jawa Barat

 081334291827

 jurnalmedikahutama@gmail.com

 www.jurnalmedikahutama.com



(<http://creativecommons.org/licenses/by/4.0/>)

Ciptaan disebarluaskan di bawah Lisensi Creative Commons Atribusi 4.0 Internasional (<http://creativecommons.org/licenses/by/4.0/>).

Platform &
workflow by
OJS / PKP

(<https://jurnalmedikahutama.com/index.php/JMH/about/aboutThisPublishingSystem>)

HOME ([HTTPS://JURNALMEDIKAHUTAMA.COM/INDEX.PHP/JMH/INDEX](https://jurnalmedikahutama.com/index.php/JMH/INDEX))
/ ARCHIVES ([HTTPS://JURNALMEDIKAHUTAMA.COM/INDEX.PHP/JMH/ISSUE/ARCHIVE](https://jurnalmedikahutama.com/index.php/JMH/ISSUE/ARCHIVE))
/ VOL. 2 NO. 04 JULI (2021): JURNAL MEDIKA HUTAMA



(<https://jurnalmedikahutama.com/index.php/JMH/issue/view/8>)

Published: 2021-07-14

Articles

NEW PARADIGM OF DRUG COMBINATION FORMULATION FOR PSOARIASIS THERAPY AND ITS SUPERIORITY COMPARED BY STANDARD THERAPY
(<https://jurnalmedikahutama.com/index.php/JMH/article/view/207>)

Sukmawati Tansil Tan, Yohanes Firmansyah
1011-1020

PDF (<https://jurnalmedikahutama.com/index.php/JMH/article/view/207/135>)

NEW DRUG FORMULATIONS FOR ACNE VULGARIS – PATHOGENESIS BASED TREATMENT OF ACNE VULGARIS
(<https://jurnalmedikahutama.com/index.php/JMH/article/view/206>)

Sukmawati Tansil Tan, Yohanes Firmansyah
1021-1026

PDF (<https://jurnalmedikahutama.com/index.php/JMH/article/view/206/136>)

HUBUNGAN DISLIPIDEMIA DENGAN KEJADIAN PENYAKIT JANTUNG

KORONER (<https://jurnalmedikahutama.com/index.php/JMH/article/view/209>)

Muhammad Syahrafi Ramadhan Effendi

1027-1030

PDF (<https://jurnalmedikahutama.com/index.php/JMH/article/view/209/137>)

FAKTOR MATERNAL PADA KEJADIAN STUNTING

(<https://jurnalmedikahutama.com/index.php/JMH/article/view/210>)

Farid Fadhlurrahman Fajri

1031-1035

PDF (<https://jurnalmedikahutama.com/index.php/JMH/article/view/210/138>)

Teori Tentang Pengetahuan Perespan Obat
Bahasa Indonesia

(<https://jurnalmedikahutama.com/index.php/JMH/article/view/211>)

Lisyanto Prabowo Wanda

1036-1039

PDF (<https://jurnalmedikahutama.com/index.php/JMH/article/view/211/139>)

GAMBARAN KADAR HEMOGLOBIN PASIEN GAGAL GINJAL KRONIK SESUDAH
MELAKUKAN HEMODIALISIS

(<https://jurnalmedikahutama.com/index.php/JMH/article/view/212>)

Franklin Daniel Dwitra Halomoan Pandiangan

1040-1046

PDF (<https://jurnalmedikahutama.com/index.php/JMH/article/view/212/140>)

Kaitan Kualitas Tidur Dengan Diabetes Melitus Tipe 2

(<https://jurnalmedikahutama.com/index.php/JMH/article/view/214>)

Isvi Aliffia Bingga

1047-1052

PDF (<https://jurnalmedikahutama.com/index.php/JMH/article/view/214/141>)

Gastroprotective effects of turmeric rhizome (*Curcuma domestica* Val.) from
gastric ulcers induced by NSAIDs

(<https://jurnalmedikahutama.com/index.php/JMH/article/view/215>)

Nabila Salwa Raehana

1053-1059

PDF (<https://jurnalmedikahutama.com/index.php/JMH/article/view/215/142>)

THE EFFECT OF IRON SUPPLEMENT AND VITAMIN C TOWARDS INCREASING HEMOGLOBIN LEVELS IN PREGNANT WOMAN WITH ANEMIA

(<https://jurnalmedikahutama.com/index.php/JMH/article/view/219>)

Anjar Junia Puspita

1060-1066

PDF (<https://jurnalmedikahutama.com/index.php/JMH/article/view/219/143>)

The Effects of Giving Isoflavones in Soybeans in Losing Weight

(<https://jurnalmedikahutama.com/index.php/JMH/article/view/218>)

Synthia Wulan Perdana

1067-1072

PDF (<https://jurnalmedikahutama.com/index.php/JMH/article/view/218/144>)

GLOBAL HEALTH FINANCING SYSTEM

(<https://jurnalmedikahutama.com/index.php/JMH/article/view/220>)

Nurrahmi Aspawati Nurrahmi Aspawati

1073-1079

PDF (<https://jurnalmedikahutama.com/index.php/JMH/article/view/220/145>)

TREATING CERVICAL CANCER WITH CINNAMON BURMANNII BARK

(<https://jurnalmedikahutama.com/index.php/JMH/article/view/221>)

Sezia Marina Putri

1080-1083

PDF (<https://jurnalmedikahutama.com/index.php/JMH/article/view/221/146>)

The Antibacterial Effects of the Kitolod Leaf Extract (*Isotoma Longiflora* (L) Presl.) against *Staphylococcus Aureus*

(<https://jurnalmedikahutama.com/index.php/JMH/article/view/222>)

Retno Mareintika

1084-1088

PDF (<https://jurnalmedikahutama.com/index.php/JMH/article/view/222/147>)

ADJUSTMENT OF DIET PATTERNS FOR SUCCESSFUL PCOS THERAPY

(<https://jurnalmedikahutama.com/index.php/JMH/article/view/223>)

Adenias Lutfia Ningrum

1089-1093

PDF (<https://jurnalmedikahutama.com/index.php/JMH/article/view/223/148>)

PENGARUH ASUPAN KALSIUM TERHADAP INDEKS MASA TUBUH (IMT)
(<https://jurnalmedikahutama.com/index.php/JMH/article/view/226>)

M Fauzan Abdillah Rasyid
1094-1097

PDF (<https://jurnalmedikahutama.com/index.php/JMH/article/view/226/149>)

Potensi Metformin pada Terapi Dermatologi
(<https://jurnalmedikahutama.com/index.php/JMH/article/view/229>)

mahala ramah
1098-1104

PDF (<https://jurnalmedikahutama.com/index.php/JMH/article/view/229/150>)

FAKTOR-FAKTOR YANG MEMPENGARUHI TINGKAT KEPATUHAN BEROBAT
PASIEEN DIABETES MELITUS

(<https://jurnalmedikahutama.com/index.php/JMH/article/view/230>)

Anggi Marta Dwi Sasmita
1105-1111

PDF (<https://jurnalmedikahutama.com/index.php/JMH/article/view/230/151>)

Pediatric Appendicitis Score / Pediatric Appendicitis Risk Calculator / Alvarado
- Which is Superior in Predicting the Incidence of Confirmed Appendicitis?
(Diagnostic Test Overview)

(<https://jurnalmedikahutama.com/index.php/JMH/article/view/231>)

Felicia Felicia
1111-1121

PDF (<https://jurnalmedikahutama.com/index.php/JMH/article/view/231/152>)

HUBUNGAN KADAR PROSTATE SPECIFIC ANTIGEN (PSA) DENGAN DERAJAT
HISTOPATOLOGI KANKER PROSTAT

(<https://jurnalmedikahutama.com/index.php/JMH/article/view/233>)

Panca Bayu Pamungkas
1122-1126

PDF (<https://jurnalmedikahutama.com/index.php/JMH/article/view/233/153>)

- CORRELATION BETWEEN PUBLIC HEALTH CENTER (PUSKESMAS)
CATEGORIES TO AVAILABILITY OF DENTISTS IN PUSKESMAS: RIFASKES 2019
DATA ANALYSIS

(<https://jurnalmedikahutama.com/index.php/JMH/article/view/235>)

Muhammad Irfan

1127-1134

[PDF \(https://jurnalmedikahutama.com/index.php/JMH/article/view/235/155\)](https://jurnalmedikahutama.com/index.php/JMH/article/view/235/155)

Diagnose and Management Chronic Renal Disease
(<https://jurnalmedikahutama.com/index.php/JMH/article/view/237>)

Vika Kyneissia Gliselda

1135-1141

[PDF \(https://jurnalmedikahutama.com/index.php/JMH/article/view/237/156\)](https://jurnalmedikahutama.com/index.php/JMH/article/view/237/156)

Perbedaan Daya Antibakteri Ekstrak Daun Pepaya (*Carica papaya* L.) Varian Bangkok dan California Terhadap Pertumbuhan Bakteri *Escherichia coli*
(<https://jurnalmedikahutama.com/index.php/JMH/article/view/238>)

Naufal Atthariq Muhammad

1142-1145

[PDF \(https://jurnalmedikahutama.com/index.php/JMH/article/view/238/157\)](https://jurnalmedikahutama.com/index.php/JMH/article/view/238/157)

Perbedaan Daya Antibakteri Berdasarkan Pelarut Pada Ekstrak Daun Pepaya (*Carica papaya* L.) Terhadap Pertumbuhan Bakteri
(<https://jurnalmedikahutama.com/index.php/JMH/article/view/239>)

Salsabila Almira Taufani

1146-1151

[PDF \(https://jurnalmedikahutama.com/index.php/JMH/article/view/239/158\)](https://jurnalmedikahutama.com/index.php/JMH/article/view/239/158)

Kopi dan Diabetes Melitus Tipe 2
(<https://jurnalmedikahutama.com/index.php/JMH/article/view/240>)

Mezza Agustina

1152-1155

[PDF \(https://jurnalmedikahutama.com/index.php/JMH/article/view/240/159\)](https://jurnalmedikahutama.com/index.php/JMH/article/view/240/159)

Perbedaan Hasil Uji Aktivitas Antibakteri Metode Well Diffusion dan Kirby bauer Terhadap Pertumbuhan Bakteri
(<https://jurnalmedikahutama.com/index.php/JMH/article/view/241>)

amalia agatha sari zada

1156-1161

[PDF \(https://jurnalmedikahutama.com/index.php/JMH/article/view/241/160\)](https://jurnalmedikahutama.com/index.php/JMH/article/view/241/160)

HUBUNGAN INDEKS MASSA TUBUH TERHADAP KETAHANAN
KARDIORESPIRASI DINYATAKAN DALAM VO₂MAX

(<https://jurnalmedikahutama.com/index.php/JMH/article/view/242>)

Nadya Gantarialdha

1162-1167

PDF (<https://jurnalmedikahutama.com/index.php/JMH/article/view/242/161>)

Perbedaan Daya Antibakteri Bagian Tumbuhan Pepaya (Carica papaya L.) Terhadap Pertumbuhan Bakteri.

(<https://jurnalmedikahutama.com/index.php/JMH/article/view/243>)

Shafira Amalia

1168-1174

PDF (<https://jurnalmedikahutama.com/index.php/JMH/article/view/243/162>)

HUBUNGAN ANTARA SIKAP DAN PENGETAHUAN IBU HAMIL DENGAN PEMERIKSAAN KEHAMILAN (ANTENATAL CARE) PADA MASA PANDEMI COVID-19 (<https://jurnalmedikahutama.com/index.php/JMH/article/view/244>)

Nabilah Nur Azizah

1175-1180

PDF (<https://jurnalmedikahutama.com/index.php/JMH/article/view/244/163>)

FAKTOR RISIKO KEJADIAN INFEKSI CACINGAN

(<https://jurnalmedikahutama.com/index.php/JMH/article/view/245>)

Muhammad Heickal Ikhlasul Amal Arrizky

1181-1186

PDF (<https://jurnalmedikahutama.com/index.php/JMH/article/view/245/164>)

HUBUNGAN KADAR HEMOGLOBIN (HB) DENGAN PRESTASI PADA SISWA MENENGAH ATAS (SMA) ATAU SEDERAJAT

(<https://jurnalmedikahutama.com/index.php/JMH/article/view/246>)

Pande made imas Saraswati

1187-1190

PDF (<https://jurnalmedikahutama.com/index.php/JMH/article/view/246/165>)

Non-Atopic Asthma : Risk Factors, Diagnosis, and Management

(<https://jurnalmedikahutama.com/index.php/JMH/article/view/247>)

James Abel Pangihutan

1191-1195

PDF (<https://jurnalmedikahutama.com/index.php/JMH/article/view/247/166>)

Topical Antibiotics in the Management of Impetigo
(<https://jurnalmedikahutama.com/index.php/JMH/article/view/248>)

Verra Rachma Indahsari
1196-1202

PDF (<https://jurnalmedikahutama.com/index.php/JMH/article/view/248/167>)

GAMBARAN PELAKSANAAN KEBIJAKAN PEMBatasan PERJALANAN
DOMESTIK DALAM UPAYA PENANGGULANGAN COVID-19 TAHUN 2020
OLEH KKP TANJUNG PRIOK
(<https://jurnalmedikahutama.com/index.php/JMH/article/view/251>)

GITA CHANDRA
1203-1212

PDF (<https://jurnalmedikahutama.com/index.php/JMH/article/view/251/168>)

HUBUNGAN KUALITAS TIDUR DENGAN KONSENTRASI BELAJAR PADA
MAHASISWA FAKULTAS KEDOKTERAN DI MASA PANDEMI COVID-19
(<https://jurnalmedikahutama.com/index.php/JMH/article/view/253>)

Dhaifany Karissa Caesarridha
1213-1217

PDF (<https://jurnalmedikahutama.com/index.php/JMH/article/view/253/169>)

Diagnosis dan Tatalaksana Bulimia Nervosa
(<https://jurnalmedikahutama.com/index.php/JMH/article/view/254>)

Afina Hasna
1218-1222

PDF (<https://jurnalmedikahutama.com/index.php/JMH/article/view/254/170>)

A Literature Review on the Benefits of Acupressure Therapy in Overcoming
Health Problems
(<https://jurnalmedikahutama.com/index.php/JMH/article/view/252>)

Maria Komariah, Aep Maulid Mulyana, Sidik Maulana, Azzah Dinah Rachmah, Fauziah Nuraeni
1223-1230

PDF (<https://jurnalmedikahutama.com/index.php/JMH/article/view/252/171>)

ADIKSI GAME ONLINE: DAMPAK DAN PENCEGAHANNYA
(<https://jurnalmedikahutama.com/index.php/JMH/article/view/255>)

Desy Kusumaningrum -
1231-1235

PDF (<https://jurnalmedikahutama.com/index.php/JMH/article/view/255/172>)

MENTAL HEALTH PROBLEM DURING COVID-19 PANDEMI
(<https://jurnalmedikahutama.com/index.php/JMH/article/view/256>)
Muhammad Rachmadi -
1236-1240

PDF (<https://jurnalmedikahutama.com/index.php/JMH/article/view/256/173>)

HUBUNGAN STATUS GIZI TERHADAP KEMATIAN ANAK HIV/AIDS
(<https://jurnalmedikahutama.com/index.php/JMH/article/view/259>)
Erry Rizki Amelia
1241-1244

PDF (<https://jurnalmedikahutama.com/index.php/JMH/article/view/259/174>)

Open Journal Systems (<http://pkp.sfu.ca/ojs/>)

Editorial Board (<http://jurnalmedikahutama.com/index.php/JMH/Board>)

Focus and Scope (<http://jurnalmedikahutama.com/index.php/JMH/Focus>)

Plagiarism Screening (<http://jurnalmedikahutama.com/index.php/JMH/Plagiarism>)

Publication Ethic (<http://jurnalmedikahutama.com/index.php/JMH/Ethic>)

Indexing & Abstracting (<http://jurnalmedikahutama.com/index.php/JMH/Indexing>)

Journal Template (https://drive.google.com/file/d/1XMuVnrX_4dVmwyVHoW1nZdmwQOhc-voL/view)

Author Fees (<http://jurnalmedikahutama.com/index.php/JMH/Fees>)

Author Guidelines (<http://jurnalmedikahutama.com/index.php/JMH/Guidelines>)

Download (<http://jurnalmedikahutama.com/index.php/JMH/Download>)

REFERENCE MANAGEMENT TOOLS

EndNote^{Web} (<https://www.endnote.com/>)
The Web-based Research & Writing Tool



(<https://www.mendeley.com/download-desktop-new/>)



(<https://www.grammarly.com/>)



(<https://plagiarism-detector.com/c/en/index.php>)



(<https://www.zotero.org/>)

Language

English (https://jurnalmedikahutama.com/index.php/JMH/user/setLocale/en_US?source=%2Findex.php%2FJM%2Fissue%2Fview%2F8)

Bahasa Indonesia (https://jurnalmedikahutama.com/index.php/JMH/user/setLocale/id_ID?source=%2Findex.php%2FJM%2Fissue%2Fview%2F8)

Information

For Readers (<https://jurnalmedikahutama.com/index.php/JMH/information/readers>)

For Authors (<https://jurnalmedikahutama.com/index.php/JMH/information/authors>)

For Librarians (<https://jurnalmedikahutama.com/index.php/JMH/information/librarians>)



(<https://info.flagcounter.com/z21b>)

Yayasan Pendidikan Medika Indonesia
Jl. Gas Alam No. 59 Depok, Jawa Barat
081334291827
jurnalmedikahutama@gmail.com
www.jurnalmedikahutama.com



(<http://creativecommons.org/licenses/by/4.0/>)

Ciptaan disebarluaskan di bawah Lisensi Creative Commons Atribusi 4.0 Internasional (<http://creativecommons.org/licenses/by/4.0/>).

Platform & workflow by OJS / PKP

(<https://jurnalmedikahutama.com/index.php/JMH/about/aboutThisPublishingSystem>)



NEW DRUG FORMULATIONS FOR ACNE VULGARIS – PATHOGENESIS BASED TREATMENT OF ACNE VULGARIS

Sukmawati Tansil Tan¹, Yohanes Firmansyah²

¹Department of Dermato-Venereology, Faculty of Medicine, Tarumanagara University, Jakarta, Indonesia

²General Practitioner, Faculty of Medicine, Tarumanagara University, Jakarta, Indonesia

Correspondence Author:

Yohanes Firmansyah, MD, AIFO-K Tarumanagara University, Jakarta, Indonesia

Telp: (+62) 812-9793-4375

E-mail: yohanesfirmansyah28@gmail.com

Address: Jl. Letjen S. Parman No. 1 Jakarta Barat 11440, Indonesia

Received Juni 02, 2021; Accepted Juni 15, 2021; Online Published Juli 14, 2021

Abstract

Acne vulgaris is an inflammatory condition that affects the pilosebaceous glands on a localized basis. According to the Indonesian Cosmetics Dermatology Study, the prevalence of acne vulgaris increased between 2006 and 2009. Young women between the ages of 14-17 years have a prevalence of 83-85 percent, while men between the ages of 16-19 years have a prevalence of 95-100 percent. Acne vulgaris has a significant physical and psychological impact on adolescent sufferers. Accuracy in the treatment of acne vulgaris is critical because it has an impact on the patient's recovery and prognosis. A topical anti-acne cream containing retinoids, antibiotics, and corticosteroids is one of the best options because it contains all of the components necessary to treat acne. The purpose of this study was to ascertain the proportion of acne vulgaris sufferers in adolescents aged 14-19 years with mild, moderate, and severe acne levels prior to and following intervention, to ascertain the relationship between intervention and reduction in the severity of acne vulgaris, and to ascertain the proportion of acne vulgaris sufferers in adolescents who received intervention and experienced a reduction in the severity of acne vulgaris. This study is a retrospective cohort study conducted at the Indra Clinic. The sample of this study was the entire group of adolescents aged 14-19 years with acne vulgaris who came to the study site in the 2016-2017 period and met the inclusion criteria. The formulation observed was a combination of anti-acne cream with the active ingredient clindamycin 3%, Tretinoin 0.05%, and Dexamethasone 0.05%, with the comparative drug being a standard regimen containing 0.05% tretinoin. The dependent variables in this study were treatment success (improved or not) after 4 weeks intervention, side effects during treatment, and post-treatment symptoms. The results indicated the cure rate was 87,6 percent for the 97 respondents who received a combination formulation containing Clindamycin 3%, Tretinoin 0.05%, and Dexamethasone 0.05%, compared to a 71,0 percent cure rate for the 93 respondents who received standard therapy containing Tretinoin 0.05% (p-value : 0,008).

Keywords: Acne vulgaris; Tretinoin; Clindamycin; Dexamethasone

INTRODUCTION

Acne vulgaris is a common chronic skin disease that causes inflammation of the pilosebaceous glands or localized inflammation. The majority of cases of acne vulgaris present with a variety of pleomorphic lesions ranging in severity from blackheads to papules, pustules, and nodules. Acne typically strikes women earlier than men, owing to the effects of puberty and hormones.¹⁻³

Acne affects 37% of African American and 32% of Hispanic women, 30% of Asian women, 24% of Caucasians, and 23% of Indian women, respectively.

Adolescents have a fairly high prevalence, ranging from 47 to 90%. According to the Indonesian Cosmetics Dermatology Study, 60% of the population suffered from acne in 2006, 80% in 2007, and 90% in 2009. This demonstrates that the prevalence of acne vulgaris is increasing year after year. Adolescent females aged 14-17 years have a prevalence of 83-85%, while males aged 16-19 years have a prevalence of 95-100%. Acne is caused by four factors: hyperproliferation of the follicular epidermis, which results in follicular obstruction; excessive sebum production;

inflammation; and Propionibacterium acnes (*P. acnes*) activity.⁴⁻⁹

Acne vulgaris is a multifactorial disease that is influenced by genetics, ethnicity, race, diet, climate, environment, skin type, hygiene, cosmetic use, psychological stress, infection, and occupation. The face, shoulders, upper superior limb, chest, and back are all areas of predilection. Although acne vulgaris is not a dangerous disease, it has a significant physical and psychological impact on sufferers, particularly adolescents, and can result in anxiety, depression, and a loss of self-confidence. Accuracy and rapidity in treating acne vulgaris are critical steps because they can have an impact on the patient's recovery and prognosis¹⁰⁻¹²

The most effective acne management strategy entails limiting bacteria growth with antibiotics, reducing inflammation with corticosteroid medications, and inhibiting micro comedo formation with retinoids. The use of topical medications in the form of a combination anti-acne cream is one of the best options because it combines all of the components necessary to treat acne. Additionally, the researchers chose the combination of anti-acne creams because they were inexpensive, non-invasive, and easy to apply to patients, with fewer side effects than other therapies.^{2,13,14}

The purpose of this study is to evaluate the efficacy of a new treatment regimen that contains Klindamisin 3%, Tretinoin 0.05%, dan Deksametason 0.05% and to compare it to standard therapy, which contains Tretinoin 0.05%,

METHOD AND MATERIAL

This study is a retrospective cohort study conducted at the Indra Clinic. The sample of this study was the entire group of adolescents aged 14-19 years with acne vulgaris who came to the study site in the 2016-2017 period and met the inclusion criteria. The minimum sample size required was 123 respondents with the sampling

technique using non-random consecutive sampling / total sampling. The inclusion criteria were 14-19 years of age, suffering from acne vulgaris in the facial area regardless of skin type. Exclusion criteria were incomplete medical records, as well as respondents with other skin diseases on the face such as atopic dermatitis, contact, rosacea, viral infections, impetigo, fungal infections, acneform eruptions and respondents suspected of having allergies to the active substances contained in the anti cream combination. acne.

The formulation observed was a combination of anti-acne cream with the active ingredient clindamycin 3%, Tretinoin 0.05%, and Dexamethasone 0.05%, with the comparative drug being a standard regimen containing 0.05% tretinoin. The dependent variables in this study were treatment success (improved or not) after 4 weeks intervention, side effects during treatment, and post-treatment symptoms. Analysis of research data is divided into two, namely descriptive data analysis and analytic data analysis. Descriptive data analysis includes the proportion (%) for the type of qualitative data and the distribution of centralized data (mean, SD, median, minimum, maximum). Analytical data analysis used the comparative test for unpaired categorical data in the form of the Peason Chi Square test, Chi Square with Yates Correction, or Fisher Exact in accordance with the applicable data provisions for each statistical test.

RESULT

This study enrolled 190 individuals who had acne vulgaris. There were 97 respondents who received new formulation of acne cream (clindamycin 3%, Tretinoin 0.05%, and Dexamethasone 0.05%) and 93 respondents who received standard Tretinoin 0.05% therapy. Table 1 summarizes the demographic characteristics of each group of patients.

Table 1. Demographic Characteristics of Respondents

Variable	Treatment		p-value
	Clindamycin 3%, Tretinoin 0.05%, and Dexamethasone 0.05% N : 97 responden	Tretinoin 0.05%, N : 93 responden	
Age	26,57 (9,85)	26,78 (10,05)	> 0,05
Sex			> 0,05
• Male	29 (29,9%)	17 (18,3%)	
• Female	68 (70,1%)	76 (81,7%)	

The therapy was administered for four weeks before being re-examined at the subsequent visit. The cure rate was 87,6 percent for the 97 respondents who received a combination formulation containing Combination of Clindamycin 3%, Tretinoin 0.05%, and Dexamethasone 0.05%, compared to 93 respondents who received standard therapy containing

Tretinoin 0.05%, obtained a 71,0 percent cure rate. The Chi Square with Yates Correction statistical test revealed a difference in the degree of clinical improvement between formulation therapy when compared to standard therapy (p-value: 0.008). There were no significant side effects between the 2 groups during the use of treatment.

Table 2. Therapeutic Effectiveness between 2 Treatment Regimens

Parametric	Clinically after 4 week		p-value
	Remission in <4 week	Persistent	
Combination of Clindamycin 3%, Tretinoin 0.05%, and Dexamethasone 0.05%	85 (87,6%)	12 (12,4%)	0,008
The standard regimen of Tretinoin 0.05%,	66 (71,0%)	27 (29,0%)	

DISCUSSION

The findings of this study corroborate those of a study published in India by Sarvajnamurthy et al. about Synchronizing Pharmacotherapy in Acne with Clinical Care Review. This study indicates that the combination of tretinoin and antimicrobials, particularly clindamycin, is critical and should be considered first-line therapy for moderate to severe acne. Tretinoin, which acts as a keratolytic, aids in the penetration of antimicrobials into the pilosebaceous unit, which is colonized by P. acnes bacteria, thereby increasing the drug's effectiveness. According to Ashley, William, Tushar, and

Steven, the primary goal of combination therapy with retinoids and antimicrobials as a topical acne treatment is to target multiple aspects of acne pathogenesis that monotherapy cannot. Clindamycin and Tretinoin have been combined to target multiple aspects of acne pathogenesis. Tretinoin is a comedolytic and anti-inflammatory agent, whereas clindamycin is an antimicrobial agent that inhibits the growth of Propionibacterium acnes. The combination of these two drugs has been shown to be significantly more effective at reducing acne lesions than monotherapy treatment. According to Thiboutot et al., the combination of clindamycin and topical

retinoids has also been shown to accelerate lesion healing and decrease antimicrobial resistance to *Propionibacterium acnes*.¹⁵⁻¹⁸

According to Rianyta, Purwastyastuti, Sri, and Larisa's research, topical corticosteroids are frequently used as anti-inflammatory agents and it is believed that when combined with Tretinoin, they can reduce the irritating side effects of Tretinoin without exacerbating acne vulgaris exacerbation. Coman et al. conducted a four-week study in which they used a combination of Tretinoin and topical corticosteroids on one half of the face and a non-comedogenic moisturizer on the other half. The results indicated that 86 percent of respondents reported improved results on the half of the face when using a combination of Tretinoin and topical corticosteroids; additionally, no irritation side effects were observed, which is thought to be due to corticosteroids' anti-inflammatory effect.¹⁹

CONCLUSION

The Combination therapy of Clindamycin 3%, Tretinoin 0.05%, and Dexamethasone 0.05% has been shown to provide a greater level of clinical improvement than standard Clobetasol therapy. The cure rate was 87,6 percent for the 97 respondents who received a combination formulation containing Clindamycin 3%, Tretinoin 0.05%, and Dexamethasone 0.05%, compared to a 71,0 percent cure rate for the 93 respondents who received standard therapy containing Tretinoin 0.05% (p-value : 0,008).

REFERENCE

1. Aydemir EH. Acne vulgaris. *Türk Pediatr Arşivi* [Internet]. 2017 Nov 30;49(1):13–6. Available from: <http://turkarchpediatr.org//en/acne-vulgaris-13419>
2. Kraft J, Freiman A. Management of acne. *Can Med Assoc J* [Internet]. 2011 Apr 19;183(7):E430–5. Available from: <http://www.cmaj.ca/cgi/doi/10.1503/cmaj.090374>
3. Williams HC, Dellavalle RP, Garner S. Acne vulgaris. *Lancet* [Internet]. 2012 Jan;379(9813):361–72. Available from: <https://linkinghub.elsevier.com/retrieve/pii/S0140673611603218>
4. Saeed Alanazi M, Mohamed Hammad S, Elwan Mohamed A. Prevalence and psychological impact of Acne vulgaris among female secondary school students in Arar city, Saudi Arabia, in 2018. *Electron Physician* [Internet]. 2018 Aug 25;10(8):7224–9. Available from: <http://www.ephysician.ir/index.php/browse-issues/10/8/1084-7224>
5. Bhate K, Williams HC. Epidemiology of acne vulgaris. *Br J Dermatol* [Internet]. 2013 Mar;168(3):474–85. Available from: <http://doi.wiley.com/10.1111/bjd.12149>
6. Lynn D, Umari T, Dellavalle R, Dunnick C. The epidemiology of acne vulgaris in late adolescence. *Adolesc Health Med Ther* [Internet]. 2016 Jan;13. Available from: <https://www.dovepress.com/the-epidemiology-of-acne-vulgaris-in-late-adolescence-peer-reviewed-article-AHMT>
7. Perkins AC, Cheng CE, Hillebrand GG, Miyamoto K, Kimball AB. Comparison of the epidemiology of acne vulgaris among Caucasian, Asian, Continental Indian and African American women. *J Eur Acad Dermatology Venereol* [Internet]. 2011 Sep;25(9):1054–60. Available from: <http://doi.wiley.com/10.1111/j.1468-3083.2010.03919.x>
8. Toyoda M, Morohashi M.

- Pathogenesis of acne. *Med Electron Microsc* [Internet]. 2001 Mar 1;34(1):29–40. Available from: <http://link.springer.com/10.1007/s007950100002>
9. Zouboulis CC, Eady A, Philpott M, Goldsmith LA, Orfanos C, Cunliffe WC, et al. What is the pathogenesis of acne? *Exp Dermatol* [Internet]. 2005 Feb;14(2):143–143. Available from: <http://doi.wiley.com/10.1111/j.0906-6705.2005.0285a.x>
 10. Zahra Ghodsi S, Orawa H, Zouboulis CC. Prevalence, Severity, and Severity Risk Factors of Acne in High School Pupils: A Community-Based Study. *J Invest Dermatol* [Internet]. 2009 Sep;129(9):2136–41. Available from: <https://linkinghub.elsevier.com/retrieve/pii/S0022202X15344808>
 11. Wu T-Q, Mei S-Q, Zhang J-X, Gong L-F, Wu F-J, Wu W-H, et al. Prevalence and risk factors of facial acne vulgaris among Chinese adolescents. *Int J Adolesc Med Health* [Internet]. 2007 Oct;19(4). Available from: <https://www.degruyter.com/document/doi/10.1515/IJAMH.2007.19.4.407/html>
 12. Muthupalaniappen L, Tan HC, Puah JWD, Apipi M, Sohaimi AE, Mahat NF, et al. Acne prevalence, severity and risk factors among medical students in Malaysia. *Clin Ter* [Internet]. 2014;165(4):187–92. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25203331>
 13. Tan AU, Schlosser BJ, Paller AS. A review of diagnosis and treatment of acne in adult female patients. *Int J Women's Dermatology* [Internet]. 2018 Jun;4(2):56–71. Available from: <https://linkinghub.elsevier.com/retrieve/pii/S2352647517300862>
 14. Harris VR, Cooper AJ. Modern management of acne. *Med J Aust* [Internet]. 2017 Jan 16;206(1):41–5. Available from: <https://onlinelibrary.wiley.com/doi/abs/10.5694/mja16.00516>
 15. Sacchidanand S, Lahiri K, Godse K, Patwardhan N, Ganjoo A, Kharkar R, et al. Synchronizing pharmacotherapy in acne with review of clinical care. *Indian J Dermatol* [Internet]. 2017;62(4):341. Available from: <http://www.e-ijid.org/text.asp?2017/62/4/341/210085>
 16. Schmidt N, Gans EH. Clindamycin 1.2% Tretinoin 0.025% Gel versus Clindamycin Gel Treatment in Acne Patients: A Focus on Fitzpatrick Skin Types. *J Clin Aesthet Dermatol* [Internet]. 2011 Jun;4(6):31–40. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/21779414>
 17. Dabade T, Feneran A, Bill Kaufman, Dabade T, Feldman S. Retinoid plus antimicrobial combination treatments for acne. *Clin Cosmet Investig Dermatol* [Internet]. 2011 Jul;79. Available from: <http://www.dovepress.com/retinoid-plus-antimicrobial-combination-treatments-for-acne-peer-reviewed-article-CCID>
 18. Thiboutot D, Gollnick H, Bettoli V, Dréno B, Kang S, Leyden JJ, et al. New insights into the management of acne: An update from the Global Alliance to Improve Outcomes in Acne Group. *J Am Acad Dermatol* [Internet]. 2009 May;60(5):S1–50. Available from: <https://linkinghub.elsevier.com/retrieve/pii/S0190962209000826>
 19. Coman GC, Holliday AC, Mazloom SE, Chavan RN, Kolodney MS. A

randomized, split-face, controlled, double-blind, single-centre clinical study: transient addition of a topical corticosteroid to a topical retinoid in patients with acne to reduce initial

irritation. *Br J Dermatol* [Internet]. 2017 Aug;177(2):567–9. Available from: <http://doi.wiley.com/10.1111/bjd.15150>