


OPEN ACCESS
JOURNAL OF MEDICAL SCIENCES

oa
mjms





Clinical
Sciences



Volume 10 Number 10 October 2018

Open Access Macedonian Journal of Medical Sciences

COUNTRY Macedonia  Universities and research institutions in Macedonia	SUBJECT AREA AND CATEGORY Medicine └ Medicine (miscellaneous)	PUBLISHER	H-INDEX 23
PUBLICATION TYPE Journals	ISSN 18579655	COVERAGE 2014-2021	



Editorial Team

Journal Manager

Dr. Eli Djulejic, Open Access Macedonian Journal of Medical Sciences, Belgrade, Serbia

Editor-in-Chief

Section Editors (Deputy Editors-in-Chief)

[Prof. Dr. Mirko Zhivko Spiroski](#), Scientific Foundation SPIROSKI, Rajko Zhinzifov No 48, 1000 Skopje, Republic of Macedonia

Dimitrov Borislav D, MD. Academic Unit of Primary Care and Population Sciences Faculty of Medicine University of Southampton South Academic Block (Level C) Southampton General Hospital Southampton SO166YD England, UK

Mukaetova-Ladinska Elizabeta, MD, PhD, MRCPsych. Old Age Psychiatry, Newcastle University, United Kingdom

Branislav FilipoviÄ, MD, PhD. University of Belgrade, Faculty of Medicine, Institute of Anatomy
â€œNiko Miljanicâ€
Address: 4/2 Dr Subotica Starijeg, Belgrade, Serbia

Spiroski Igor, MD. University Clinic of Cardiology, Faculty of Medicine, Ss Cyril and Methodius University of Skopje, Skopje, Republic of Macedonia

Stoleski Sasho, MD, PhD. Institute for Occupational Health of Republic of Macedonia - Skopje, WHO Collaborating Center, GA2LEN Collaborating Center, II Makedonska brigada 43, 1000 Skopje,

Hristomanova-Mitkovska Slavica, MD, MSc. Institute for Human Genetics of the Faculty of Medicine Republic of Macedonia

Bogoeva Ksenija, MD, PhD. PHO Prof Bogoev, Skopje, Republic of Macedonia
in GÃ¼ttingen, Germany
Stojanovski, Sinisa, MD, PhD.

Layout Editor and Electronic Publishing

MSc, Eng Ivo Spiroski, ID Design 2012, Skopje, Republic of Macedonia

Copyeditor

Sinjore, India

Evidence Based Medicine

Prof. Dr. Katarina Stavric, Children Hospital Skopje, Macedonia, Vodnjanska 17, University "Ss Cyril and Methodius", Skopje, Republic of Macedonia

Editorial Board

DDS, MS, PhD, Associate Professor Nikola Angelov, Director of the Pre-Doctoral Periodontics Clinic, Loma Linda University School of Dentistry, Department of Periodontics. Loma Linda, CA, 92350, United States

Assist. Prof. Dr. Ramush Bejiqi, University Clinical Centre of Kosovo, Paediatric Clinic, Albania

Prof. Semra Āevaljuga, Department of Epidemiology and Biostatistics, Faculty of Medicine, Sarajevo, Bosnia and Herzegovina

MD Pei-Yi Chu, Diagnostic and research pathologist, Department of Surgical Pathology, Changhua Christian Hospital, Taiwan. Address: 135 Nan-Shiao Street, Changhua 500-06,, Taiwan, Province of China

MD, PhD Ivo Donkov, Staff Urologist, Lincoln County Hospital, United Kingdom

MD, PhD Andrew J. Dwork, Departments of Pathology and Cell Biology and Psychiatry, College of Physicians and Surgeons of Columbia University; Division of Molecular Imaging and Neuropathology, New York State Psychiatric Institute, Unit 62, 722 West 168th Street, New York, NY 10032, United States

Adriana Galan, Department of Health Programmes and Health Promotion, Institute of Public Health, Bucharest, Romania

Prof. Tania Santos Giani, Estacio de Sa University, in Health Sciences, Brazil

PhD Iva Ivanovska, Harvard Medical School, Department of Genetics, 77 Avenue Louis Pasteur, NRB room 239, Boston, MA 02115, United States

MD, PhD Jerzy JabÅ, ecki, Associate Professor, Division of General Surgery St. Jadwiga of Silesia Hospital, Trzebnica; Head, Subdepartment of Hand Surgery an Replantation St Jadwiga of Silesia Hospital, Trzebnica; Professor, Department of Public Health, State Higher Professional Medical School, Opole, Poland. 55-100 Trzebnica, ul. Prusicka 53, Poland

MD Mehrdad Jalalian Hosseini, Khorasan-e Razavi Blood Center, Mashhad, Iran, Islamic Republic of

PhD Radka Kaneva, Department of Medical Chemistry and Biochemistry, Medical University - Sofia, Bulgaria

Prof. Dr. Kostandina Leonida Korneti-Pekevaska, Ss Cyril and Methodius University of Skopje, Faculty of Medicine, Skopje, Republic of Macedonia

MD, PhD Branko Malenica, Department of Immunology, Clinical Hospital Center Zagreb, Zagreb University School of Medicine, Zagreb, Croatia

Prof. Dr. Elida Mitevaska, Institute of Histology and Embriology, Faculty of Medicine, Ss Cyril and Methodius University of Skopje, Skopje, Republic of Macedonia

MD, PhD Marija Mostarica-StojkoviÄ†, Institute of Microbiology and Immunology, University of Belgrade School of Medicine, Belgrade, Serbia

PhD Vesna Nikolova-Krstevski, Harvard Institutes of Medicine, HIM-201, 4 Blackfan Circle, Boston, MA, 02134, United States

Prof. Dr. Nikola Panovski, Institute of Microbiology and Parasitology, Faculty of Medicine, Skopje, Republic of Macedonia

MD, BIDMC Iva Petkovska, Beth Israel Deaconess Medical CenterRadiology W CC - 3 330 Brookline Ave. Boston, MA 02215, United States

Prof. Dr. Gordana Petrusavska, Institute of Pathology, Medical Faculty, University of "Ss. Cyril and Methodius" Skopje, Republic of Macedonia

Prof. Enver Roshi, Dean of Faculty of Public Health, Medical University of Tirane, Chief of Epidemiological Observatory, National Institute of Public Health. Address: Rruga e Dibrës, Str. 371, Tirana, Albania

MD, PhD Gorazd B. Rosoklija, Professor at Columbia University and member of the Macedonian Academy of Sciences and Arts, United States

Prof. Dr. Aleksandar Sikole, University Clinic for Nephrology, Faculty of Medicine, Ss Cyril and Methodius University of Skopje, Skopje, Republic of Macedonia

MD, FESC Gianfranco Sinagra, Department of Cardiology, "Ospedali Riuniti" and University of Trieste, Ospedale Cattinara " Strada di Fiume, 447, 34149 " Trieste, Italy

MD, PhD Rumen Stefanov, Information Centre for Rare Diseases and Orphan Drugs (ICRDOD), Bulgaria; Department of Social Medicine, Medical University of Plovdiv, Bulgaria

Prof. Dr. Vesna Velikj Stefanovska, Department of Epidemiology and Biostatistics with Medical Informatics, Medical Faculty, UKIM, Skopje, Republic of Macedonia

MD, MBA Milenko Tanasijevic, Director, Clinical Laboratories Division and Clinical Program Development, Pathology Department, Brigham and Women's Hospital, Dana Farber Cancer Institute, Associate Professor of Pathology, Harvard Medical School, United States

MD, FRCPC Kiril Trpkov, Associate Professor, University of Calgary, Department of Pathology and Laboratory Medicine, Calgary Laboratory Services. 7007 14 st, Calgary SW, Canada

MD, PhD Igor Tulevski, Department of Cardiology, Academic Medical Center, Amsterdam, 1100 DD, T 020 707 2930; F 020 707 2931, Netherlands

Past Members of Editorial Team

Prof. Dr Doncho Donev, Institute of Social Medicine, Medical Faculty, Ss Cyril and Methodius University of Skopje, Skopje, Republic of Macedonia

Prof. Dr Olivera Stojceva Taneva, University Clinic of Nephrology, Republic of Macedonia

Prof. Dr Petar Miloshevski, from 2008-2014, Institute of Preclinical and Clinical Pharmacology with Toxicology, Faculty of Medicine, Skopje, Republic of Macedonia

Prof. Dr Sonja Topuzovska, Institute of Medical and Experimental Biochemistry, Faculty of Medicine, Skopje, Republic of Macedonia

Prof. Dr. Aleksandar Dimovski, Institute of Pharmaceutical Chemistry, Faculty of Pharmacy, University "Ss Kiril and Metodij", Skopje, Republic of Macedonia

PhD Mirko Trajkovski, ETH Zurich, Wolfgang-Pauli-Str. 16/HPT D57, 8093 Zurich-CH, Switzerland

PhD Zoran Zdravkovski, Institute of Chemistry, Faculty of Natural Sciences and Mathematics, Ss Cyril and Methodius University of Skopje, Skopje, Republic of Macedonia

Pharmacology

Controlled Clinical Trial Effect of Noni Fruit Extract (*Morinda citrifolia*) Toward Overactive Bladder Women through Observation of High-Sensitivity C-reactive Protein in Urine Levels

Edy Ardiansyah, M. F. G. Siregar, R. A. Ganie, I. B. utra (Author)

706-710

PDF

Gastroenterohepatology

Bismuth Classification of Bile Duct Injury and Its Association with Increasing 30 Days Mortality after Revision Surgery

Budhi Ida Bagus, Metria Ida Bagus, Setyawati Ida Ayu (Author)

272-275

PDF

Vascular Endothelial Growth Factor Levels Difference among Hepatocellular Cancer Patients Based on Barcelona Clinic Liver Cancer Staging

Darmadi Darmadi, Riska Habriel Ruslie, Cennikon Pakpahan (Author)

797-800

PDF

The Potential of Vitamin D3 to Repaired Mucosal Injury in Dextran Sulfate Sodium Induced Acute Colitis in Mice

Satrio Wibowo, Krisni Subandiyah, Kusworini Handono, Sri Poeranto (Author)

931-936

PDF

Anorectal Manometry on Children: A Moroccan Series and Literature Review

HANANE DELSA, Ilham Serraj, Mohamed Khalis, Nawal Kabbaj (Author)

337-343

PDF

Mesenteric Vessel Thrombosis Treatment Experience

Vladimir Beloborodov, Vladimir Vorobev, Svetlana Sokolova, Aleksandr Frolov, Denis Kornilov, Ludmila Sorokina, Igor Golub (Author)

1098-1104

PDF

The Role of Endoscopic Retrograde Cholangiopancreatography in the Management of Biliary Complication Post-Laparoscopic Cholecystectomy

Mohamed Abdzaid Akool, Samer Makki Mohamed Al-Hakkak, Alaa Abood Al-Wadees (Author)

313-317

[PDF](#)

The Difference of Hypoxic Inducible Factor-1 α , Vascular Endothelial Growth Factor, and Transforming Growth Factor- β 1 Based on Liver Fibrosis Severity in Patients with Chronic Hepatitis B

Libya Husen, Gontar Alamsyah Siregar, Masrul Lubis (Author)

91-95

[PDF](#)

Nephrology

Predominant Factors Affecting Sexual Dysfunction on Patients with Continuous Ambulatory Peritoneal Dialysis

Yuswinda Kusumawardhani, Krisna Yetti, I Made Kariasa (Author)

373-377

[PDF](#)

Spectrum of Complications of Patients with Chronic Kidney Disease on Maintenance Continuous Ambulatory Peritoneal Dialysis: An Experience of Tertiary Nephrology Center in Najaf City-Iraq

Evan Noori, Rawaa Hadi, Yasir Sharba, Zahraa Fathi Sharba (Author)

1529-1534

[PDF](#)

Increase Serum Tumor Necrosis Factor Alpha decreased Serum Cholesterol Level, but not Albumin, in Hemodialysis Patients with Non-Fibrotic Hepatitis C Infection

Rudi Supriyadi, Nenny Agustanti, Marcella Adisuhanto (Author)

614-619

[PDF](#)

The Effect of Uncaria gambir Roxb. Extract on Superoxide Dismutase Activity in Proteinuric Wistar Rats Model

Rosmayanti Syafriani Siregar, Aznan Lelo, Delyuzar Harris, Oke Rina Ramayani, Muhammad Ichwan (Author)

1505-1509

[PDF](#)

Interleukin-31 Serum And Pruritus Dimension After Acupuncture Treatment In Hemodialysis Patients: A Randomized Clinical Trial

Dedi Ardinata, Rozaimah Zain-Hamid, Irma. D. Roesyanto-Mahadi, Hasan Mihardja (Author)

196-201

[PDF](#)

The Relationship between Serum Sclerostin Levels and Bone Mineral Disorders and Vascular Calcification in Hemodialysis Patients

Emad Abdallah, Nevine Sherif, Osama Mosbah, Amna Metwally (Author); Ibrahim Abd ElAzim; Ola Mahmoud, Mohamed Farouk, Samah Mamdouh, Samya El-Shishtawy, Asmaa Mohamed (Author)

1664-1671

[PDF](#)

The Effect of Bariatric Surgery versus Intensive Medical Care on Prevention of Microalbuminuria in Patients with Type 2 Diabetes: 3 Year Experience of a Prospective Study

Amin Soliman; Haythum Soliman, Mervat Naguib (Author)

202-207

[PDF](#)

The Correlation between Estimated Glomerular Filtration Rate and Parathyroid Hormone Levels in Predialysis-chronic Kidney Disease Adult Patients at Sanglah General Hospital, Bali, Indonesia

Sianny Herawati, Yenny Kandarini, I Putu Yuda Prabawa (Author)

470-474

[PDF](#)

Health-Related Quality of Life Difference between Early Diagnosed and Finished Therapy of Nephrotic Syndrome in Children

Riska Habriel Ruslie, Darmadi Darmadi, Cennikon Pakpahan (Author)

801-805

[PDF](#)

Midkine as an Early Biomarker of Contrast-induced Acute Kidney Injury in Chronic Kidney Disease Patients Undergoing Percutaneous Coronary Intervention for Acute Coronary Syndrome: A Single-center Prospective Study

Mohamed Ahmed, Gamal Hamed Ibrahim, Mahmoud Adel, Amira Ismail, Abdallah Almaghraby, Mahmoud Abdelnabi (Author)

983-989

[PDF](#)

The Relationship between Nutritional Status and Latent Tuberculosis in Routine Hemodialysis

Ria Bandiara, Lilik Sukesu, Astried Indrasari, Iceu Dimas Kulsum, Mohammad Rudiansyah (Author)

945-951

[PDF](#)

Serum Level of Uromodulin as an Early Predictor Marker of Kidney Disorders

Salwa Mostafa El-Shebini, Hend A. Essa, Maha I. A. Moaty, Nihad H. Ahmed, Ahmed M. S. Hussein, Magda S. Mohamed, Salwa T. Tapozada (Author)

167-175

[PDF](#)

Cardiology

The The Correlation between Serum Amyloid A, Mean Platelet Volume, and Creatine Kinase Myocardial B in Acute Coronary Syndrome

Syaiful Anwar, Purwanto Adhipireno, Ria Triwardhani, Edward Kurnia Setiawan Limijadi (Author)

286-289

[PDF](#)

NT pro- B-type Natriuretic Peptide in the Small Ventricular Septal Defect in Children

Rahmat Budi Kuswiyanto, Putria Apani, Dany Hilmanto, Muhammad Hasan Bashari, Sri Endah Rahayuningsih (Author)
1677-1680

[PDF](#)

Association between Coronary Artery Disease and Left Ventricle Remodeling Parameters in Hypertensive Patients: A Cross-Sectional Study in a Limited Resource Setting

Badai Tiksnadi, Erwan Martanto, Abednego Panggabean, Ary Indriana Savitri, Alberta Claudia Undarsa (Author)
1364-1369

[PDF](#)

The Risk Factors of Coronary Heart Disease and its Relationship with Endothelial Nitric Oxide Synthase

Eka Fithra Elfi, Eva Decroli, Ellyza Nasrul, Yanwirasti Yanwirasti, Eryati Darwin (Author)
451-456

[PDF](#)

Knowledge and Application of Cardiovascular Disease Prevention Guidelines among Family Physicians: A Cross-sectional Study

Oleksii Korzh, Yevgenii Nikolenko, Anna Titkova, Yelizaveta Lavrova, Kira Vovk (Author)
990-995

[PDF](#)

The Role of Neutrophil Lymphocyte Ratio as a Major Adverse Cardiac Events Predictor and Its Correlation with Coronary Severity in Acute Coronary Syndrome Patients with Chronic Kidney Disease: A Case Control and Cross-Sectional Study

Suzanna Immanuel, Eka Ginanjar, Fahrani Imanina Putri Nurtyas, Ninik Sukartini, Yusra Yusra, Merci Monica B. R. Pasaribu (Author)
1758-1763

[PDF](#)

Lipid Accumulation Product as an Index for Visceral Obesity and Cardiovascular Risk among a Sample of Obese Egyptian Women

Nayera E. Hassan, Sahar A. El-Masry, Gamila S. M. El-Saeed, Mohamed S. El Hussieny (Author)
1229-1236

[PDF](#)

Primary Percutaneous Coronary Intervention in the Left Main ST-Elevation Myocardial Infarction and Cardiogenic Shock on Octogenarian Patient with Single Remaining Vessel

Mochamad Yusuf Alsagaff, Kandita Arjani, Yudi Oktaviono, Sondang Sitorus (Author)
363-366

[PDF](#)

Left Atrial Appendage Function Assessment by Tissue Doppler Transesophageal Echocardiography in Acute Ischemic Stroke Patients

Tamer Abdel Mawla, Osama Momtaz, Mohamed Abdel Gayed, Gomaa Abdelrazek (Author)

858-864

PDF

Survival and Prognostic Factors After Carotid Artery Stenting in Patients with Concomitant Coronary Disease

Georgi Goranov, Maria Tokmakova, Petar Nikolov (Author)

1470-1479

PDF

Cardiovascular Diseases Healthy Diet Related Knowledge among a Sample of the General Population in Egypt

Marwa M. Zein, Ahmed Taher Mahmoud, Ahmed Sallam El Hawary, Nelly Hegazy (Author)

1764-1771

PDF

The Outcomes of Transcatheter Closure in Patients with Patent Ductus Arteriosus at Haji Adam Malik General Hospital, Indonesia

Putri Amelia, Rizky Adriansyah, Bastian Lubis, Muhammad Akil (Author)

208-211

PDF

Introduction of Cardiac Magnetic Resonance Imaging in Kosovo: First Fifty Consecutive Patients Registry Report

Ted Trajcheski, Lulzim Brovina, Biljana Zafirova, Lada Trajceska (Author)

417-425

PDF

Admissions and In-hospital Outcomes of Acute Coronary Syndromes during Corona Virus Disease 19 Pandemic in Albania

Leonard Simoni, Ilir Alimehmeti, Astrit Ceka, Ermir Tafaj, Mirald Gina, Alban Dibra, Artan Goda (Author)

593-599

PDF

One-year Outcome of Different Unprotected Left Main Percutaneous Coronary Interventions Techniques in Acute Coronary Syndromes

Amr El-Hadidy, Mohamed Ali, Mahmoud Adel Gawish, Ayman Moharram, Khaled Taema (Author)

878-884

PDF

Implantable Cardiac Device Infections Prevalence: Diagnostic and Therapeutic Implications

Hend Yahia, Abdo Alazab, Randa Aly, Sameh Elmaraghi, Ashraf Andraos (Author)

909-916

PDF

Comparison of 24 h ECG Holter Monitoring with Real-time Long-term ECG Monitoring System using ECGalert Software and Savvy Single-Lead Patch

Lidija Poposka, Marija Vavlukis, Hristo Pejkov, Marjan Gusev (Author)

12-17

PDF

Comparative Preliminary Analysis of Umbilical Cord Blood-, Healthy Adult Peripheral Blood- and Myocardial Infarct Peripheral Blood-Derived Endothelial Progenitor Cells

Wireni Ayuningtyas, Rachmawati Noverina, Dedy Kurniawan, Astrid F. Khairani, Nur Atik, Firman F. Wirakusumah, Ahmad Faried (Author)

85-90

PDF

Neurological Sequelae Following Pediatric Cardiac Interventions

Hala Mounir Agha, Mai Mahmoud Hussien, Marian Y Girgis, Omneya Gamal Eldin Afify, Mervat Ahmed Haroun (Author)

137-143

PDF

Myocardial Perfusion Grade by Coronary Angiography can Predict Final Infarct Size and Left Ventricular Function in Patients with ST-elevation Myocardial Infarction Treated with a Pharmaco-invasive Strategy

Amal Hafez Ahmed, Amr ELHadidy, Mohamed Helmy, Ashraf Hussein, Abdalla Elagha (Author)

184-190

PDF

Pulmonology

Does Neurally Adjusted Ventilatory Assist Compared to Pressure Support Ventilation Decrease Patient Ventilator Asynchrony?

Hussam Abd Elfatah Mohamed, Mohamed Amin Fakher, Moamen Arafa, Khaled Abd Wahab Selem, Alia Abd El Fatah (Author)

96-100

PDF

Assessment of Lung Parenchyma Recovery after Antibiotic Administration using Lung Ultrasound in Critically Ill Patients with Pneumonia

Mai Adel Sahbal, Mohammed Omar Alghoneimy, Sally Salah Eldin, Amr Elsayed Elhadidy, Mahmoud Muhammad Kenawy (Author)

480-485

PDF

Cardiovascular Risk in Patients with COPD: Cardiovascular Comorbidities in Patients with COPD Increase CAT and mMRC Dyspnea Scores

Jagoda Stojkovic, Emilija Antova, Dragana Stojkovicj (Author)

1772-1777

PDF

The Diagnostic Value of Urinary Secretory Antigen Target of 6 kDa in Childhood Pulmonary Tuberculosis

Agustin Iskandar, Ella Melissa Lawanto, Maimun Zulhaidah, Ery Olivianto, Kusworini Handono, Muhammad Anshory, Andrea Aprilia, Aryati Aryati (Author)

841-846

PDF

Comparing the Asthma Control and Anti-inflammatory Effects of Different Fixed Combinations of Inhaled Corticosteroids Plus Long-acting Beta 2 Agonist; A Randomized Clinical Trial

Ashraf Elsayed Sileem, Ahmed Ali, Hanan Elnahas, Ahmed M. Gouda (Author)

771-778

PDF

Diaphragmatic Function Assessed by Bed Side Ultrasonography in Patients with Sepsis or Septic Shock Admitted to Intensive Care Unit

Amal Zaki, Helmy Hassan El Ghawaby, Mostafa Mahmoud Mohammed Gad, Amira Mohamed Ismail, Amr Shafiq Nawar (Author)

1417-1423

PDF

Associated Factors of the Results of Pulmonary Tuberculosis Treatment During the COVID-19 Pandemic in Makassar City

Syahridha Syahridha, Nasrum Massi, Ahyar Ahmad, Irawaty Djaharuddin (Author)

1001-1005

PDF

Neurology

Characteristics of Guillain-Barre Syndrome Patient Underwent Hyperbaric Oxygen Therapy at Lakesla 2016–2019

Ni Komang Sri Dewi Untari, Kurnia Kusumastuti, Guritno Suryokusumo, I Ketut Sudiana (Author)

1174-1179

PDF

Negative Correlation between Serum Brain-derived Neurotrophic Factor Levels and Obesity Predictor Markers and Inflammation Levels in Females with Obesity

Slamet Raharjo, Adi Pranoto, Purwo Sri Rejeki, Ahmad Syahru Mubarak Harisman, Yualita Putri Pamungkas, Olivia Andiana (Author)

1021-1026

PDF

Association of Vitamin D Level and Nerve Conduction Study Parameters with Cognitive Function in Diabetic Neuropathy Patients

Aida Fithrie, Fasiah Irfani Fitri, Muhammad Reza Putra (Author)

72-78

PDF

Integrated Clinical Pathways: Communication and Participation in a Multidisciplinary Team

Mateja Šimec, Sabina Krsnik, Karmen Erjavec (Author)

1549-1555

PDF

Online Health Survey on Epileptic Children during Coronavirus Disease-2019 Pandemic

Ashraf Azmy, Eman Mones Abushady, Mones M. Abu Shady (Author)

392-397

PDF

Adolescents with Internet Gaming Disorder are more likely to have Lower Score of Cognitive Function: A Cross-sectional Study among Junior High School Students in Yogyakarta, Indonesia

Indarwati Setyaningsih, Agus Budi Bowo Leksono, Paryono Muhrodji, Abdullah Syafiq Edyanto, Amelia Nur Vidyanti (Author)

1111-1116

PDF

Recent Advances in the Treatment of Gliomas: The Multimodal Care Therapy

Omar Ibrahim, Mohamed A. Hafez, Helmy Abdel Haleem, Hussein El Maghraby (Author)

503-508

PDF

Psychiatry

Levels of Interleukin 6 as a Predictor of Metabolic Syndrome in Schizophrenic Patients Receiving Combination Therapy of Typical and Atypical Antipsychotics

Syamsuddin Saidah, Lisal T. Sonny, Haryani Lilik, Bahar Burhanuddin, Rasyid Haerani, Thioritz Wempy (Author)

600-607

PDF

Factors Correlating with the Emotional and Behavioral Problems among Adolescents with Legal Problems

Sri Hartini, Yuniske Penyami, Yai Prabandari (Author)

1061-1065

PDF

Psychometric Properties of Iranian Version of Emotional Processing Scale

Shirali Kharamin, Ali Asghar Shokraeezadeh, Yasaman Ghafaryan Shirazi, Mohammad Malekzadeh (Author)

217-224

PDF

The Association between Smartphone Addiction and Insomnia Incidence in Students of the Faculty of Medicine Udayana University Batch of 2020 during the Coronavirus Disease-19 Pandemic

Anak Agung Bagus Putra Indrakusuma, I. Made Angga Sayoga, Stevanus Christian Surya, Agung Wiwiek Indrayani, I Gusti Ayu Artini (Author)

1207-1214

[PDF](#)

Menopause Anxiety and Depression; How Food Can Help?

Suzanne Fouad, Salwa M. El Shebini, Maha Abdel-Moaty, Nihad Hassan Ahmed, Ahmed Mohamed Saied Hussein, Hend Abbas Essa, Salwa T. Tapozada (Author)

64-71

[PDF](#)

Correlation between Interleukin-6 Levels and Total PANSS Scores in Batak People with Schizophrenia

Suniaty Dapotria Lumbantoruan, Elmeida Effendy, Mustafa M. Amin (Author)

107-111

[PDF](#)

Endocrinology

Infants of Hypothyroid Mothers at Risk of Developing Hypothyroidism: A Cross-sectional Study in Qassim Region of Saudi Arabia

Mariam S. Alharbi (Author)

1398-1404

[PDF](#)

Concordance between Triglyceride Glucose Index and Admission Insulin Resistance Index in Non-diabetic Subjects of Acute Coronary Syndrome

Andi Irham, Husaini Umar, Fabiola Maureen Shinta Adam, Idar Mappangara, Syakib Bakri, Risna Halim, Alfian Zainuddin (Author)

1044-1047

[PDF](#)

Influence of Ramadan Fasting on Hemoglobin A1C, Lipid Profile, and Body Mass Index among Type 2 Diabetic Patients in Najran City, Saudi Arabia

Hatem Mohamed, Anass M. Abbas, Mohammed Ayed Huneif, Seham M. Alqahtani, Awad Mohamed Ahmed, Asaad M. A. Babker, Ehab A. M. Elagab, Parvez I. Haris (Author)

318-325

[PDF](#)

Association of Plasminogen Activator Inhibitor-1 and Cardiovascular Events Development in Patients with Prediabetes

Yelena Laryushina, Viktoriya Parakhina, Lyudmila Turgunova, Dinara Sheryazdanova, Raushan Dosmagambetova, Anar Turmukhambetova, Olga Ponamareva, Maria Orbetzova (Author)

726-733

[PDF](#)

The Effect of Soy Milk on Mounting Latency, Mounting Frequency, and Reproductive Development in Male Wistar Rats (*Rattus Norvegicus*)

Nurdiana Nurdiana, Pradnyawati Chania, Rifzi Nurvitasari, Azmiatun Nisa, Styan Wahyu Diana, Evalina Izzatur Rochmah, Elly Mayangsari, Bambang Rahardjo, Wayan Indrawan, Husnul Khotimah, Karyono Mintaroem, Dicky Faizal Irandi (Author)
670-678

[PDF](#)

Serum Vitamin D Levels and Risk Factors for Cardiovascular Complication in Diabetes

Rina Amelia, Juliandi Harahap, Hendri Wijaya, Sry Suryani Widjaja, Isti Ilmiati Fujiati, Rusdiana Rusdiana (Author)
1394-1397

[PDF](#)

The Role Vascular Endothelial Growth Factor, Control Glycemic, Lipid Profile, and Hypoxia-inducible Factor 1-Alpha at Type 2 Diabetic Patients in North Sumatera, Indonesia

Rusdiana Rusdiana, Sry Suryani Widjaja, Rina Amelia, Siti Syarifah, Rusmalawati Rusmalawati (Author)
1215-1218

[PDF](#)

The Prevalence of Signs of Thyroid Pathology among Students of the Karaganda Medical University According to the Survey

Bekov Yernur Kasipovich, Omarbekova Nazgul Kakenovna, Akhmetova Mensulu Kanatovna, Pozdnyakova Yelena Vladimirovna, Moldabayeva Altyn Kabdollovna, Umirbaeva Assel Iltaevna, Alibieva Dinara Toletuyayevna, Alyiev Ondassyn Minbaevich, Batyrbekova Lyazat Sarsenbaevna (Author)
1329-1332

[PDF](#)

Non-alcoholic Fatty Liver and Vitamin D Levels in Extremely Obese Individuals: A Case–Control Study

Mohamed Sayed, Ebthal Mahmoud Abozeid, Hoda M. Amin, Naglaa M. Elsayed, Yasser H. Nassar, Hend A. Elsheimy (Author)
541-546

[PDF](#)

Comparison of 3 Medicine Groups Used to Control Glycemic and Glycated Hemoglobin Levels in Newly Diagnosed Type 2 Diabetes Patients

Ngoc Chau Nguyen, Hoai Thuong Pham, Diep Thao Pham, Thi Minh Hoang, Thi Phuong Lan Dam, Thi Hang Ho, Duy Quy Dang, Nhu Binh Do, Quang Thuan Huynh (Author)
101-106

[PDF](#)

Impact of Nutritional Intervention on Serum Level of Interferon Gamma and Insulin Resistance in Obese Women: Considerations during the COVID-19 Crisis

Hend A. Essa, Salwa M. El Shebini , Maha I. M. Moaty , Nihad H. Ahmed , Magda S. Mohamed , Salwa Tawfik Tapozada (Author)
176-183

[PDF](#)

Rheumatology

Frequency of Fibromyalgia in a Sample of Iraqi Patients in Mosul with Ischemic Heart Disease

Ali Younis, Mohammad Harith Alsaaty (Author)

1672-1676

PDF

Epidemiological Trends of Rheumatoid Arthritis and PADI4, PTPN22, and HLA-DRB9 Genes Distribution in the Kazakhstan Population

Argul Issilbayeva, Almagul Kushugulova, Assel Meiramova, Samat Kozhakhmetov, Zhanar Akhmetova, Madiyar Nurgaziyev, Laura Chulenbayeva, Dmitriy Babenko, Jeannette Kunz, Professor Bayan Alkenovna (Author)

747-757

PDF

The Clinical Course of Rheumatoid Arthritis in Kazakhstani Patients

Argul Issilbayeva, Assel Meiramova, Almagul R. Kushugulova, Zhanar B. Akhmetova, Damir Biktashev, Baglan B. Abdakhina, Aliya T. Aituganova, Yekaterina Zueva, Karina Karlygash, Professor Bayan Alkenovna (Author)

1352-1358

PDF

Metabolic Syndrome as a Factor Affecting on Intima-Media Thickness in Patients with Rheumatoid Arthritis

Lyudmila Gennadievna Turgunova, Anna Andreevna Shalygina, Lyazat Kataevna Ibrayeva, Anar Akylbecovna Turmuhambetova (Author)

411-416

PDF

Sexual Dysfunction and its Determinants in Male Patients with Rheumatoid Arthritis

Hassan O. Ghareeb, Ghada M. Khafagy, Hatem H. Eleishi, Hala A. Hussein, Marwa D. Hasan (Author)

350-355

PDF

Hematology

Hematologic Autoimmune Manifestation Secondary to Coronavirus Disease 19 Infection – A Single-Center Experience

Sanja Trajkova, Simona Stojanovska, Nevenka Ridova, Svetlana Krstevska-Balkanov, Aleksandra Pivkova-Veljanovska, Lidija Cevreska, Marija Popova-Labacevska, Irina Panovska-Stavridis (Author)

940-944

PDF

Effects of the FOXO3a rs 4946936 Gene Polymorphism on the FOXO3a Transcription Factor in Chronic Granulocytic Leukemia Patients

Shinta Oktya Wardhani, Hani Susianti, Pudji Rahayu, Yuyun Prabowowati Yueniwati (Author)

1156-1159

PDF

Blast Cells Count Influences Bleeding Incidence in Acute Leukemia: Preliminary Study in South Kalimantan, Indonesia

Edward Kurnia Setiawan Limijadi, Qintani Cantika Ismail, Dwi Retnoningrum, Wivina Riza Devi, Anugrah Riansari (Author)
900-902

[PDF](#)**Evaluation of Anemia in the Residents of Tambaklorok Exposed to Plumbum**

Budi Santosa (Author)
831-835

[PDF](#)**the The Correlation between Pituitary Gonadotrophins, Gonadal Sex Steroid Hormone with Ferritin Level in Pubertal Females with Thalassemia Major at Wassit Province - Iraq 2020**

Ahmed Ansaf , Safaa A. Faraj, Safaa Kazem (Author)
806-810

[PDF](#)**Ecto-5' nucleotidase (CD73) May Predict Occurrence and Grade of GVHD in Patients Undergoing Allogeneic Hematopoietic Stem Cell Transplantation**

Rasha I. Ibrahim, Maha El- Zimaity, Nevine N. Moustafa, Mohamed Hamdi Attia, Walaa A. Elsalakawy, Rana Z. Abass (Author)
154-160

[PDF](#)**High STAT5A Expression is Associated with Major Molecular Response Achievement Failure of Chronic Phase Chronic Myeloid Leukemia Patients Receiving Hydroxyurea before Imatinib: A Cross-sectional Study**

Ikhwan Rinaldi, Anastasia Putri, Melva Louisa, Sukamto Koesnoe (Author)
1160-1167

[PDF](#)**Efficacy and Safety of Convalescent Plasma Transfusion Administered as Adjunctive Treatment to Standard Treatment in Moderate, Severe, and/or Critically Ill Patients with COVID-19 in Dr. M. Djamil General Hospital**

Irza Wahid, Eifel Faheri, Eka Putra Andani, Fauzar Fauzar, Dia Rofinda Zelly, Widyarman Widyarman, Irvan Medison, Emilzon Taslim, Tuti Handayani (Author)
1489-1493

[PDF](#)**Coagulopathy of Coronavirus Disease 2019: A Case Series**

Jonathan Arifputra, Harlinda Haroen, Linda Wilhelma Ancella Rotty, Pearla Fidei Cindy Lasut, Cecilia Hendratta (Author)
301-307

[PDF](#)**Evaluation of the Thyroid Status and Types of Thyroid Dysfunction in Beta-Thalassemia Major Patients More Than 9 Years of Age in Wassit, Iraq 2020**

Ahmed I. I. Ansaf , Safa Faraj, Hussien A. Abdul-Azziz (Author)
1405-1409

[PDF](#)

The Levels of FoxO3a Predict the Failure of Imatinib Mesylate Therapy among Chronic Myeloid Leukemia Patients

Shinta Oktya Wardhani, Hani Susanti, Puji Rahayu, Yuyun Yueniwati, Jonny Fajar (Author)

255-259

[PDF](#)

Oncology

A Hybrid Convolutional Neural Network-Support Vector Machine for X-ray Computed Tomography Images on Cancer

Jane Aurelia, Zuherman Rustam (Author)

1283-1289

[PDF](#)

Correlation between Grading Histopathology and Sentinel Lymph Node Metastasis in Early Breast Cancer in University of Sumatera Utara Hospital

Dedy Hermansyah, Gracia Pricilia, Arjumardi Azrah, Yolanda Rahayu, Desiree A. Paramita, Edwin S. Siregar (Author)

679-682

[PDF](#)

The Comparison of 25-Hydroxyvitamin D3 between Patients With and Without Cervical Cancer

Dodi Suardi, Feny Renita, Andi Kurniadi, Akhmad Yogi Pramatirta, Raden Tina Dewi Judistiani, Yudi Mulyana Hidayat, Budi Setiabudiawan (Author)

564-568

[PDF](#)

Wnt Signaling and Cadherin Expressions in Different Staging of Colorectal Cancer as Biomarkers for Metastasis: Study of SW480, COLO 320DM, and HCT116 Cellines

Luminturahardjo Winarko, Pudji Rahajoe, Djoko Soeatmadji, Karyono Mintaroem (Author)

763-770

[PDF](#)

Analysis of Complications Development Predictors after Radical Prostatectomy

Vladimir Vorobev, Vladimir Beloborodov, Vladimir Luchkevich, Dmitriy Shmakov, Olga Baklanova, Stepan Sidorov, Bator Sharakshinov (Author)

1575-1579

[PDF](#)

High Expression of Parathyroid Hormone-related Protein and Tumor Necrosis Factor- α in Cancer Cells as Risk Factors for Hypercalcemia in Bone Metastases Lytic Lesions

Made Wahyu Dharmapradita, I Ketut Suyasa, Made Bramantya Karna, I Wayan Juli Sumadi, Kadek Gede Bakta Giri, Cokorda Krishna Dalem Pemayun, Claudia Santosa (Author)

290-296

[PDF](#)

Can Estrogen Receptor, Progesterone Receptor, and Proliferative Index be Considered as Isolated Prognostic Factors of Overall Survival in Early Luminal Breast Cancer?

Marija Karakolevska-Ilova, Milka Zdravkovska, Djengis Jasar, Gordana Petrushevska, Elena Simeonovska-Joveva (Author)

1313-1322

[PDF](#)

Age as an Independent Factor in the Permanent Chemotherapy-Induced Amenorrhea Incidence in Breast Cancer Patients at Dr. Moewardi Hospital, Surakarta, Indonesia

Mudib Mudib, Kristanto Yuli Yarso, Henky Agung Nugroho (Author)

816-820

[PDF](#)

Quality of Life and Sexual Functioning of Women after Breast Cancer Surgery

Stana Pačarić, Želimir Orkić, Andrea Milostić-Srb, Tajana Turk, Nikolina Farčić, Štefica Mikšić, Silvia Adamčević, Ivan Erić, Zvezdana Gvozdanić, Nika Srb (Author)

1066-1074

[PDF](#)

Differences in the Expression of β -Catenin Nucleus/Cytoplasm Ratio e-Cadherin and n-Cadherin and Correlation of β -Catenin Cytoplasm and Cadherin in Model of Duke D Stage Colorectal Cancer Cell Line

Winarko Winarko, Pudji Rahayu, Djoko Soeatmadji, Karyono Mintaroem (Author)

651-658

[PDF](#)

Innovative Non-Irradiating and Non-Invasive Per Fraction Control System in Radiotherapy: Surface-Guided Radiation Therapy Experience of Casablanca Cancer Center

Asmaa Naim, Safae Mansouri, Kamal Saidi, Redouane ELBaydaoui, Mohamed Reda Mesradi (Author)

826-830

[PDF](#)

Serum Vitamin Levels among Iraqi Cancer Patients Receiving Chemotherapy

Mohammed Salim Abdulrahman, Hedef D. El-Yassin, Nada. A. S. Al-Alwan (Author)

231-234

[PDF](#)

Citrus sinensis (L) Peels Extract Inhibits Metastasis of Breast Cancer Cells by Targeting the Downregulation Matrix Metalloproteinases-9

Meiny Suzery, Bambang Cahyono, Nur Dina Amalina (Author)

464-469

[PDF](#)

The Evaluation of Methylated Septin 9 in Blood Plasma and Tissue Biopsies for the Early Detection for Asymptomatic Colon Cancer

Ahmed Ageeb Kassid, Omar F. Abdul-Rasheed, Nawal Mehdi AlKhalidy (Author)

1462-1469

PDF

Determination of Significant Pretreatment Factors that Predict Survival in Indonesian Subjects with Breast Cancer

Citra Aryanti, Putu Anda Tusta Adiputra, Tjokorda GB Mahadewa, Sri Maliawan, I. N. W. Steven Christian, Ida Bagus Made Suryawisesa (Author)

1458-1461

PDF

Analysis Survival of Breast Cancer with Brain Metastases Treated with Different Fraction Whole Brain Radiotherapy Concomitant with Capecitabine

Rudiyo Yeoh, Iskandar Japardi, Aznan Lelo, R. Susworo, Jacob Pandelaki, Adang Bachtiar, Suzy Indharty, Hendriyo Yeoh, Juli Jamnasi, William Omar, Sudibio Sudibio (Author)

569-572

PDF

Moist Exposed Burn Ointment Effectiveness for Capecitabine Associated Grade II and III Hand Foot Syndrome on Stage III Colonic

Budhi Ida Bagus, Nunik Agustriani, Rieva Ermawan, Suwardi Suwardi, Amru Sungkar, Ikhdin R. Saadhi (Author)

971-974

PDF

Antiproliferative Activity of Selected Triterpene Acids from Rosemary on Metastatic Melanoma Cell Line WM-266-4

Suzana Isaković-Vidović, Barbara Dariš, Željko Knez, Kristina Vidović, Dejan Opić, Polonca Ferk (Author)

515-521

PDF

De novo Stage IV Luminal Breast Cancer: Yes or No for Local Treatment? Serial Cases and Review

Marija Karakolevska-Ilova, Elena Simeonovska Joveva, Aleksandar Serafimov (Author)

1-5

PDF

Quality of Life of Bulgarian Breast Cancer Female Patients

Galina Yaneva, Tsonka Dimitrova, Dobri Ivanov, Gergana Ingilizova, Sergei Slavov (Author)

925-930

PDF

Clinical Characteristic of Thoracic Malignancy Patients with Coronavirus Disease 2019 Related to Mitigation Strategy in Dharmais National Cancer Center Hospital, Indonesia

Arif Hanafi, Noorwati Soetandyo, Achmad Mulawarman Jayusman, Leovinna Widjaja, Fifi Dwijayanti, Priscillia Imelda (Author)

692-697

[PDF](#)

The Reactive Carbonyl Derivatives of Proteins, Methylglyoxal, and Malondialdehyde in Blood of Women with Breast Cancer

Sabina Zhumakayeva, Larissa Muravlyova, Valentina Sirota, Vilen Molotov-Luchansky, Ryszhan Bakirova, Nailya Kabildina, Xeniya Mkhitarian, Ainura Zhumakayeva (Author)

509-514

[PDF](#)

Relationship between CD 163 Tumor-Associated Macrophages and Colorectal-Cancer Stem Cell Markers

Imelda Rey, Agung Putra, Dharma Lindarto, Fauzi Yusuf (Author)

1381-1386

[PDF](#)

Open Versus Percutaneous Approach of Renal Tumor Biopsy at Cipto Mangunkusumo Hospital: A Single-center Experience

Luki Ertandri, Agus Rizal A.H. Hamid, Meilania Saraswati, Chaidir A. Mochtar, Rainy Umbas (Author)

547-551

[PDF](#)

Analysis Predictors of the Outcome of Adjuvant of Hormone Therapy on Estrogen Receptor-positive Breast Cancer in Indonesia

Hardisman Dasman, Wirisma Arif Harahap, Daan Khambri (Author)

847-851

[PDF](#)

The Effect of Chemotherapy on Estradiol Levels in Patients with HER 2-Overexpression Breast Cancer in Dr Moewardi General Hospital, Surakarta, Indonesia

Imam Hafidh Zaini, Widyanti Soewoto, Ida Bagus Budhi (Author)

1570-1574

[PDF](#)

Synergistic Cytotoxic Effect of Honey Bee Venom and Cisplatin on Tongue Squamous Cell Carcinoma Cell Line

Sabreen Amar, Amr Helmy Mustafa El-Bolok, Sherif Farouk El-Gayar, Maii Ibrahim Sholkamy (Author)

1739-1744

[PDF](#)

Efficacy, Safety and Cost Effectiveness of Metronomic Low Dose Versus Intermittent High Dose Capecitabine in Metastatic Breast Cancer

Hala Elsebaie, Wael Samir Makar Yassa, Shaimaa Lasheen, Noha IbrahimIbrahim (Author)

1048-1053

[PDF](#)

Outcome Analysis and Prognostic Factors in Patients of Glioblastoma Multiforme: An Indonesian Single Institution Experience

Sudibio Sudibio, Jellyca Anton, Handoko Handoko, Tiara Bunga Mayang Permata, Henry Kodrat, Endang Nuryadi, Henry Riyanto Sofyan, Rahmad Mulyadi, Renindra Ananda Aman, Soehartati Gondhowiardjo (Author)

1410-1416

PDF

Evaluating the Natrium Iodide Symporter Expressions in Thyroid Tumors

Aisyah Elliyanti, Rony Rustam, Tofrizal Tofrizal, Yenita Yenita, Yai D. Billianti Susanto (Author)

18-23

PDF

Neoadjuvant Chemotherapy Effect on Predictive Value of Sentinel Lymph Node Biopsy using Single Method Methylene Blue in Breast Cancer Patients at Low-resource Country

Muhammad David Perdana Putra, Kristanto Yuli Yarso, Brian Wasita (Author)

191-195

PDF

Dermatology

Evaluation of Pre-operative Dermoscopy in Early Diagnosis of Non-melanocytic Skin Cancer

Reihane Bislmi Berisha, Djordje Dzokic, Shkendije Dobruna (Author)

1660-1663

PDF

Identification of Sarcoptes scabiei by Clinical Examination and Follow-up Examination in Medan City, Indonesia

Afrida Aryani Nasution, Imam Budi Putra, Mutiara Indah Sari (Author)

1633-1636

PDF

Coenzyme Q10 Supplementation as an Adjuvant Therapy Potentially Increase Serum Superoxide Dismutase Levels in Acne Vulgaris Patients

Carissa Adriana, Asih Budiastuti, Kabulrachman Kabulrachman, Retno Indar Widayati, Puguh Riyanto, Muslimin Muslimin (Author)

444-450

PDF

Retrospective Analysis of 170 Patients Followed up with Herpes Zoster and Postherpetic Neuralgia in Northern Cyprus

Dua Cebeci, Seide Karasel (Author)

583-587

PDF

Risk Factors of Type 1 Leprosy Reaction in Leprosy Patients attending Leprosy Division of Dermatology and Venereology Outpatient Clinic of Dr Soetomo General Hospital in 2017–2019: A Retrospective Study

Brigita Rosdiana, Linda Astari, Astindari Astindari, Cita Rosita Sigit Prakoeswa, Iskandar Zulkarnain, Damayanti Damayanti, Budi Utomo, M. Yulianto Listiawan (Author)
1359-1363

[PDF](#)

Dermatological Manifestation in Coronavirus Disease 2019 Patients in Iraq

Anfal L. Al-Harbawi, Qasim S. Al Chalabi, Hala N. Als Salman, Mohammad S. Saeed (Author)
1085-1091

[PDF](#)

Effect of Purple Passion Fruit Extract Cream (*Passiflora edulis Sims var. Edulis*) 6% against Striae Distensae

Chyntia Giska Aryunisari, Imam Budi Putra, Nelva K. Jusuf (Author)
720-725

[PDF](#)

Vitamin D Receptor Gene Polymorphisms FokI rs2228570, ApaI rs797523, and TaqI rs731236 in Multibacillary Leprosy Patients

Ramona Dumasari Lubis, Irma D. Roesyanto-Mahadi, Yahwardiah Siregar, Putri Chairani Eyanoer (Author)
112-115

[PDF](#)

Vitamin D Deficiency among Females with Acne Vulgaris in Relation to Sun Exposure: A Cross-sectional Study

Ghada Abdelrahman Elfadil, Nosiba Ahmed Mohammed, Abdelgadir Elmugadam, Marwan Ismail, Abd Elgadir Alamin Altoum, Ahmed L. Osman (Author)
1301-1304

[PDF](#)

The Comparison between Free Thyroxine and Thyroid-Stimulating Hormone Levels on Melasma Severity: A Cross-Sectional Study

Comparing FT4 and TSH on Melasma Severity

Yusnita Rahman, Roro Inge Ade Krisanti, Wismandari Wisnu, Irma Bernadette S. Sitohang (Author)
426-431

[PDF](#)

Correlation of Melanin Content with Collagen Density in Keloid Patients

Herman Y. L. Wihastyoko, David S. Perdanakusuma, Setyawati Soeharto, Edi Widjajanto, Kusworini Handono, Bambang Pardjianto (Author)
265-271

[PDF](#)

Evaluation of Modified Melasma Area and Severity Index in Hyperthyroid Patients Receiving Anti-thyroid Drugs

Irma Bernadette S. Sitohang, Benny Nelson, Melani Marissa, Wresti Indriatmi, Wismandari Wisnu (Author)
344-349

[PDF](#)

The Effectiveness of Autologous Serum and Single-dose Oral Doxycycline in the Treatment of Acne Vulgaris: A Pilot Clinical Trial

Muhammad Nasrum Massi, Muhlis Yunus, Anis Irawan Anwar, Khairuddin Djawad, Siswanto Wahab, Rahmawati Minhajat, Uleng Bahrun, Ilhamjaya Patellongi, Gemini Alam, Ni Nyoman Sri Budayanti (Author)

1602-1606

[PDF](#)

The Effectiveness of Lumbricus rubellus Extract Toward Interleukin-10 and Immunoglobulin E and Atopic Dermatitis Scoring Index (SCORAD)

Farida Tabri, Pipim Septiana Bayasari, Rosani Sri Camelia Nurdin, Anis Irawan Anwar, Anni Adriani, Farida Ilyas (Author)

1428-1434

[PDF](#)

Development of Propolis (Apis trigona)-loaded Nanoemulgel for Improved Skin Penetration of Caffeic Acid: The Effect of Variation of Oleic Acid Concentration

Afdil Viqar Viqhi, Marianti A. Manggau, Sartini Sartini, Elly Wahyudin, Latifah Rahman, Risfah Yulianti, Andi Dian Permana, Satria Aztasauri Awal (Author)

1264-1278

[PDF](#)

Infective Diseases

The Attitude and Behavior Related to Social Distancing as Prevention Transmission of Coronavirus Disease 19 among Adolescents Living in Coastal Area of Indonesia

Eko Mulyadi, Abd Wahid, Arif Rahman Hakim (Author)

659-662

[PDF](#)

Clinical Signs and Laboratory Parameters as Predictors of Mortality among Hospitalized Human Immunodeficiency Virus-Infected Adult Patients at Tertiary Hospital in Surabaya

Rentha Monica Simamora, Muhammad Vitanata Arfijanto, Musofa Rusli, Budi Utomo, Cennikon Pakpahan, Mr. Garry Prasetyo Adi (Author)

497-502

[PDF](#)

Profile of COVID-19 Patients in Dr. Moewardi Hospital Surakarta Indonesia

Cahyono Hadi, Cipta Pramana (Author)

1621-1624

[PDF](#)

The Behavior of Using Masks during the Coronavirus Disease 19 Pandemic in Malang Regency, Indonesia: Application of Theory of Planned Behavior and Social Support

Riza Fikriana, Al Afik, Mila Maula Marinda (Author)

1006-1010

PDF

Identification of Leptospira Serovar in Leptospirosis Suspect Serum in Manggala Subdistrict, Makassar City

Syamsuar Manyullei, Hasnawati Amqam, Sri Indi Rahmadanti (Author)

407-410

PDF

The Optimal Cutoff Value of D-dimer Levels to Predict in Hospital Mortality in Severe Cases of Coronavirus Disease 2019

Ngakan Ketut Wira Suastika, Ketut Suega (Author)

1561-1564

PDF

The Role of Sex, Ethnicity, Age, and Nutritional Status in the Seropositivity of the Measles Vaccine

H. R. Teni Nurlatifah, Wisnu Barlianto, I Wayan Arsana Wiyasa, H. M. S. Chandra Kusuma, Tita Luthfia Sari, Novilia Sjafri Bachtiar (Author)

1219-1223

PDF

Synthetic Food Coloring as an Alternative to Worm Egg Staining *Ascaris lumbricoides*

Steven Soenjono, Budi Setiawan, Rahmah Siti Wulandari, Suyana Suyana, Marta Atik Martiningsih (Author)

1541-1543

PDF

Epidemiology Survey of Measles in Kazakhstan

Aygerim Zhuzzhasarova, Dinagul Baesheva, Bayan Turdalina, Aliya Seidullaeva, Alena Altynbekova, Madiyar Nurgaziev, Bakhytzhana Abdullaev, Almagul Kushugulova (Author)

704-710

PDF

The Use of Eosinophil Count in Predicting the Need of Coronavirus Disease 2019 Patient for Treatment in Intensive Care Unit

Ngakan Ketut Wira Suastika, Ketut Suega (Author)

631-635

PDF

The Effect of Lemongrass Leaves and Stalks Extracts using Methanol as The Eco-friendly Larvicides on Fourth Instar *Aedes aegypti* Larvae

Tjut Mariam, Ade Oktiviyari, Ahmad Yamin Harahap (Author)

937-939

PDF

Health Belief Associated with Adherence to Health Protocol in Preventing Coronavirus Diseases on Patients' Family

Riza Fikriana, Frastiqa Fahrany, Syahril Ali Rusli (Author)

1011-1015

PDF

Readiness of Medical Teams Caring for COVID-19 in the Intensive Care Units: A National Web-Based Survey in Indonesia

Mochamat Helmi, Djayanti Sari, Andreasta Meliala, Laksono Trisnantoro (Author)

1785-1790

PDF

Composite Bacterial Infection Index and Serum Amyloid A Protein in Pulmonary Tuberculosis Patients and their Household Contacts in Makassar

Irda Handayani, Muhammad Nasrum Massi, Yanti Leman, Rosdiana Natzir, Ilhamjaya Patellongi, Subair Subair, Najdah Hidayah, Ayu Andini Wulandari, Handayani Halik (Author)

557-562

PDF

Impacts of Pharmacy Intervention on Appropriateness of Antibiotics Use in Pneumonia Patients

Azizah Nasution, Khairunnisa Khairunnisa, Syed Azhar Syed Sulaiman (Author)

786-792

PDF

Platelet Index in Patients with Confirmed Coronavirus Disease 2019 Cases

Haerani Harun, Christin Rony Nayoan, Ipfi White, Nur Syamsi, Andi Alfia Mutmainnah Tanra, Sarifuddin Sarifuddin (Author)

1705-1709

PDF

Diagnostic and Prognostic Value of Plasma Gelsolin in Multiorgan Failure in Patients with Sepsis

Ahmed El-Maghraby, Hossam Mowafy, Emad Omer, Hazem El-Akabawy, Iris Nessim (Author)

29-35

PDF

Gynecology and Obstetrics

Analysis of Delivery in Singleton Pregnancies Achieved by In Vitro Fertilization

Sergei Slavov, Gergana Ingilizova, Galina Yaneva (Author)

885-889

PDF

The Assessment of Intrapartum Transperineal Ultrasonographic Parameters for their Effectiveness in Evaluation of Progress of Labor and Prediction of Mode of Delivery in Egyptian Women

Gamal Abdelsameea Ibrahim, Ahmed Soliman Nasr, Fatma Atta, Mohamed Reda, Hend Abdelghany, Nihal M. El-Demiry, Mohamed Shalaby (Author)
1037-1043

[PDF](#)

The Role of Early Initiation of Breastfeeding in the Duration of the Third Stage of Delivery and the Amount of Blood Loss in the Fourth Stage in Spontaneous Vaginal Delivery

Sarma Lumbanraja, Wardy Susanto Marpaung, Teuku Mohammad Ichsan, Ichwanul Adenin, Roy Yustin Simanjuntak (Author)
742-746

[PDF](#)

Adaptation of the Edinburgh Postnatal Depression Scale in the Indonesian Version: Self-reported Anxiety and Depression Symptoms in Pregnant Women

Dewi Nirmala Sari, Hervita Diatri, Kemal Siregar, Hadi Pratomo (Author)
1654-1659

[PDF](#)

Is It Necessary to Perform a Routine Antibiotic Prophylaxis before an Elective Surgery of Cesarean Section?

Sergei Belyaev, Larysa Nazarenko, Liliya Dubrova, Olena Fedota (Author)
836-840

[PDF](#)

The New Detection Method of Ovarian Follicle Development Using Digitized Wide Area Measurement

Noviyanti Noviyanti, Yuyun Yueniwati, Bambang Rahardjo, Karyono Mintaroem, Erick Khristian (Author)
475-479

[PDF](#)

Micronutrient Content and Total Lactic Acid Bacteria of Dadiyah Pudding as Food Supplementation for Pregnant Women

Zuhrah Taufiq, Dian Novita Chandra, Helmizar Helmizar, Nur Indrawaty Lipoeto, Badriul Hegar (Author)
1149-1155

[PDF](#)

Comparison of Maternal and Neonatal Outcomes in Teenage and Reproductive Age Pregnancy at Tertiary Hospital in West Java, Indonesia

Windi Nurdiawan, Ahmad Raihan Hidayat Koto, Zulvayanti Zulvayanti, Nur Atik, Hadi Susiarno, Dini Hidayat, Dini Pusianawati, Fadhilah Zulfa (Author)
1080-1084

[PDF](#)

Impact of Anemia in Pregnant Women on the Neonatal Conditions

Raisa Aringazina, Gulnara Kurmanalina, Yerlan Bazargaliyev, Victoria Kononets, Bakhtiyar Kurmanalin, Anes Bekkuzhin (Author)
1185-1188

[PDF](#)

Malpresentation of the Fetus in Singleton Pregnancies after In Vitro Fertilization

Sergei Svetoslavov Slavov (Author)

573-576

[PDF](#)

Antioxidant Activity of Purslane (*Portulaca oleracea* L.) Leaf Extract on the Levels of Ovarian Oxidative Stress and Reproductive Hormone in *Rattus norvegicus* Exposed to Cigarette Smoke

Astika Gita Ningrum, Endyka Erye Frety, Ivon Diah, Zidni Hasbuna Shabran, Rida Eka Setiani, Erni Rosita Dewi (Author)

1535-1540

[PDF](#)

Cell-free DNA in Human Follicular Fluid as Biomarker for Intracytoplasmic Sperm Injection Procedure Outcome

Maanee Azzam, Adeela Hamood, Hind Abdulkadim (Author)

1745-1750

[PDF](#)

Evaluation of Uterine Cavity Abnormality using Saline Infusion Sonohysterography Before In Vitro Fertilization

Ichwanul Adenin, Hilma Putri Lubis, Binarwan Halim (Author)

917-920

[PDF](#)

Body Mass Index and Other Factors Related to Mastalgia: A Cross Sectional Study

Rehab Sabry, Tamer M. Kolib, Marwa Ahmed, Heba G. Elnahas (Author)

1586-1590

[PDF](#)

A Comparison between The Incidence of Paresthesia in Median and Paramedian Approaches of Intrathecal Anesthesia in Parturients Undergoing Cesarean Sections: A Randomized Controlled Trial

Reham Mahrous, Mahmoud Alalfy, Hatem Hassan, Omar Nagy, Omnia Mandour, Amra Yehia, Amr K. Abdel Hakeem (Author)

793-796

[PDF](#)

Antenatal Obstetric Hospitalization: Risk Factors and Pregnancy Outcomes in the University of Calabar University Teaching Hospital, Calabar – A Retrospective Review

Ubong Bassey Akpan, Chidinma Enweremadu, Emmanuel Monjok, Thomas Agan (Author)

235-239

[PDF](#)

Determination of Urine Protein Levels and Analysis of Differences in Vascular Endothelial Growth Factor Levels between Early Onset and Late Onset Preeclampsia

Engga Lift Irwanto, Eryati Darwin, Donel S, Djong Hon Tjong Tjong (Author)

552-556

[PDF](#)

Sperm Quality and Deoxyribonucleic Acid Fragmentation after 5 and 10 min Centrifugation with Swim-Up Processing Technique: A Prospective Cohort Study

Binarwan Halim, Jesselyn Angellee, Hilma Putri Lubis, Bob Bachsinar (Author)

626-630

[PDF](#)

A Comparison between Intrathecal Nalbuphine and Fentanyl for Intraoperative Pain Management during Uterine Exteriorization in Cesarean Section: A Randomized Controlled Trial

Sherif Abdullah Mohamed, Ahmed Elsonbaty, Mohamed Elsonbaty (Author)

533-540

[PDF](#)

Results of Using the Robson Classification in Kazakhstan

Assel Askarovna Altayeva, Saule Shaykenovna Issenova, Egle Machtejeviene, Gani Zhandiyarovich Bodykov, Balzira Nagashibaevna Bishekova (Author)

663-669

[PDF](#)

Oral Anaerobic Microflora and Pregnancy Complication

Irena Andonova, Vasil Iliev (Author)

1681-1685

[PDF](#)

The Sexual Function of Primiparous Women after Normal Delivery and Cesarean Section According to the Female Sexual Function Index

Eighty Mardiyani Kurniawati, Sandy Irwanto, Nalini Muhdi (Author)

1237-1240

[PDF](#)

Anxiety Levels and Behavioral Changes among Pregnant Women Amidst the Coronavirus Disease-19 Pandemic at Fauziah Mother and Child Hospital Tulungagung, East Java

Sutrisno Sutrisno, Ayu Rizky Widowati, Nina Rini Suprobo (Author)

1441-1445

[PDF](#)

Clinical Profiles, Demographic Features, and Maternal Outcomes among Coronavirus Disease Positive Pregnant Women: A Cross-sectional Study

Zaheera Saadia, Robina Farrukh, Sumaira Kanwal, Quratulain Shahzad (Author)

486-491

[PDF](#)

Comparative Analysis of Beet Juice and Red Guava Juice against Erythrocyte and Hematocrit Levels in Post-partum Women

Cut Nurhasanah, Andri Idiana, Putri Santi, Yushida Yushida (Author)

821-825

[PDF](#)

Omega-3 Fatty Acids plus Vitamin E Cosupplementation versus Vitamin E in Fibrocystic Breast Patient with Mastalgia: A Randomized Controlled Trial

Marwa Mostafa Ahmed, Eman Ahmed Rushdy, Dalia Ahmed About Azm , Rehab Mohamed Sabry, Heba Galal El Nahas (Author)

116-121

[PDF](#)

Effectiveness of Pre-operative Rectal Misoprostol in Reducing Blood Loss during Cesarean Section for Placenta Previa and Manual Removal of Retained Placenta: A Parallel Placebo-Controlled Study

Ubong Akpan, Udemé Asibong, Kazeem Arogundade, Chinyere Akpanika, Mabel Ekot, Saturday Etuk (Author)

161-166

[PDF](#)

Pediatrics

Mean Platelet Ratio, Neutrophil to Lymphocyte Ratio, and the Risk of Febrile Seizures in Children Aged 6–59 Months

Albert Kurniawan, Maria Steffany Lainama, Wienta Diarsvitri (Author)

276-280

[PDF](#)

Effectivity of Esomeprazole Compared with Lansoprazole in the Treatment of Pediatric with Gastritis

Fini Kollins, Supriatmo Supriatmo, Rina Saragih, Ilhamd Ilhamd (Author)

1424-1427

[PDF](#)

The Relationship between Hair Zinc Levels and Drug-resistant Epilepsy in Children at Sanglah Hospital

I Gusti Ngurah Made Suwarba, Dewi Sutriani Mahalini, I Gusti Ngurah Agung Jayadhi Widyakusuma (Author)

996-1000

[PDF](#)

Comparing Levels of Urinary Phthalate Metabolites in Egyptian Children with Autism Spectrum Disorders and Healthy Control Children: Referring to Sources of Phthalate Exposure

Manal A. Shehata, Ebtissam M. Salah El-Din, Mai M. Youssef, Mones M. Abushady, Inas R. El-Alameey, Engy A. Ashaat, Amr S. Gouda, Walaa S. Nazim (Author)

1640-1646

[PDF](#)

Phenomenology Study of Stunting Nutrition for Babies in the Work Area of Pante Kuyun Health Center, Aceh Jaya District

Amiruddin Amiruddin, Bustami Bustami, Anasril Anasril, Tri Mulyono Herlambang, Muhammad Husaini, Sri Gustini (Author)

462-467

PDF

The Differences in Transaminase Enzyme Levels among Children with Acute Diarrhea due to Rotavirus and Non-rotavirus

Samitha Wijaya, I Putu Gede Karyana, Eka Gunawijaya, Ida Bagus Subanada, I Gusti Agung Ngurah Sugitha Adnyana, Komang Ayu Witarini (Author)

1075-1079

PDF

Vitamin D Deficiency in Children with Chronic Renal Disease

S. B. Dyussenova , M. Y. Gordiyenko , G. B. Serikova, S. A. Turlybekova, A. A. Issayeva, N. A. Yerimbetova, V. O. Goroshko (Author)

1751-1757

PDF

Necrotizing Enterocolitis in Preterm Infants Born to Mother with COVID-19

Dina Angelika, Risa Etika, Angelica Diana Vita, Setya Mithra, I Dewa Gede Ugrasena (Author)

1499-1504

PDF

The Differences of Left Lateral and Head Elevation Position toward Heart Rate of Newborns with Asphyxia in the Perinatology Room RSUD Dr. Soediran Mangun Sumarso Wonogiri

Noerma Shovie Rizqiea, Septy Nur Aini, Ratih Dwilestari Puji Utami, Ratnawati Ratnawati, Khairunisa Wardani (Author)

492-496

PDF

Determinant Factors of Stunting in Under-Five Children

Yusni Podungge, Endah Yulianingsih, Hasnawatty S. Porouw, Elsa Saraswati, Magdalena Martha Tompunuh, Juli Gladis Claudia, Rabia Zakaria, Rahma Labatjo (Author)

1717-1726

PDF

Relationship between Environmental Factors and Rheumatic Heart Disease

Tina Christina Lumban Tobing, Teddy Ontoseno, Sri Rahayuningsih, Ratna Akbari Ganie, Yahwardiah Siregar (Author)

1795-1798

PDF

Local Snacks and Virtual Nutrition Counseling Services Increasing Growth of Stunting Children

Nadimin Nadimin, Kartini B. Theresia Dewi, Abdul Salam, Adriyani Adam (Author)

331-336

[PDF](#)

The Relationship between Vitamin D Levels and Clinical Outcomes of Neonatal Sepsis in Haji Adam Malik Hospital Medan, Indonesia

Kamsiah Kamsiah, Beby Syofiani Hasibuan, Karina Sugih Arto (Author)

698-703

[PDF](#)

Association of Comorbid with Developmental Quotient in Down Syndrome Children

I Gusti Ayu Trisna Windiani, Ni Made Dewi Aryati, I Gusti Agung Ngurah Sugitha Adnyana, Ni Luh Sukma Pratiwi Murti, Soetjningsih Soetjningsih (Author)

1484-1488

[PDF](#)

Knowledge, Attitude, and Behavior of Parents toward School Reopening Amidst Coronavirus Disease 2019 Pandemic in Indonesia

Andry Juliansen, Gilbert Sterling Octavius, Alexa Ovilia Tan, Chelsea Serena Br. Pardede, Cindy Clarissa Thandy, Clauvinna Adhityana Lie Fisca, Jeremiah Hilkih Wijaya (Author)

1190-1197

[PDF](#)

The Risk Factors of Bacterial Meningitis in Late-Onset Neonatal Sepsis

Ni Made Reditya Noviyani, I Made Kardana, Dewi Sutriani Mahalini, Ida Bagus Gede Suparyatha, Ketut Ariawati, Gusti Ayu Putu Nilawati, Made Sukmawati (Author)

1224-1228

[PDF](#)

Prevalence of Sleep Disorders in Adolescents and its Relation with Screen Time during the COVID-19 Pandemic Era

I Gusti Ayu Trisna Windiani, Ni Made Reditya Noviyani, I. Gusti Agung Ngurah Sugitha Adnyana, Ni Luh Sukma Pratiwi Murti, Soetjningsih Soetjningsih (Author)

297-300

[PDF](#)

Pro-and Anti-vaccination among Mothers in Deciding Children's Immunization: A Qualitative Study

Aisyah Nur Izzati, Retno Indarwati, Makhfudli Makhfudli, Budi Utomo, Eka Mishbahatul M. Has, Yuni Sufyanti Arief, Hidayat Arifin (Author)

385-391

[PDF](#)

Lactose versus Lactose Free Regimen in Children with Acute Diarrhea

Sinan Abdulrazzaq, Faten Alaa Jaafar, Zahoor Abdulmohsin Mohammed (Author)

1279-1282

[PDF](#)

Serum Biomarkers of Environmental Enteric Dysfunction and Growth Perspective in Egyptian Children

Maged A. El Wakeel, Ghada M. El-Kassas, Shaimaa A. Hashem, Hasanin M. Hasanin, Walaa H. Ali, Alshaimaa A. Elkhatib, Hiba Sibaii, Nevein N. Fadel (Author)

1625-1632

PDF

Factors Related to School Readiness in Children: A Cross-Sectional Analytic Study of Elementary School Children in Manado

Lydia Wangke, Gregory Joey, Nurhayati Masloman, Hesti Lestari (Author)

1387-1393

PDF

Effect of Exercise-Induced Lipolysis on Serum Vitamin D Level in Obese Children: A Clinical Controlled Trial

Lamiaa K. Elsayyad, Alaa Shafie, Mazen Almeahmadi, Amal F. Gharib, Ahmad El Askary, Tarek Alsayad, Alsufiany Muhsen, Hatem Allam (Author)

1596-1601

PDF

Massage Therapy Can Prevent the Risk of Autism Spectrum Disorders in Children

Andy Martahan Andreas, Ratna Djuwita, Helda Helda, Rini Sekartni, Sri Hartati R. Suradijono, Thjin Wiguna, Angela B. M. Tulaar, Yusuf Kristianto, Hendrik Hendrik (Author)

1556-1560

PDF

Preoperative Microbiological Screening in Pediatric Assessment of Skeletal Dysplasias Cases Before Planned Orthopedic Surgery

Milka Dikova, Svetla Todorova Nikolova, Alexandre Loukanov (Author)

281-285

PDF

Determinants of Stunting Prevention among Mothers with Children Aged 6–24 Months

Esti Yunitasari, Retnayu Pradanie, Hidayat Arifin, Dita Fajrianti, Bih-O Lee (Author)

378-384

PDF

Fecal Markers of Environmental Enteric Dysfunction and their Relation to Faltering Growth in a Sample of Egyptian Children

Maged A. El Wakeel, Ghada M. El-Kassas, Gihan Fouad Ahmed, Walaa H. Ali, Eman Mohamed Elsheikh, Salwa Refat El-Zayat, Nevein N. Fadel, Iman H. Kamel, Thanaa M. Rabah (Author)

1117-1122

PDF

Importance of the Pneumococcus in Community-acquired Pneumonia in Tender-age Infants on the Background of Vaccination

Aliya A. Zhanpeissova, B. T. Tukbekova, S. B. Akhmetova, B. Dyussenov Sandugash, K. Zh. Alimshaikhina, G. A. Sarmankulova (Author)
1525-1528

[PDF](#)

Association between Bisphenol A Urine Level with Low-Grade Albuminuria in Egyptian Children and Adolescents

Nermine Mahfouz, Ebtissam Salah, Ayman Armaneous, Mai M. Youssef, Mones Mahmoud Abu Shady, Sara Sallam, Mona Anwar, Safaa Morsy, Jihan Hussein (Author)

1092-1097

[PDF](#)

Cystatin and Glomerular Filtration Rate in Obese Versus Non-obese Adolescents

Azza Abd El-Shaheed, Nermine N. Mahfouz, Reham F. Fahmy, Mona A. Elabd, Hiba Sibaii, Salwa Refat El-Zayat, Mahitab I. El-Kassaby, Hagar H. Mourad (Author)

1453-1457

[PDF](#)

Effect of Lactobacillus plantarum DAD-13 and Fructo-oligosaccharides on Short-Chain Fatty Acid Profile and Nutritional Status in Indonesian Stunting Children

Delima Gunawan, Mohammad Juffrie, Siti Helmyati, Endang S. Rahayu (Author)

1790-1796

[PDF](#)

Impact of Papaya (Carica papaya L.) on Breast Milk Production Enhancement of Nursing Mothers at Teling Atas Public Health Center, Wanea Subdistrict, Manado City

Ellen Pesak, Fredrika N Losu, Robin Dompas, Freike Lumy, Gusti Ayu Tirtawati, Dian Pratiwi, Kusmiyati Kusmiyati, Fiani A Djojobo, Atik Purwandari, Bongakaraeng Bongakaraeng, Nonce Nova Legi, Rivolta Walalangi, Esther N Tamunu, Jon Welliam Tangka (Author)

240-243

[PDF](#)

Iron Status in Preschool Children with Normal Hemoglobin, Egypt

Osama El-Asheer, Mary S. Naeem, Fardos H. Abd El Aal, Madleen A. A. Abdou, Khalil Abdel Khalek Mohamed (Author)

1342-1346

[PDF](#)

Relationship between Serum 25(OH)D Levels and Blood Pressure in Children with Nephrotic Syndrome

Rosmayanti Syafriani Siregar, Oke Rina Ramayani (Author); Winson Chitra, Rafita Ramayati

260-264

[PDF](#)

Assessment of a Nutrition Education Program designed to Enhance Mothers' Attitudes on Infants and Young Children feeding in Sudan

Ekhlas A. I. Mohammed, Zainab Taha, Agba A. A. Gadah-Eldam, Mariam M. El hidai (Author)

620-625

[PDF](#)

The Association Between Nutritional Status and Risk of Developmental Disorder in Children in Denpasar Bali Indonesia

I Gusti Ayu Trisna Windiani, Ni Kadek Wiwik Agustini, I. Gusti Agung Ngurah Sugitha Adnyana, Soetjningsih Soetjningsih, Ni Luh Sukma Pratiwi Murti (Author)

687-691

[PDF](#)

Study of Neuropeptide Substance P as A Marker of Pain in Newborn Infant

Safaa ELMeneza, Iman ElBagoury, Enas Tawfik, Amel Tolba (Author)

1615-1620

[PDF](#)

A Pattern of Glomerular Diseases in Egyptian Children: A Single-center Experience

Hoda Atef Abdelsattar Ibrahim, Aya Amin, Ahmed Zeid , Samar Sabry , Hesham Safouh (Author)

1305-1312

[PDF](#)

A Determinant Analysis of Stunting Prevalence on Under 5-Year-Old Children to Establish Stunting Management Policy

Diah Mutiarasari, Miranti Miranti, Yuli Fitriana, David Pakaya, Puspita Sari, Bohari Bohari, Muhammad Sabir, Rosa Dwi Wahyuni, Ryzqa Ryzqa, Veni Hadju (Author)

79-84

[PDF](#)

Deferasirox Effect on Serum Ferritin in Iraq Patients with Hemoglobinopathies: A Single Center Experience

Khalaf Hussein Hasan, Aspazija Sofijanova, Luma Hassan, Nasir Al-Allawi (Author)

144-148

[PDF](#)

Zinc Status in Beta-Thalassemia Major

Khalaf Hussein Hasan, Hasan Abdulla Aswad, Aspazija Sofijanova (Author)

149-153

[PDF](#)

Surgery

Epidemiology and Characteristics of Burn Patients in Dr. Soedarso General Hospital during 2017 – 2020: Retrospective Study

Doni Setiawan, Winsen Haryono (Author)

711-714

[PDF](#)

Penetrating Scrotal Injuries: A War Time Experience in a Civilian Setup

Ammar Fadil Abid, Naimet Naoum (Author)

1198-1202

PDF

Robotic Radical Prostatectomy at the Egyptian National Cancer Institute: Overcoming the Challenges in the Initial Case Series

Ashraf Zaghloul, Ahmed Abdelbary, Amr Fergany, Hatem Aboukassem, Waleed Mohamed Fadlalla (Author)

367-372

PDF

Delayed Treatment of Acute Subdural Hematomas: Retrospective Outcome Analysis of 215 Patients

Kanat Akhmetov, Serik Akshulakov, Yerzhan Adilbekov, Altynshash Jaxybayeva, Mariya Dmitriyeva, Medet Toleubayev (Author)

779-785

PDF

Platelet Concentrate In Lumbar Interbody Cage Fusion: A New Era of Modality Of Fusion

Mohamed Mohi EL din, Ahmed Salah Hassan, Tarek Ahmed Tareef, Mohammad Baraka, Mohamed Gabr, Ahmed H. Omar (Author)

356-362

PDF

Assessment of Serum Ionized Calcium in the Perioperative Period in Patients Undergoing Total Thyroidectomy

Muqdad Fuad, Ahmed Modher (Author)

1203-1206

PDF

Orthopedic Department of Education Center and Service Provide During Coronavirus Disease-2019 Pandemic: An Experience from Single-Center Hospital

Bagus Jati Nugroho, Bintang Soetjahjo, Udi Heru Nefihancoro, Rieva Ermawan, Rhyan Darma Saputra, Galih Santoso Putra, Fathih Kaldani, Muhammad David Perdana Putra, Zaltri Rhani Lebang, Dea Alberta Setiawati (Author)

250-254

PDF

Higher Rate of Patellofemoral Problems After Anterior Cruciate Ligament Reconstruction using Hamstring Autograft

Krisna Yuarno Phatama, Romy Darmawansa, I Gusti Ngurah Arga Aldrian Oktafandi, Felix Cendikiawan, Alva Pribadi, Lasa Dhakka Siahaan, Sholahuddin Rhatomy, Edi Mustamsir (Author)

811-815

PDF

Surgical Management of Parkinson's Disease: The Role of Lesioning Procedures in Developing Countries in the Modern Era

Sameh Abdelbari, Hanan Abdallah Amer, Bassem Mohamed Ayoub, Ramy Kamel (Author)

1241-1262

[PDF](#)

Quantification of Alcohol Dehydrogenase Concentration for Traumatic Brain Injury in Alcohol-intoxicated Patients as a Predictor of Severity and Prognosis

Muhammad Z. Arifin, David Atmaja, Ahmad Faried (Author)

212-216

[PDF](#)

The Role of Chewing Gum on Post-operative Bowel Recovery after Gynecological Laparoscopic Surgery: A Short Report and Updated Review

Nicko Pisceksi Kusika, Imelda E. B. Hutagaol, Muhammad Yusuf, Suyanto Suyanto, Shinta Puja Tilusari (Author)

1123-1127

[PDF](#)

Clinical and Radiological Predictors of Ventriculoperitoneal Shunt Insertion in Myelomeningocele Patients

Ahmed M. F. El Ghoul, Ahmed Hamdy Ashry, Mohamed Hamdy El-Sissy , Ibrahim Mohamed Ibrahim Lotfy (Author)

522-532

[PDF](#)

Clinical Experience with PEGylated Hyaluronic Acid Fillers: A 3-year Retrospective Study

Raffaele Rauso, Giovanni Francesco Nicoletti, Pierfrancesco Bove, Giuseppe M. Rauso, Romolo Fragola, Giorgio Lo Giudice, Nicola Zerbinati (Author)

1168-1173

[PDF](#)

Relationship between 25(OH)D and Colorectal Cancer Prevalence at Dr. Moewardi Hospital Surakarta-Indonesia: A Cross-Sectional Study

Tegoeh Winandar, Agus Raharjo, Hari Wujoso, B. Rina A. Sidharta, Budhi Ida Bagus (Author)

1591-1595

[PDF](#)

Graptophyllum pictum Extract in the Treatment of Experimental Hemorrhoids: Effects on Vascular Leakage and Matrix Metalloproteinase-9 Levels

Bernadus Parish Budiono, Sigit Adi Presetyo, Ignatius Riwanto, Sulistyaningsih Sulistyaningsih, Eriawan Agung Nugroho (Author)

1785-1789

[PDF](#)

Brachial Plexus Injury Surgical Service in Time of Coronavirus Disease 2019 Pandemic Experience from a Single Tertiary Orthopaedic Hospital in Indonesia

Seti Aji Hadinoto, Tito Sumarwoto, Mohammad Erstda Trapsilantya (Author)

758-762

[PDF](#)

Risk Factors and Incidence of Deep Venous Thrombosis in Non-severe Coronavirus Disease-19 Patients

Srdjan Babic, Aleksandar Babic, Milica Stojcic, Milena Gencic, Slobodan Tanaskovic, Dragana Radoicic, Predrag Gajin, Igor Atanasijevic, Nenad Ilijevski (Author)

1446-1452

PDF

Arthroscopic Shaver Design Parameters Controlled Laboratory Testing

Nader Hafez, Mostafa R. A. Atia, Amr A. Elfeky, Mohamed El-Anwar (Author)

326-330

PDF

A Prospective Randomized Study of the Safety and Efficacy of Transforaminal Lumbar Interbody Fusion Versus Posterior Lumbar Interbody Fusion in the Treatment of Lumbar Spondylolisthesis: A Cost utility from a Lower-middle-income Country Perspective and Review of Literature

Nasser El-Ghandour, Mohamed Sawan, Atul Goel, Ahmed Assem Abdelkhalik, Ahmad M. Abdelmotleb, Taher Ali, Mohamed S. Abdel Aziz, Mohamed A. R. Soliman (Author)

636-645

PDF

Correlation of Wells Score, Caprine Score, and Padua Score with Risk of Hypercoagulation Condition Based on D-dimer in Intra-articular, Periarticular, and Degenerative Fracture Patients of Inferior Extremity

Thomas Erwin Christian Junus Huwae, Ahmad Heifan, Muhammad Alwy Sugiarto (Author)

1580-1585

PDF

Prognostic Indices of Surgical Outcome in Cervical Spondylotic Myelopathy: A Clinical Prospective Study

Ahmed A. Marei, Mohamed Reda Rady, Hazem Mostafa Kamal, William C. Welch, Mohamed A. Hafez (Author)

438-443

PDF

Monitoring and Prevention the Risk of Diabetic Foot Ulcer Infection during Coronavirus Disease-19 Pandemic: A Narrative Review and Perspective Algorithm

Mariya Dmitriyeva, Saken K. Kozhakhmetov, Dulat K. Turebayev, Saltanat N. Urazova, Talgat M. Omarov, Nurbek S. Igissinov, Medet T. Toleubayev (Author)

577-582

PDF

The Role of Instrumentation in the Healing Process of Spinal Tuberculosis: An Experimental Study

Tjuk Risantoso, Mohammad Hidayat, Hidayat Suyuti, Aulani Niam (Author)

457-463

PDF

Incidence of Iatrogenic Lumbar Spinal Instability after Laminectomy, Discectomy or Facetectomy

Ahmed A. Hafez, Ahmed Hamdy Ashry, Ahmed Elsayed, Amr El Tayeb, Mohamed Badran Abdel Salam ElShenawy (Author)

588-592

[PDF](#)

Loose Thick Seton Suture Stimulates Rapid Healing and Lower Recurrence Rate in the Treatment of High Type Fistula in Ano

Samer Makki Mohamed Al-Hakkak, Alaa Abood Najim Al-Wadees, Saad Ab-Razq Mijbas, Ashraf Sami MuhammadMuhammad (Author)

1180-1184

[PDF](#)

Comparison of the Unilateral and the Bilateral Pedicle Screw Fixation without Using an Interbody Cage: Randomized Clinical Trial

Alexey Lychagin, Vadim Cherepanov, Marina Lipina, Ivan Vyazankin (Author)

398-402

[PDF](#)

Application of the surgical Apgar score (SAS) to predict postoperative complication(s) in the patients with traumatic brain injury: Study of single center in Indonesia

Muhammad Z. Arifin, Andi N. Sendjaja, Ahmad Faried (Author)

225-229

[PDF](#)

Dynamics of Quality of Life Indicators in Patients with Chronic Synovitis of the Knee Joint after Arthroscopic Laser Double-mode Synovectomy

Alexey Lychagin, Yang Yanbin, Sergey Ivannikov, Stefka Radenska-Lopovok, Roza Yavlieva, Vladimir Surin, Yuliya Goncharuk, Ivan Vyazankin, Marina Lipina (Author)

1054-1060

[PDF](#)

Role of Neutrophil-to-Lymphocyte Ratio as a Predictor of Systemic Inflammatory Response Syndrome in Blunt Abdominal Trauma Following Emergency Laparotomy in Sanglah General Hospital, Denpasar

I Made Dwi Purnamantara, I Ketut Wiargitha, Tjok Gede Bagus Mahadewa (Author)

1105-1110

[PDF](#)

Postoperative Recovery Quality after General Anesthesia in Patients Undergoing Emergency Surgery

I Gusti Agung Gede Utara Hartawan, Made Violin Weda Yani, Tjokorda Gde Agung Senapathi, I Made Gede Widnyana, Christopher Ryalino, Cynthia Dewi Sinardja, Adinda Putra Pradhana (Author)

715-719

[PDF](#)

Correlation of Tumor Necrosis Factor- α Expression with Pain Level in Degenerative Lumbar Canal Stenosis Patients

Ery Kus Dwianingsih, Yudha Mathan Sakti, Rahadyan Magetsari, David Yosua Parulian Hutahaean, Galih Prasetya Sakadewa, Paramita Dyah Lasmana, Nicolaas C. Budhiparama, Ery Kus Dwianingsih (Author)

1135-1139

[PDF](#)

The Effect of Topical Corticosteroid Time of Application on Fibroblast and Type III Collagen Expression in *Oryctolagus cuniculus* with Deep Dermal Burn Wound (As an Indicator for the Best Time to Start Topical Corticosteroid Application in Preventing Hypertrophic Scar)

Loelita Lumintang, I Made Suka Adnyana, Agus Roy Hamid, Hendra Sanjaya, Nyoman Golden, Putu Astawa, Made Darmajaya, I Wayan Juli Sumadi (Author)

964-970

[PDF](#)

Perineal Rectosigmoidal Resection for Complete Rectal Prolapse

Hussein Alkatrani, Mamoon Mahmood Basrah (Author)

1727-1729

[PDF](#)

The Epidemiology of Knee Arthroscopy during Coronavirus Disease 2019 Pandemic

Asep Santoso, Iwan Budiwan Anwar, Tangkas SMHS Sibarani, Pamudji Utomo, Zarkasyi Arimukti, Ibnu Yudistiro, Muhammad Abdul Hamid (Author)

683-686

[PDF](#)

Short and Intermediate Outcome of Endovascular Aortic Aneurysmal Repair, A multicenteric Study

Mohamed Hosny Sayed, Mohammed Ali Hassan, Ahmed Samir Hosny, Hisham Rashid, Mohamed Hosni El Dessoki (Author)

1494-1498

[PDF](#)

Three-dimensional printing applications in the neurosurgery: A pilot study

Moneer Faraj, Bassam Arkawazi, Zaid Al-Attar (Author)

403-406

[PDF](#)

A Comparative Study of Pediatric Fracture Shaft Femur Fixating by Plate and Screws Using Lateral Approach Between *Subvastus Lateralis* and *Transvastus Lateralis* Outcome

Haider O. Hayat Ali Al-Faily, Saif Nabeel Abd Alwahab, Mohammed Sh. Al-Edanni, Sadeq A. Al-Mukhtar, Ghadeer H. Majeed (Author)

1791-1794

[PDF](#)

Evaluation of Extreme Hip Joint Movement after Total Hip Arthroplasty: A Retrospective Study

Iwan Budiwan Anwar, Emile van der Heide, J. Jamari, Eko Saputra, Asep Santoso, Denny Adriansyah, Zarkasyi Arimukti (Author)

1296-1300

[PDF](#)

Short-term Follow-up of Early Reconstructive Surgery Management in Neglected Supracondylar Humeral Fractures

Tito Sumarwoto, Seti Aji Hadinoto, Herlambang Pranandaru, Hanif Andhika, Cholahuddin Phatomy, Pamudji Utomo (Author)
24-28

[PDF](#)

Experiences of Renal Stone Fragmentation with the Use of the Ultrasound-guided Mini-percutaneous Nephrolithotpsy in 650 Patients

Duong Van Trung, Trinh Hoang Hoan, Nguyen Van Hoang (Author); Tran Hong Quan
36-41

[PDF](#)

Comparative Study between Neopterin and Alvarado Score in the Diagnosis of Acute Appendicitis and Its Severity

Zuhair B. Kamal, Raghad E. Najji, Hiba A. Ali (Author)
42-47

[PDF](#)

Autoplasty by Displaced Aponeurotic Flap: Results of a New Method of Inguinal Hernias Surgical Treatment

Saule Tulegenovna Sapiyeva, Nurkassi Tulebergenovich Abatov, Makash Tynshtykpaevich Aliyakparov, Yoshihiro Noso, Ruslan Muratovich Badyrov, Elena Sergeevna Badyrova (Author)
48-54

[PDF](#)

Management of Infected Charcot Neuroarthropathy due to Diabetes Mellitus with Half Pins External Fixator and Pinning: A Case Series

Maria Florencia Deslivia, Claudia Santosa, Putu Teguh Aryanugraha, Sherly Desnita Savio, Ketut Kris Adi Marta, I Wayan Subawa, Putu Astawa (Author)
60-63

[PDF](#)

Single Level Lumbar Disk Herniation: Conventional Discectomy versus Interbody Fusion with Bilateral Pedicular Fixation

Ahmed K. Abdelaziz, Ehab Abdel Haleem, Ahmed M. Ali, Omar El Falaky, Helmy Abdel Haleem (Author)
122-129

[PDF](#)

Ophthalmology

Evaluation of Visual Function Requirements for Public Jobs in Saudi Arabia

Majid A. Moafa, Waleed Alghamdi, Mohammed Alluwimi, Sulaiman Aldakhil, Ismail Abuallut, Mansour Alghamdi, Saif Alrasheed (Author)
608-613

[PDF](#)

Sensitivity and Specificity of Sheard and Percival's Criteria for the Diagnosis of Young People with Near-heterophoria

Saif Hassan Alrasheed , Amel Mohamed Yousif , Majid A. Moafa , Abd Elaziz Mohamed Elmadina, Mohammad Alobaid (Author)
1128-1134

PDF

Ocular Trauma Trends in Indonesia: Poor Initial Uncorrected Visual Acuity Associated with Mechanism of Injury

Sauli Ari Widjaja, Yoshimune Hiratsuka, Koichi Ono, Ima Yustiarini, Nurwasis Nurwasis, Akira Murakami (Author)
903-908

PDF

Estimation of the Level of Glycosylated Hemoglobin as a Predictor Factor to Bevacizumab Injection in Diabetic Macular Edema in a Sample of Iraqi Patients

Hasanain Hasan Attar, Farooq Mohammed Abbas, Haider Layikh (Author)
1480-1483

PDF

The The Effect of Colors and Positional Noise on Reading Performance with Non-words-Part 2

Abdullah Alsalhi, Nadia Northway, Glyn Walsh, Abd Elaziz Mohamed Elmadina (Author)
244-249

PDF

Cyclic Adenosine Monophosphate, Inositol 1,4,5-trisphosphate, Calcium, and Phosphorylated Myosin Light Chain Regulation Through M2 and M3 Muscarinic Receptors of Scleral Fibroblast Cells in Rat Myopia Model

Nanda Wahyu Anandita, Nurdiana Nurdiana, Endang Sri Wahyuni, Hidayat Sujuti (Author)
890-899

PDF

Visual Function of Drivers and its Relation to the Occurrence of Road Traffic Accidents in Saudi Arabia

Sulaiman Aldakhil, Godwin Ovenseri-Ogbomo, Majid Moafa, Waleed Alghamdi, Muhammed Alluwimi, Suliman Alghnam (Author)
1016-1020

PDF

Association between Artificial Reproductive Technology and Retinopathy of Prematurity

Kiril Slaveykov, Kalina Trifonova, Hristo Mumszhiev (Author)
6-11

PDF

The Effect of Color and Positional Noise on Reading Performance in Human Vision

Abdullah Alsalhi, Nadia Northway (Author); Glyn Walsh; Abd Elaziz Mohamed Elmadina (Author)
130-135

PDF

Ear, Nose and Throat

Nutritional Status of Patients with Nasopharyngeal Carcinoma

Yussy Afriani Dewi, Arief Fakhrizal, Shinta Fitri Boesoerie, Ayu Hardianti Saputri (Author)

1435-1440

PDF

Expression of Cytokeratin 6 and 16 in Middle Ear Cholesteatoma

Jacky Munilson, Yan Edward, Lorensia Fitra Dwita, Hirowati Ali (Author)

1323-1328

PDF

Expressions of Nuclear Factor-kappa B and Peroxisome Proliferator-activated Receptor-Gamma Proportional with Clinical Staging of Nasopharyngeal Carcinoma

Farhat Farhat, Elvita Rahmi, Jessy Chrestella, Osvaldo Williamson, Raudah Putri Syari (Author)

1347-1351

PDF

Radiology and Radiotherapy

Reevaluation of the Correlations between Ultrasound Features of Thyroid Nodules and Grades of Bethesda Classification

Ermal Tako, Blerina Cela, Majlinda Ikonomi (Author)

734-741

PDF

Intraoral Radiographic Processing Skills among Dentists in Saudi Arabia

Hisham Abbas, Abdullah Isaam Arabi , Badia Baroudi, Shaima'a Makhdum , Mazen Ahmed Alwadani, Elaf Sami Al Akhdar , Ahmad Majed Alshareef (Author)

1027-1030

PDF

Electron Beam Measurements Employing Electron Montecarlo Algorithm on TrueBeam STx® and Clinac iX® Linear Accelerators

Kamal Saidi, Othmane Kaanouch, Hanae El Gouach, Mohamed Reda Mesradi, Mounir Mkimel, Redouane El Baydaoui (Author)

1730-1738

PDF

Descriptive Analysis of Chest Computed Tomography Scan in Coronavirus Disease 2019 Pneumonia: Correlation with Reverse Transcription-polymerase Chain Reaction and Clinical Features

Rusli Muljadi, Mira Yuniarti, Ricardo Tan, Teodorus Alfons Pratama, Ignatius Bima Prasetya, Allen Widysanto, Gilbert Sterling Octavius (Author)

865-871

[PDF](#)

The Value of Ultrasound Elastography in Diffuse Thyroid Disease among a Sample of Iraqi Population

Hiba Mohammed Abdulwahid, Lubna Ali Hussein, Areege Mustafa Kamal (Author)

1647-1653

[PDF](#)

Radiation-induced Mucositis in Patients with Oropharyngeal Cancer Treated with Moderate Acceleration of Intensity-modulated Radiation Therapy and Simultaneous Integrated Boost Concomitant with Weekly Cisplatin

Lenche Kostadinova, Gjusen Selim (Author); Petar Chakalaroski, Snezana Smickoska, Marina Stoleska, Danilo Nonkuloski

1-5

[PDF](#)

Anesthesiology

The Efficacy of O-Mac[®], Patent Video Laryngoscope, and Conventional Laryngoscope for Intubation in the Operating Room

Jorza Sepmiko, Tjok Gde Agung Senapathi, Made Wiryana, I. Putu Kurniyanta, I. Made Gede Widnyana, Ida Bagus Krisna Jaya Sutawan (Author)

646-650

[PDF](#)

Profile of Sepsis Patients Treated in Intensive Care Unit of Sanglah Hospital Denpasar

Merry Merry, I Gusti Agung Gede Utara Hartawan, I Wayan Aryabiantara, Dewa Ayu Mas Shintya Dewi (Author)

1701-1704

[PDF](#)

Intensive Care

Attenuation of the Airway and Cardiovascular Responses to Extubation in Chronic Smokers by Prior Treatment with Dexmedetomidine, Fentanyl, and their Combination

Naglaa A. Ahmed, Ashraf M. Yehia, Ahmed H. Mohamed, Asmaa Abdulwahhab (Author)

1290-1295

[PDF](#)

Use of Lung Ultrasound for Assessment of Lung Recruitment Maneuvers in Patients with ARDS

Waheed A. Radwan, Mohamed M. Khaled, Ayman G. Salman, Mohamed A. Fakher, Shady Khatab (Author)

952-963

[PDF](#)

Lung Ultrasound versus Pulmonary Auscultation in Detecting Pulmonary Congestion in the Critically Ill

Abdou Ibrahim, Hesham Mohamed Elbeny, Randa Soliman, Soliman Belal (Author)

1544-1548

[PDF](#)

Comparison of Neutrophil Gelatinase-associated Lipocalin and Renal Resistive Index as Acute Kidney Injury Predictor in Critically Ill Patients at ICU H. Adam Malik Hospital Medan

Muhammad Aldi Rivai Ginting, Achsanuddin Hanafie, Bastian Lubis (Author)

1637-1639

[PDF](#)

What Is Preparedness and Capacity of Intensive Care Service in Indonesia to Response to COVID-19? A Mixed-method Study

Mochamat Helmi, Djayanti Sari, Andreasta Meliala, Laksono Trisnantoro (Author)

1686-1694

[PDF](#)

Effect of Glucose-Insulin-Potassium Infusion on Hemodynamics in Patients with Septic Shock

Hassan Effat, Ramy Khaled, Ahmed Battah, Mohamed Shehata, Waleed Farouk (Author)

1517-1524

[PDF](#)

Predictive Score Model of Clinical Outcomes Sepsis in Intensive Care Unit Tertier Referral Hospital of Eastern Indonesia

Metta Octora, Ni Made Mertaniasih, Bambang Pujo Semedi, Eko Budi Koendhori (Author)

1710-1716

[PDF](#)

Ultrasound-Guided Preload Indices during Different Weaning Protocols of Mechanically Ventilated Patients and its Impact on Weaning Induced Cardiac Dysfunction

Dina Zeid, Walid Ahmed, Randa Soliman, Abdou Alazab, Ahmed Samir Elsayy (Author)

1370-1380

[PDF](#)

Rehabilitation

The Use of Bioacoustic Stimulation of the Respiratory System in Complex Medical Rehabilitation at a Health Resort Facility for Patients who have had COVID-associated Pneumonia

Mikhail Bragin, Evgeny Goloborodko, Gennady Erofeev, Sergey Razinkin, Alexey Vladimirovich Sukhinin, Anna Kish, Irina Mikhlik, Ksenia Vladimirovna Zolotareva (Author)

1607-1614

[PDF](#)

Therapeutic Education and Physiotherapy in Low Back Pain Management

Stilyana Romanova, Kristin Grigorova, Antoaneta Dimitrova (Author)

1778-1784

[PDF](#)

Geriatrics

Study of the Incidence of Some Chronic Diseases Among patients with Long-term Physical Disabilities

Sevdalina Alekova Todorova (Author)

1140-1148

[PDF](#)

The Effect of Walking Exercise and Consumption of Steeping Chamomile Flowers (*Matricaria recutita*) on Depression in the Elderly in Langsa City

T. Iskandar Faisal, Nuswatul Khaira, Nora Veri, Magfirah Magfirah, Dewita Dewita, Alchalidi Alchalidi, Yuni Sari (Author)

626-631

[PDF](#)

A Preliminary Scoring Model to Predict In-hospital Mortality Risk for Geriatric Patients with Delirium

Nyoman Astika, Dwijo Anargha Sindhughosa, R.A. Tuty Kuswardhani, Ida Bagus Amertha Putra Manuaba (Author)

872-877

[PDF](#)

Salat Dhuha Improves Haemodynamic: A Randomized Controlled Study

Elman Boy, Aznan Lelo, Amira Permatasari Tarigan, Yetty Machrina, Yusni Yusni, Juliandi Harahap, Rosita Juwita Sembiring, Santi Syafril, Gusbakti Rusip, Cindy Azzahra Freeman (Author)

1695-1700

[PDF](#)

The Prevalence of Functional Disability and Associated Factors among Older People Attending Primary Health-care Centers in Riyadh City

Abdullah Alhalafi, Maysoun Al-Amoud, Reema Aldahman, Eman Abd-Ellatif, Doaa Omar (Author)

975-982

[PDF](#)

Plasma Levels of Interleukin-6 and the Cluster of Differentiation 4/Cluster of Differentiation 8 Ratio in Frailty among Community-dwelling Older People

Sri Sunarti, Nurria Indriyaningrum, Caesarius Wahono, Djoko Soeatmadji, Achmad Rudijanto, Retty Ratnawati, Setyawati Soeharto Karyono, Maryunani Maryunani (Author)

1333-1341

[PDF](#)

High Circulating Sclerostin Level as Osteoporosis Risk Factor in Male Geriatric Population at Sanglah Hospital Bali

Sandra Suryarini, RA. Tuty Kuswardhani, I. Gusti Lanang Ngurah Agung Artha Wiguna (Author)

1032-1036

[PDF](#)

Association of Appendicular Skeletal Muscle Mass and Central Obesity Parameters with Lipid Profiles in Older Women

Lazuardhi Dwipa, Syarief Hidayat, Senov Eka Permadi, Evan Susandi, Alif Bagus Rakhimullah, Yuni Susanti Pratiwi (Author)
921-924

[PDF](#)

Potential of Omega-3 Supplementation on Muscle Mass, Muscle Strength, and Physical Performance in Elderly Community

Nur Riviati, Taufik Indrajaya, Erial Bahar, Dobi Saputra Burni (Author)
55-59

[PDF](#)



What Is Preparedness and Capacity of Intensive Care Service in Indonesia to Response to COVID-19? A Mixed-method Study

Mochamat Helmi^{1*}, Djayanti Sari², Andreasta Meliala³, Laksono Trisnantoro³

¹Department of Anesthesiology, Faculty of Medicine, Universitas Tarumanagara, Jakarta, Indonesia; ²Department of Anesthesiology and Intensive Care, Faculty of Medicine, Public Health and Nursing, Universitas Gadjah Mada, Jogjakarta, Indonesia; ³Department of Health Policy and Management, Faculty of Medicine, Public Health and Nursing, Universitas Gadjah Mada, Jogjakarta, Indonesia

Abstract

BACKGROUND: Pandemics can increase disease spread, as well as unpredictable and highly in patient demand, which can have a negative impact on hospital capacity and the overall functioning of the health-care system. The preparedness and capacity of intensive care services to respond to COVID-19 in Indonesia are remain unknown.

AIM: This study aimed to investigate the preparedness and capacity of intensive care services in Indonesia to respond to the initial stage of the COVID-19 pandemic.

METHODS: A mixed-method research design was used in this study using in-depth interviews and an online survey. An in-depth interview was conducted with the medical team (intensive care consultant and an anesthesiologist) who is actively involved in the provision of COVID-19 services in 15 national referral hospitals. The online survey was conducted to all medical teams that provide direct care to the COVID-19 patients. A total of 459 (response rate was 95.2%) agreed to join the survey. The content analysis technique was used to analyze qualitative data and a descriptive analysis was used to describe issues encountered in providing health services to COVID-19 patients.

RESULTS: The analysis preparedness and capacity of intensive care service in Indonesia to respond to the initial stage of the COVID-19 pandemic resulting in 4 themes with 12 sub-themes. The four themes were limited quality and quantity of standardized intensive care unit (ICU) isolation room (inadequate zoning systems, adequacy of the standardized ICU isolation room, the readiness of the hospital infrastructure, and telemedicine facilities are not yet widely used, including in the COVID-19 isolation room), limited medical service support (lack of personal protective equipment (personal protective equipment [PPE], re-used PPE, lack of availability of medical devices), limitations in the medical team's quality and quantity management (lack of number and distribution of expert doctors and medical team screening for ICU), and command systems (task shifting, effective communication, and leadership).

CONCLUSION: Medical team encounters several difficulties, particularly related to the quality of facilities, staff preparedness, and systems for the provision of services to COVID-19 patients with critical conditions. There is a critical need for well-defined pathways, legal protection, and occupational health for medical teams providing services in the aftermath of a pandemic.

Edited by: Mirko Spiroski
Citation: Helmi M, Sari D, Meliala A, Trisnantoro L. What Is Preparedness and Capacity of Intensive Care Service in Indonesia to Response to COVID-19? A Mixed-method Study. Open Access Maced J Med Sci. 2021 Dec 13; 9(B):1686-1694. https://doi.org/10.3889/oamjms.2021.7626
Keywords: Coronavirus disease 2019; COVID-19; Preparedness; Capacity; Intensive care service
***Correspondence:** Mochamat Helmi, Department of Anesthesiology, Faculty of Medicine, Universitas Tarumanagara, Jakarta, Indonesia.
E-mail: helmi@yahoo.com
Received: 17-Oct-2021
Revised: 25-Nov-2021
Accepted: 03-Dec-2021
Copyright: © 2021 Mochamat Helmi, Djayanti Sari, Andreasta Meliala, Laksono Trisnantoro
Funding: This research did not receive any financial support
Competing Interests: The authors have declared that no competing interests exist
Open Access: This is an open-access article distributed under the terms of the Creative Commons Attribution-NonCommercial 4.0 International License (CC BY-NC 4.0)

Introduction

COVID-19 was declared as a pandemic by the World Health Organization (WHO) on March 12, 2020 [1], [2]. As of May 1, 2020, (4 months of COVID-19 cases worldwide), 3,337,826 people worldwide were infected with COVID-19; 235,577 deaths and 1,054,833 declared cured of this disease [2]. About 5–16% of patients confirmed with COVID-19 require admission to intensive care units (ICUs) [3]. There is an alarmingly high rate of ICU mortality (62%) over 28 days [4], higher than that of serious ARDS [5]. Indonesia confirmed the first two COVID-19 cases on March 2, 2020, and then the new cases of COVID-19 infection are increasing every day significantly. Within 2 months, more than 10,500 new cases were found in all provinces in Indonesia, resulting in no single Green Zone Province in Indonesia (an area without infection cases). COVID-19 was declared

a national disaster by the Indonesian government on March 14, 2020 [6].

Hospitals play a pivotal role to provide healthcare services to people, especially during natural or man-made catastrophic events. Pandemics can increase disease spread, as well as unpredictable and highly in patient demand, which can have a negative impact on hospital capacity and the overall functioning of the health-care system. Hospitals must have managed to complete their preparedness before these events occur to deal with the complexity of dealing with an epidemic disaster. In a condition where the number of patients is higher than service capacity, several strategies need to be considered to overcome it, such as space (infrastructure), stuff (tools and logistics), staff, and systems (4S), which must consider all services from patient admission to discharge from hospitals, including intensive care services [7], [8].

The ICU will be simultaneously challenged on multiple fronts. These include resource limitations, infection

control, protection of healthcare workers, and adaptation of services to a rapidly evolving pandemic situation [3]. The availability of isolated ICU is one of the primary resource constraints that may limit COVID-19 patient services. At present, few hospitals have adequate isolation rooms, especially to receive COVID-19 patients [9]. Hospital isolation in Indonesia, including those fitted with negative pressure, anteroom rooms, and contaminated spaces, does not follow infection prevention and control (PPI) guidelines [6]. Furthermore, the intensive care service system must be adjusted to COVID-19 conditions, which includes changes to all phases of service, including determining eligibility for ICU care to ICU triage, screening for disease severity, initial assessment and reassessment, and isolation-related care [7].

Medical equipment supplies, including medications and disposables, as well as equipment that supports respiration management and personal protective equipment (PPE), must be properly maintained. PPE and ventilator machines are very important logistical roles, especially for COVID-19 patients [7], [9]. In addition, ventilator machines are another important concern, as most hospitals do not reserve all of their ventilators exclusively for COVID-19 patients, assuming the hospital continues to accept non-COVID-19 patients [9], [10]. Thus, the hospital employs a special allocation policy to prevent transmission related to ventilators, even the risk management is unknown certainty. The limited number of personnel in the ICU must be considered in preparation, both in number and in quality. The service of COVID patients in the ICU faces several challenges at first since not all medical staff is willing or deserving of providing services to this patient population [7], [10]. There are several reasons why medical staff is willing to provide services to patients with COVID-19, including psychological factors, age, comorbidity, knowledge, and personal protection. Worrying about contracting and transmitting the disease to your closest relatives is one of the psychological factors. This anxiety is found in more than half (56.7%) of health workers who are not familiar with the pandemic [11], [12].

The preparedness and capacity of intensive care services to respond to COVID-19 in Indonesia are remain unknown. To inform policy and appropriate and timely responses, this study aimed to investigate the preparedness and capacity of intensive care service in Indonesia to respond to the initial stage of the COVID-19 pandemic.

Methods

Study design

A mixed-method research design was used

in this study using in-depth interviews and an online survey. An in-depth interview was conducted virtually with the medical team who provide direct care to COVID-19 patients with critical condition from July 19 to August 14, 2020. Then, an online survey using Google form was distributed randomly through social media to all medical personnel who directly cared for COVID-19 patients in critical condition. This survey was performed from August 23 to September 18, 2020. This survey aimed to identify the issues encountered in providing health services to COVID-19 patients in terms of the four aspects (space, staff, staff, and systems) at the ICU in Indonesia.

Participants

An in-depth interview was conducted with the medical team (intensive care consultant and an anesthesiologist) who is actively involved in the provision of COVID-19 services in 15 national referral hospitals. A total of 58 participants agreed to join in this study, including 13 intensive care consultants and 45 anesthesiologists. They were 31 males and 27 females, with a mean age of 38.53 years (SD = 8.54). Participants in this interview were then assigned the codes 1.2.1 to 1.2.45. An online survey was conducted to all medical teams that provide direct care to the COVID-19 patients. A total of 459 (response rate was 95.2%) agreed to join the survey. About 34.64% were general practitioners, 26.58% internship, and 11.55% anesthesiologist and distributed in all 34 provinces in Indonesia.

Measures

Interview guideline

The interview guide was developed by researchers after conducting a literature review and consulting with experts. This interview guide is then validated to ensure that the interview direction is consistent with the research goals. Interviews were conducted using semi-structured interview techniques and included general questions such as the following: (1) How are you preparing as a medical team to deal with COVID-19 patients, especially if there is a surge in cases? (2) How can the hospital be able to handle COVID-19 concerning its space, staff, personnel, and systems? (3) What do you think of COVID-19's availability of space, staff, and systems? While focus group discussion focused on the expert opinion about government policy toward COVID-19 surge capacity.

4S working environment assessment

4S working environment assessment is a self-developed instrument aimed to measure

the working condition experienced by the medical team, including space, staff, stuff, and systems. The developed instrument consists of 50 questions with four domains included in the structure and process indicators, which are as follows: There are ten questions about space, eight questions about stuff, 16 questions about staff, and 19 questions about systems. This instrument is a Likert scale with response options ranging from 1 to 5. One indicates strong disagreement, two indicates disagreement, three indicates neutrality, four indicates agreement, and five indicates strong agreement. High scores suggest that perception and practice are very good. The validity test results obtained a Root Mean Square Error of Approximation value of 0.063 with a probability of 0.05–0.088, indicating that the model is fitted with the factor loading of each item ranging from 0.60 to 0.71. With the reliability range of 0.59–0.73, all-composite reliability was declared reliable.

Procedure

This study was approved by the institutional review board of the affiliated university (No. KE/FK/0742/EC/2020). The participants were provided a full overall description and procedure of the study before actually conducting data collection, and those interested in taking part voluntarily were requested to fill the written consent form. They were provided a description that the information gathered would be used for the research purpose and coded to protect personal information. The interview was conducted with qualitative analysis; it took them 40–50 min to complete the interview. The data were audiotaped with a tape recorder and subsequently transcribed with the consent of the respondents. Google collected confidential information on the online survey during the whole process. The data are then saved on a drive that only the research team has access to. The system automatically eliminated the possibility of double respondents by preventing two or more users from the same e-mail address from accessing the study after the questionnaire was completed. The data were transformed into a codebook.

Data analysis

The content analysis technique developed by [13] was used to analyze qualitative data. The themes, categories, and codes were compared for similarity and dissimilarity. Participants were given a simplified version of the interviews to verify the researchers' interpretation of the data. Peer review was requested to ensure the data were accurate. A group of faculty and clinical experts have reviewed all coded data and categories several times during the analytical process for audibility. A descriptive analysis was conducted to describe issues encountered in providing

health services to COVID-19 patients in terms of the four aspects (space, stuff, staff, and systems) at the ICU in Indonesia.

Results

The analysis preparedness and capacity of intensive care service in Indonesia to respond to the initial stage of the COVID-19 pandemic resulting in four themes with 12 sub-themes. The four themes were limited quality and quantity of standardized ICU isolation room, limited medical service support, limitations in the medical team's quality and quantity management, and command systems.

Theme 1: Limited quality and quantity of standardized ICU isolation rooms

The data review immediately highlights the limited availability and quality of standardized ICU COVID-19 isolation rooms. This is an issue that arises when it comes to infrastructure.

Inadequate zoning systems

There were still crossovers between indoor zones such as access and exit channels for patients and medical staff, sites for installing and removing PPE, and chambers with negative pressure in the COVID-19 ICU room.

"...How to organize the patient flow, where the patient comes from, where the staff comes from, where he has to doff, where he donates, where the red area is, where the yellow area is, where the green area is, where he has to bathe, and all sorts. Indeed, my experience has been, and this is purely subjective, that the question is typically something along those lines, the division of the area..." (2) (1.2.2)

"...The area's division has not been detailed yet. Whereas, if there is a distinct distinction of zones, uncontrolled exposure can be reduced..." (1.1.2.)

In the online survey, there were 25 data (114 out of 459 respondents) reported that the zoning system was not determined by the hospital where they worked. Only 18% of the medical team acknowledged using anteroom as an intermediary place to reduce contamination between the isolation room and the cleaning room.

Adequacy of standardized ICU isolation room

The adequacy of standardized ICU isolation rooms became an initial problem related to COVID-19

services with critical conditions according to the medical team's assessment. According to the findings of this study, the planning for an increase in patient service capacity at the start of the pandemic was deemed insufficient, particularly in terms of being able to prepare for situations when the number of patients exceeded the number of capacities available. Interviews with representatives of anesthesia specialists at 15 national referral hospitals for COVID-19 revealed that at the beginning of the COVID-19 pandemic, there was still a sufficient ratio of anesthesia specialists to the number of patient beds allocated.

"So far, it has been sufficient; this means that the current patient load and bed availability are being met, but we must still prepare for worst-case scenarios." (1.2.11)

"In my position, I am on the verge of crossing the border, as there has been a significant increase in cases over the last few weeks, and we must develop a strategy and plan carefully to overcome the ICU's unrestricted rooms and bedrooms." (1.2.7.)

The availability of critical beds is on average 15 beds (SD = 3.04) and approximately 50% of the total critical beds have been used for COVID-19 patients. Furthermore, the anesthesia specialist and consultant ratios with the number of beds in each hospital were obtained. For example, eight referral hospitals in Indonesia have extremely high ratios of 5:15, while the other five hospitals have enough ratio of 3:1, and two hospitals did not have anesthesia specialists and consultants.

Readiness of the hospital infrastructure

Data from the interview revealed that the hospital was not prepared to deal with the increased COVID-19 case, particularly in ICU rooms with limited-service support facilities.

"I believe that nearly all of the ICU rooms have limitations and could be considered unprepared and that if there is a significant increase in cases, it is necessary to seriously consider how, for example, converting another room into an ICU room, which of course requires a tremendous amount of money." (1.2.2.)

"Yes, in my opinion, we are not ready from room capacity and other support facilities." (1.2.13)

According to the findings of an online survey, 96% (n = 459) of respondents stated that the hospital where they worked did not have adequate infrastructure to safely handle the surge in COVID-19 with critical condition. Only 25% (n = 114) had enough bed capacity, 33% had a zoning system and anteroom, only 18% reported that all ICU having negative pressure, and 24% used CCVT.

Telemedicine facilities are not yet widely used, including in the COVID-19 isolation room

The fourth dimension of this theme is the insufficient use of remote patient monitoring facilities such as closed-circuit television (CCTV) and telemedicine systems, which include the COVID-19 isolation room. The informant stated that the use of CCTV and telemedicine could assist the Medical Team in providing services to patients. The use of CCTV may help to reduce the risk of exposure to the medical team and dividing up areas that are not yet detailed. Furthermore, the medical team is not required to monitor patients near the patient, as monitoring can be done in an integrated manner using a monitor that shows the vital signs of the patient, including a picture of the patient's current condition. Only 24% (n = 15) of hospitals used CCTV and only 13 hospitals used facilities to be able to monitor the condition of patients remotely.

"...Even though using media to monitor isolation patients will assist minimize the duration and unnecessary workload, it has not been adopted consistently." (1.2.2.)

"Monitoring isolated patients by asking questions through the app might sometimes be beneficial. However, it is unclear how the limitations and implementation will be determined." (1.1.11)

"...Similarly, in the hospital where I work, telemonitoring has not been fully implemented, particularly for COVID-19 patients in the ICU." (1.2.17)

Theme 2: Limited medical service support

Lack of PPE

The first dimension, a shortage of PPE, occurred during the COVID-19 pandemic early stages. Informants believe the PPE shortage is a big problem where they work; this is supported by various expressions:

"The explanation is safe for the patient and how it is safe for us, in particular against PPE's limitations." (1.2.16)

"...Particularly where the PPE is limited, and so what a good thing is PPE, we are going to use it later, as if it is still safe" (1.2.7)

"There has been a lack of PPE in the medical team, both in terms of physical protection and knowledge of how to use it. This made growing worries." (1.2.12)

Quantitative research indicates that several hospitals lack access to PPE such as Google's, face shields, and gowns. About 90% of respondents reported limited on N95 mask, 84% hazmat, 45% face shield, 55% head cap, and 63% boots.

The safety of the medical team to provide services for COVID-19 patients with critical conditions is not limited

solely by the preservation of the number and quality of PPE used. Keeping PPE safe during the assignment, as well as being able to remove PPE in the correct manner/method and the appropriate order of release, is very important knowledge to be applied correctly.

“If PPE has limitations, then what good is it; later on, we will use it with whatever we can get” (1.2.10)

“We still do not understand how the protection should be applied when taking action, such as what is best for those who are modest but safe, which is what they need to know.” (1.2.7)

Re-used of PPE

Furthermore, the lack of quality and quantity of standardized PPE demands the creation of health workers to reuse the used PPE. PPE with good quantity and quality greatly determines the safety of the medical team in carrying out its duties; hence, PPE should be prepared following the standards set by each health facility.

“The PPE standards have already been issued by the Ministry of Health, so how do all of the health facilities enforce the standards?” (1.2.4).

In the online survey, 30% (n = 459) of respondents said they re-used Google, 24% re-used hazmat, 21% said they re-used face shield, and 12% re-used N-95. This reuse process is not accompanied by good socialization; hence, the process required to re-use PPE could be a source of COVID-19 transmission to the medical team. According to the survey results, one-third of participants did not know how to re-use PPE and 58% of respondents stated that the quality of PPE reuse was not assessed.

Lack of availability of medical devices

Several hospitals were experiencing a shortage of ventilators and other medical devices to support the medical team's skills.

“...As a result, the phenomenon of a surge in patients at the start of the pandemic has an impact on fighting over a ventilator.” (1.1.42)

“...Even though the document for device allocation has been completed, the acceptance will take a long time.” (1.2.22.)

“No matter how you request tools to support health services, instruments that should be is missing.” (1.2.17)

Hospitals should also be able to prepare medical devices and other medical supplies which support patient care and safety. A ventilator and a high flow nasal cannula (HFNC) are the most focused medical devices for the service of COVID-19 patients

with critical conditions. According to the results of the online survey, 18% (n = 459) of respondents had sufficient availability for a ventilator and 29% for HFNC.

Theme 3: Limitations in the medical team's quality and quantity management

Lack of number and distribution of expert doctors

In Indonesia, there are many areas where experts are lacking/not available.

“In areas without expertise, plus poor-risk distribution. There are several hospitals in remote areas that lack anesthesiologists” (1.1.32)

Because the majority of referral hospitals are educational institutions, they frequently receive medical assistance for educational purposes. An online survey revealed that 27.8% of the hospital did not have a sufficient number of the medical team (to serve COVID-19 patients in critical condition. This number will further decrease with a medical team exposed to COVID-19.

This deficiency is not only in quantity but also in quality in providing services to COVID-19 patients with critical conditions in terms of both knowledge and eligibility screening process. The medical team involved in the provision of COVID-19 patient services must go through a screening process, namely, the selection of a proper medical team (physically and mentally), qualified), and willing to provide services to patients.

Medical team screening for ICU

There is a lack of a good screening process for the medical team to be able to deliver services to COVID-19 patients in the ICU.

“...If he achieves more than the minimum, he can do the service, but sometimes it's not always done, depending on the requirements.” (1.1.2)

This corresponds to the findings of an online survey, in which respondents emphasized the necessity of the medical team screening procedure before giving treatment to COVID-19 patients with critical conditions. It is also critical to screen administrative and other staff to keep non-patient care staff from coming into contact with the medical team. However, during the onset of the epidemic, the screening process was not done adequately. According to the survey, 37% of the medical team had access to rapid testing facilities, but only 33% had access to swab PCR regularly.

Theme 4: Command system

Task shifting

Command systematics is another important issue in health-care systems. Many areas with

insufficient specialist doctors require task shifts and good coordination with hospitals with expert doctors as service providers.

“...The emergency is still a matter of minutes, so if later you have to wait for the long line of command, it means this will cause a delay, which may result in not only death but also the quality of life for the survivors.” (1.2.12)

“...For the task-shifting issue, we have miscommunication. If our system does not actually work, and ultimately because it cannot be controlled, several hospitals have dealt with discharged patients for referral and release.” (1.2.37)

Effective communication

Good communication is required for good coordination to provide appropriate task shifting.

“...Yes, good coordination is critical for this command. If this is accompanied with effective communication, it will be much better.” (1.2.7).

“...So far, communication and coordination have been challenging. The reason for this is that two-way dialogues are ineffective when items are needed rapidly to make judgments.” (1.2.5).

Leadership

Furthermore, this dimension includes the dimension of leadership or leadership. Good leadership may provide support for command system management, especially when dealing with crises, by providing data.

“...One more thing, leadership from the team leader is critical in the task-shifting system.” (1.2.21)

“...Command has worked so far when the leader can demonstrate appropriate leadership characteristics.” (1.2.16).

According to the survey results, 38% of respondents had difficulty referring patients. In addition, 89% of respondents reported having a COVID-19 team at their place of employment, but only 20% reported that the COVID-19 team formed could or was able to carry out its duties in assisting in the facilitation of COVID-19 services, including referral and command system.

Discussion

The purpose of this study is to assess the preparedness and capacity to provide services to COVID-19 patients with critical conditions among the medical team, particularly in preparing for surge capacity. Hospitals encounter several difficulties,

particularly related to the quality of facilities, staff preparedness, and systems for the provision of services to COVID-19 patients with critical conditions. A disaster with a significant number of victims can cause a surge of incapacity, which can affect resource availability. This situation can occur in all forms of natural disasters, industrial accidents, terrorist attacks, and pandemics, all of which can lead to critical conditions for a very large number of victims/patients [14]. The response to the increase of demand can differ depending on the severity of the disaster. The COVID-19 pandemic requires all levels of health-care providers to coordinate well with the ultimate goal of developing the right system to provide quality service, even though there are problems with infrastructure in providing services to COVID-19 patients with critical conditions.

Surge capacity had not yet occurred in most of the COVID-19 National Referral Hospitals in Indonesia at the beginning of the pandemic. The COVID-19 pandemic has caused a surge in capacity in many countries worldwide. For example, a study conducted in Spain found that the COVID-19 pandemic resulted in a surge in ICU patients who quickly filled available ICU capacity. Four new intensive care units had to be opened to accommodate all new ICU admissions. Infrastructure, material allocations, and ICU personnel are among the management challenges [15]. Whereas the Australian study indicated that 175 intensive care units were prepared for the surge (with 2228 beds), the maximum increase would add 4258 additional intensive care beds (19% increase) and 2631 invasive ventilators (120% increase) [16]. To date, hospital surge capacity has been nearly immeasurable, and it has frequently had to deal with increasing limitations in terms of staff, space, and space. However, during times of extreme need, highly flexible, and adaptable management strategies can help overcome some of these limitations and stretch the system's capacity.

The study results reported a lack of hospital infrastructure preparedness to deal with the COVID-19 pandemic and the potential for surge capacity. This is indicated by the limited quality and quantity of standardized ICU isolation rooms, unmanaged room zoning systems, and inadequate use of telemedicine facilities including in the COVID-19 isolation room. In general, the ICU should be completed and expanded immediately to at least 20% of its initial capacity [17]. Limited beds should be considered and anticipated under pandemic conditions. This condition was reported in several countries at the start of the pandemic, including Italy, Spain, and Australia [15], [16], [18]. Several studies also suggested mitigation schemes to prepare non-ICU areas for COVID-19 wards with critical conditions, while still considering COVID-19 PPI principles [15], [16]. The designation of an isolation ICU ward, geographically separate from other clinical areas, allows concentration and separation of equipment and staff, contributing to more effective efforts to prevent transmission.

This study highlights the less utilization of telemedicine, even though the use of telemedicine was beneficial in terms of increasing work efficiency and reducing the risk of transmission [19], [20]. Telemedicine also helps to promote social distance and helps medical centers manage long waiting times and disease risk [21]. Virtual care solutions can help reduce virus transmission and protect medical practitioners from infection by minimizing direct visits and reducing face-to-face contact between doctors and patients [22]. Telemedicine and virtual care can play an important role in managing previous acute respiratory infections such as severe acute respiratory syndrome and the Middle East respiratory syndrome [23]. For example, the Australian government funds Medicare telemedicine services (Medicare home support) following COVID-19 and encourages doctors to provide health care [24]. Observing the success of the United States, China, and Australia in managing COVID-19 through telemedicine and virtual care, other countries such as Indonesia can also use telemedicine to fight this pandemic [24].

The findings of this study indicate that logistical readiness remains an issue, specifically a lack of support for personal protection and medical device availability (ventilators and other medical devices). At the beginning of the pandemic, national referral hospitals for COVID-19 in Indonesia still had relatively adequate logistics, even the quality was inadequate. Furthermore, due to the limited PPE available in the ICU, much medical personnel re-use various PPE items such as Google's, hazmat, and other items. This condition occurred in almost every country around the world, especially at the beginning of the COVID-19 pandemic [25], [26], [27]. In addition, the PPE kit must include features that ensure compliance, ease of procedure execution, thermal comfort (temperature and relative humidity), and the ability to breathe, while avoiding visual disturbances and problems associated with prolonged use, such as neck pain, back pain, and adverse skin reactions [28], [29], [30].

Human resources are the most critical component that must be considered and adequately prepared when managing COVID-19 patients in critical condition in the intensive care unit. The findings of this study highlight an important fact: There are insufficient numbers and distribution of doctors and specialists in many regions of Indonesia. The disparity in the number of specialists can raise concerns about the provision of adequate services in each hospital. Compared to the availability of medical teams, the number of the medical team identified in this study is much lower than in Australia and the United State, where almost all ICUs have a specialist or consultant intensive care [18], [31]. This study not only reveals a lack of quantity, but also a lack of staff quality. This is demonstrated by the inadequacy of the screening process used to determine which medical team is qualified to provide services. This screening process includes not only physical and mental issues but also readiness to provide services

to critical ICU patients. To address this surge, it is important to develop a response for each hospital system to increase the ability to meet staff needs, one of which is relocating numbers. Several studies have described recommendations for increasing the number of ICU staff when there is a surge in demand, including certified anesthesiologists, intensive care unit nurses or anesthetic nurses (advanced practice providers), anesthesiologist specialist residents, general practitioners, and respiratory therapists [32].

Many areas with insufficient specialist doctors require task shifts and good coordination with hospitals that have expert doctors. The WHO outlines two strategies for expanding and ensuring access to essential health services through better utilization of existing health workers: Task shifting and task sharing [33]. Task shifting or task sharing enables the transfer of tasks from a high-quality medical team to a less-trained or less-qualified medical team, or the sharing of tasks with a medical team with the same qualifications. The use of available human resources in an overloaded health system is, therefore, more effective during the COVID-19 pandemic. The task shift process and an effective command system would then occur when supported by effective communication and leadership coordination. According to the WHO, effective communication and timely coordination are required to ensure informed risk assessment and decision-making, as well as effective collaboration, cooperation, and trust among all hospital staff and stakeholders. This includes communication and coordination within the hospital and through liaison with local and national authorities, including community and primary health services [2].

Conclusion

There have been several problems reported in COVID-19 service providers with critical conditions, includes: 1) Limited quality and quantity of standardized ICU COVID-19 isolation room, ineffective zoning systems, and limited telemedicine use, 2) lack of PPE and medical device availability (ventilators and other medical devices), 3) the number and distribution of expert doctors are not evenly distributed throughout Indonesia, there is a lack of a proper screening process for a proper medical team to provide services to COVID-19 patients in the ICU, and many medical teams who do not meet screening requirements are still required to assist care and administration, and 4) the command system including task shifting, effective communication, and leadership. Hospital management must develop a potential support team scheme to facilitate the transfer of responsibilities from a consultant in intensive care and anesthesiologists to general practitioners and residents, including recommendations on rights and responsibilities,

health insurance, and clear and appropriate incentives for all types of professions who are involved in the intensive care of COVID-19. Professional associations should develop a technology-based command system scheme that incorporates the following components: communication and coordination, triage standards in the surge of capacity isolation rooms and intensive care units, end-of-life care, ethical and legal considerations, informed consent, and service recommendations. It is also deemed necessary to draft additional regulations relating to the license of medical teams in providing services, especially for volunteers. There is a critical need for well-defined pathways, legal protection, and occupational health for medical teams providing services in the aftermath of pandemic.

Acknowledgment(s)

We shall thank all COVID-19 medical team who worked in the hospital during the period of patient recruitment.

Author Contributions Statement

MH: Conceptualization (lead), data curation, formal analysis, funding acquisition investigation, project administration, validation, writing – original draft, writing – review and editing. DS: Conceptualization, data curation, validation, writing – original draft, writing – review and editing. AM: Conceptualization, validation, visualization, writing – original draft, writing – review and editing. LT: Conceptualization (lead), validation, visualization, writing – original draft, writing – review and editing.

Ethical Approval

This study was approved by the institutional review board of the Universitas Gajah Mada (No. KE/FK/0742/EC/2020).

Data Availability Statement

The datasets generated during and/or analyzed during the current study are available from the corresponding author on reasonable request.

References

1. Adhikari SP, Meng S, Wu YJ, Mao YP, Ye RX, Wang QZ, *et al.* Epidemiology, causes, clinical manifestation and diagnosis, prevention and control of Coronavirus disease (COVID-19) during the early outbreak period: A scoping review. *Infect Dis Poverty.* 2020;9(1):29. <https://doi.org/10.1186/s40249-020-00646-x> PMID:32183901
2. World Health Organization. Coronavirus Disease (COVID-2019) Situation Reports. Geneva: World Health Organization; 2020. Available from: <https://www.who.int/emergencies/diseases/novel-coronavirus-2019/situation-reports> [Last accessed on 2021 Aug 21].
3. Alhazzani W, Møller MH, Arabi YM, Loeb M, Gong MN, Fan E, *et al.* Surviving Sepsis Campaign: Guidelines on the management of critically ill adults with Coronavirus disease 2019 (COVID-19). *Intensive Care Med.* 2020;46(5):854-87. <https://doi.org/10.1007/s00134-020-06022-5> PMID:32222812
4. Yang X, Yu Y, Xu J, Shu H, Xia J, Liu H, *et al.* Clinical course and outcomes of critically ill patients with SARS-CoV-2 pneumonia in Wuhan, China: A single-centered, retrospective, observational study. *Lancet Respir Med.* 2020;8(5):475-81. [https://doi.org/10.1016/S2213-2600\(20\)30079-5](https://doi.org/10.1016/S2213-2600(20)30079-5) PMID:32105632
5. Bellani G, Laffey JG, Pham T, Fan E, Brochard L, Esteban A, *et al.* Epidemiology, patterns of care, and mortality for patients with acute respiratory distress syndrome in intensive care units in 50 countries. *JAMA.* 2016;315(8):788-800. <https://doi.org/10.1001/jama.2016.0291> PMID:26903337
6. COVID-19 Task Force 2020. Gugus Tugas COVID-19. "Data Sebaran", Gugus Tugas Percepatan Penanganan COVID-19; 2020. Available from: <https://www.covid19.go.id/p/regulasi/pp-no-21-tahun-2020-tentang-psbb-dalam-rangka-penanganan-covid-19> [Last accessed on 2021 Aug 21].
7. Liew MF, Siow WT, MacLaren G, See KC. Preparing for COVID-19: Early experience from an intensive care unit in Singapore. *Crit Care.* 2020;24(1):83. <https://doi.org/10.1186/s13054-020-2814-x> PMID:32151274
8. Medicine S. Recommendations for the admission of patients with COVID-19 to intensive care and intermediate care units (ICUs and IMCUs). *Swiss Med Wkly.* 2020;150:w20227. <https://doi.org/10.4414/smw.2020.20227> PMID:32208493
9. White D, Lo B. A framework for rationing ventilators and critical care beds during the COVID-19 pandemic. *JAMA.* 2020;323(18):1773-4. <https://doi.org/10.1001/jama.2020.5046> PMID:32219367
10. Wujtewicz M, Dylczyk-Sommer A, Aszkielowicz A, Zdanowski S, Piwowarczyk S, Owczuk R. COVID-19-what should anaesthesiologists and intensivists know about it? *Anaesthesiol Intensive Ther.* 2020;52(1):34-41. <https://doi.org/10.5114/ait.2020.93756> PMID:32191830
11. Goulia P, Mantas C, Dimitroula D, Mantis D, Hyphantis T. General hospital staff worries, perceived sufficiency of information and associated psychological distress during the A/H1N1 influenza pandemic. *BMC Infect Dis.* 2010;10:322. <https://doi.org/10.1186/1471-2334-10-322> PMID:21062471
12. Amour S, Djehiche K, Zamora A, Bergeret A, Vanhems P. Perception of the A/H1N1 influenza pandemic and acceptance

- of influenza vaccination by Université Claude Bernard Lyon 1 staff: A descriptive study. *Hum Vaccin*. 2015;11(3):727-31. <https://doi.org/10.1080/21645515.2015.1008887>
PMid:25715115
13. Graneheim UH, Lundman B. Qualitative content analysis in nursing research: Concepts, procedures and measures to achieve trustworthiness. *Nurse Educ Today*. 2004;24(2):105-12. <https://doi.org/10.1016/j.nedt.2003.10.001>
PMid:14769454
 14. Sheikhbardsiri H, Yarmohammadian M, Khademipour G, Moradian M, Rastegarfar B, Rastegar M. An Operational exercise for disaster assessment and emergency preparedness in South of Iran. *J Public Health Manag Pract*. 2018;26(5):451-6. <https://doi.org/10.1097/PHH.0000000000000815>
PMid:32732718
 15. Vena A, Giacobbe DR, di Biagio A, Mikulska M, Taramasso L, de Maria A, *et al*. Clinical characteristics, management and in-hospital mortality of patients with Coronavirus disease 2019 in Genoa, Italy. *Clin Microbiol Infect*. 2020;26(11):1537-44. <https://doi.org/10.1016/j.cmi.2020.07.049>
PMid:32810610
 16. Carenzo L, Costantini E, Greco M, Barra FL, Rendiniello V, Mainetti M, *et al*. Hospital surge capacity in a tertiary emergency referral centre during the COVID-19 outbreak in Italy. *Anaesthesia*. 2020;75(7):928-34. <https://doi.org/10.1111/anae.15072>
PMid:32246838
 17. Hick J, Einav S, Hanfling D, Kissoon N, Dichter J, Devereaux A, *et al*. Surge capacity principles care of the critically ill and injured during pandemics and disasters: CHEST consensus statement. *Chest*. 2014;146 Suppl 4:e1S-16S. <https://doi.org/10.1378/chest.14-0733>
PMid:25144334
 18. Litton E, Buccini T, Chavan S, Ho Y, Holley A, Howard G, *et al*. Surge capacity of intensive care units in case of acute increase in demand caused by COVID-19 in Australia. *Med J Aust*. 2020;212(10):463-7. <https://doi.org/10.5694/mja2.50596>
PMid:32306408
 19. Hau YS, Kim JK, Hur J, Chang MC. How about actively using telemedicine during the COVID-19 pandemic? *J Med Syst*. 2020;44(6):108. <https://doi.org/10.1007/s10916-020-01580-z>
PMid:32350626
 20. Tenforde AS, Iaccarino MA, Borgstrom H, Hefner JE, Silver J, Ahmed M, *et al*. Telemedicine during COVID-19 for outpatient sports and musculoskeletal medicine physicians. *PM R*. 2020;12(9):926-32. <https://doi.org/10.1002/pmrj.12422>
PMid:32424977
 21. Dos Santos T. Teoria da Dependência: Balanço e Perspectivas. Português: Insular Livros; 2020.
 22. Leung NH, Chu DK, Shiu EY, Chan KH, McDevitt JJ, Hau BJ, *et al*. Respiratory virus shedding in exhaled breath and efficacy of face masks. *Nat Med*. 2020;26(5):676-80. <https://doi.org/10.1038/s41591-020-0843-2>
PMid:32371934
 23. Liu L, Wang EZ, Lee CC. Impact of the COVID-19 pandemic on the crude oil and stock markets in the US: A time-varying analysis. *Energy Res Lett*. 2020;1(1):13154.
 24. Keshvardoost S, Bahaadinbeigy K, Fatehi F. Role of telehealth in the management of COVID-19: Lessons learned from previous SARS, MERS, and ebola outbreaks. *Telemed J E Health*. 2020;26(7):850-2. <https://doi.org/10.1089/tmj.2020.0105>
PMid:32329659
 25. Bhattacharya P, Banerjee D, Tss R. The "Untold" side of COVID-19: Social stigma and its consequences in India. *Indian J Psychol Med*. 2020;42(4):382-6. <https://doi.org/10.1177/0253717620935578>
PMid:33402799
 26. Rowan NJ, Laffey JG. Challenges and solutions for addressing critical shortage of supply chain for personal and protective equipment (PPE) arising from Coronavirus disease (COVID19) pandemic-case study from the Republic of Ireland. *Sci Total Environ*. 2020;725:138532. <https://doi.org/10.1016/j.scitotenv.2020.138532>
PMid:32304970
 27. Ranney ML, Griffeth V, Jha AK. Critical supply shortages-the need for ventilators and personal protective equipment during the COVID-19 pandemic. *N Engl J Med*. 2020;382(18):e41. <https://doi.org/10.1056/NEJMp2006141>
PMid:32212516
 28. Lobner E, Wachernig A, Gudipati V, Mayrhofer P, Salzer B, Lehner M, *et al*. Getting CD19 into shape: Expression of natively folded "difficult-to-express" CD19 for staining and stimulation of CAR-T cells. *Front Bioeng Biotechnol*. 2020;8:49. <https://doi.org/10.3389/fbioe.2020.00049>
PMid:32117929
 29. Foo C, Wai L, Lang T. The mind of a technopreneur: Differentiating the self-leading, entrepreneurial from custodial, managerial female. *Technovation*. 2006;26(2):175-84.
 30. Bulso R, Goncalves G, Leonardi T, Balbinotti C. Evaluation of technical-tactical performance in tennis: a systematic review of measurement instruments. *Physical Education and Sport Notebook*. 2020;18:57-62.
 31. Halpern NA, Tan KS, DeWitt M, Pastores SM. Intensivists in US acute care hospitals. *Crit Care Med*. 2019;47(4):517-25. <https://doi.org/10.1097/CCM.0000000000003615>
PMid:30694817
 32. Halpern NA, Tan KS. United States resource availability for COVID-19. *Soc Crit Care Med*. 2020;1-16.
 33. WHO. World Health Day-Global Brief. Geneva: WHO; 2012. Available from: <https://www.who.int/world-health-day/2012/en> [Last accessed on 2021 Aug 21].