Series: Advances in Health Sciences Research

Proceedings of the 1st Tarumanagara International Conference on Medicine and Health (TICMIH 2021)

HOME

PREFACE

ARTICLES

AUTHORS

ORGANIZERS

PUBLISHING INFORMATION

PREVIOUS VOLUME IN SERIES

NEXT VOLUME IN SERIES



The 1st Tarumanagara International Conference on Medicine and Health (TICMIH) 2021 was held by Consortium of Health Science of LLDIKTI Region III collaborated with Untar Institute of Research & Community Engagement (LPPM Untar). The conference brought a topic about "Challenges and Opportunities for Overcoming Infectious Diseases in the 21st Century." The scope of the articles included but was not limited to the following: Medicine, Health, Public Health, Infectious Disease & Tropical Medicine, Community Medicine, Dentistry, Pharmacy, Nursing, Nutrition, Obstetrics, and Clinical Psychology.

HOME

PREFACE

ARTICLES

AUTHORS

ORGANIZERS

PUBLISHING INFORMATION

JOURNALS

Search

BOOKS

Q

Series: Advances in Health Sciences Research

Proceedings of the 1st Tarumanagara International Conference on Medicine and Health (TICMIH 2021)

Honorary chair

Prof. Dr. Ir. Agustinus Purna Irawan

Universitas Tarumanagara, Indonesia

Steering Committee

Assoc. Prof. Hugeng, MT, Ph.D.

Universitas Tarumanagara, Indonesia

Jap Tji Beng, Ph.D.

Universitas Tarumanagara, Indonesia

Dr. dr. Meilani Kumala, M.S., Sp.GK(K) Universitas Tarumanagara, Indonesia

Organizing Committee/Chairman

Dr. dr. Arlends Chris, M.Si.

Universitas Tarumanagara, Indonesia

Organizing Committee/Treasurer

Mei Ie, S.E., M.M.

Universitas Tarumanagara, Indonesia

Proceedings and scientific session

Dr. Hetty Karunia Tunjungsari

Universitas Tarumanagara, Indonesia

Erick Sidarta, S.Si. M.Biomed.

Universitas Tarumanagara, Indonesia

Programs

Dr. Fransisca Iriani Roesmala Dewi

Universitas Tarumanagara, Indonesia

Design and publication

AR. Johnsen F., S.Kom.

Universitas Tarumanagara, Indonesia

Editorial Board

Prof. Anthony McLean, MD, FCICM

Department of Intensive Care Medicine, Nepean Hospital/ Nepean Clincial School Derby St, Kingswood, Australia.

Soemiwati Holland, MD, FACE

Hackensackmeridian Health – Jersey Shore University Medical Center, New Jersey, USA

Anthony Paulo Sunjaya, MD, SM

Respiratory Division, The George Institute for Global Health and School of Medical Sciences, **UNSW Medicine**

Bujung Hong, Dr. med

Department of Neurosurgery Hannover Medical School, Germany

Lawrence Ong, MBBS, Ph.D

Department of Imunology, Westmead Hospital, NSW, Australia

Prof. Herdiman T. Pohan, MD

Cipto Mangunkusumo General Hospital, Faculty of Medicine University of Indonesia

Erni J. Nelwan, MD, PhD

Cipto Mangunkusumo General Hospital, Faculty of Medicine University of Indonesia

Sharifah Shakinah, MD Cipto Mangunkusumo General Hospital, Faculty of Medicine University of Indonesia

Cipto Mangunkusumo General Hospital, Faculty of Medicine University of Indonesia

Prof. Saptawati Bardosono, MD, PhD

Dr. phil. Edo Sebastian Jaya, M.Psi., Psikolog Faculty of Psychology, University of Indonesia

Velma Herwanto, MD, PhD

Faculty of Medicine, Universitas Tarumanagara, Indonesia

Atlantis Press Atlantis Press – now part of Springer Nature – is a professional publisher

of scientific, technical & medical (STM) proceedings, journals and books. We offer world-class services, fast turnaround times and personalised communication. The proceedings and journals on our platform are Open Access and generate millions of downloads every month.

For more information, please contact us at: contact@atlantis-press.com

- ► PROCEEDINGS ▶ JOURNALS
- ▶ BOOKS

▶ POLICIES

INFO

MANAGE COOKIES/DO NOT SELL MY

- NEWS
 - CONTACT

ABOUT

- SEARCH

1st Tarumanagara International Conference on Medicine and Health (TICMIH 2021)

Challenges and Opportunities for Overcoming Infectious Diseases in the 21st Century

Advances in Health Sciences Research Volume 41

Online 5 - 6 August 2021

Editors:

Anthony McLean Soemiwati Holland Anthony Paulo Sunjaya Bujung Hong Lawrence Ong Herdiman T. Pohan Erni J. Nelwan Sharifah Shakinah Saptawati Bardosono Edo Sebastian Jaya Velma Herwanto

ISBN: 978-1-7138-4088-6

Printed from e-media with permission by:

Curran Associates, Inc. 57 Morehouse Lane Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2021) by Atlantis Press All rights reserved. Copyright for individual electronic papers remains with the authors.

For permission requests, please contact the publisher:

Atlantis Press Amsterdam / Paris

Email: contact@atlantis-press.com

Conference Website: http://www.atlantis-press.com/php/pub.php?publication=ticmih-21

Printed with permission by Curran Associates, Inc. (2022)

Additional copies of this publication are available from:

Curran Associates, Inc. 57 Morehouse Lane Red Hook, NY 12571 USA

Phone: 845-758-0400 Fax: 845-758-2633

Email: curran@proceedings.com Web: www.proceedings.com

TABLE OF CONTENTS

VIOLENCEVIOLENCE	1
Lia Hervika, Monty P. Satiadarma, Naomi Soetikno	1
PHYTOCHEMICAL SCREENING AND TOTAL ANTIOXIDANT CAPACITY OF MARIGOLD LEAF EXTRACT (TAGETES ERECTA L.) Mario Abdiwijoyo, Eny Yulianti, David Limanan, F. Ferdinal	6
THE USE OF ART THERAPY IN THE TREATMENT OF EATING DISORDERS: A SYSTEMATIC REVIEW	12
Zaida M. Prijatna, Monty P. Satiadarma, Linda Wati	
TEACCH FOR PARENTS AND CHILD WITH AUTISM SPECTRUM DISORDER: A REVIEW OF THE LITERATURE	20
Noni, Naomi Soetikno, Samsunuwijati Mar'at	
ASSOCIATION OF NUTRITIONAL STATUS WITH DIABETES MELLITUS AND HYPERTENSION IN THE ELDERLY	25
THE ROLE OF FATHERS' PARENTING STRESS AND HIS PARENTING STYLES ON BEHAVIOR PROBLEMS IN CHILDREN DURING THE COVID-19 PANDEMIC	30
HUMANIZATION OF HUMANS THROUGH ALTRUISM: A STUDY OF PROFESSIONAL PSYCHOLOGY GRADUATE STUDENTS	41
THE RELATIONSHIP BETWEEN SITTING DURATION AND LOW BACK PAIN ON OFFICE WORKERS IN DKI JAKARTA 2021	48
RISK FACTORS ANALYSIS WITH ANXIETY AMONG MEDICAL STUDENTS IN INDONESIA DURING COVID-19 SOCIAL RESTRICTIONS	52
THE CHILDHOOD OF WORKAHOLIC MANAGERS AND PROFESSIONAL WORKERS	57
THE ROLE OF CHILD MALTREATMENT AND TENDENCY TO JUVENILE DELINQUENCY IN LATE ADOLESCENTS	63
PREVALENCE OF DATING VIOLENCE IN LATE ADOLESCENCE	69
PHYTOCHEMICALS PROFILING AND TOTAL ANTIOXIDANT CAPACITY OF CINNAMON BARK EXTRACT (CINNAMOMUM BURMANII)	75
ABSOLUTE EOSINOPHIL COUNT AS A MARKER FOR SEPSIS DIAGNOSIS	81

APPLIED BEHAVIOR ANALYSIS INTERVENTIONS ON CHILDREN WITH AUTISM SPECTRUM DISORDER IN INDONESIA: A PROPOSAL FOR SYSTEMATIC REVIEW AND META-ANALYSIS	86
Amala Fahditia, Heryanti Satyadi, P. Tommy Y. S. Suyasa	
PHYTOCHEMICAL SCREENING AND TOTAL ANTIOXIDANT CAPACITY OF METHANOLIC-EXTRACT OF KEMBANG BOKOR ROOTS (HYDRANGEA MACROPHYLLA)	91
Elizabeth, Eny Yulianti, David Limanan, Frans Ferdinal	
EFFECT OF A LIFESTYLE MEDICINE PROGRAM TO REDUCE THE RISKS OF CARDIOVASCULAR DISEASE AMONG YOUNG MALE ADULTS IN A CHOSEN RESIDENTIAL SCHOOL IN THE PHILIPPINES	97
Mary Jane Botabara-Yap, Donna Mae Rodriguez, Pamela Hendra Heng	
THE MEDIATING ROLE OF DEPRESSION BETWEEN CHILDHOOD TRAUMA AND INTIMATE PARTNER VIOLENCE	105
Frisca Priscilia Boentario, Naomi Soetikno, Fransisca I.R. Dewi	
SELF-IDENTITY AND NEEDS OF COSPLAYER IN ROLE PLAYING	111
ASSOCIATION BETWEEN PHYSICAL ACTIVITY AND SLEEP QUALITY IN STUDENTS OF TARUMANAGARA MEDICAL UNIVERSITY	116
ANXIETY AND SLEEP QUALITY AMONG MEDICAL STUDENTS IN INDONESIA DURING THE COVID–19 PANDEMIC	122
LONELINESS OF Z GENERATION ADOLESCENTS IN THE COVID-19 PANDEMIC: DESCRIPTIVE STUDY	127
THE EFFECTIVENESS OF IMPROVISATIONAL MUSIC THERAPY IN IMPROVING COMMUNICATION AND SOCIAL INTERACTION SKILLS IN CHILDREN AND ADOLESCENTS WITH AUTISM SPECTRUM DISORDER: SYSTEMATIC REVIEW	132
DEPRESSION AMONG HEALTHCARE WORKERS DURING THE COVID-19 PANDEMIC Nurul Salamah, Naomi Soetikno, Roswiyani Roswiyani	139
THE RELATIONSHIP BETWEEN EXPRESSIVE SUPPRESSION AND PROBLEMATIC SMARTPHONE USE	146
THE RELATIONSHIP BETWEEN KNOWLEDGE AND MEDICATION ADHERENCE IN DIABETES MELLITUS PATIENTS IN TOBOALI HOSPITAL, SOUTH BANGKA SELATAN Ucitha Septyadina, Shirly Gunawan	151
THE ROLE OF PERCEIVED SOCIAL SUPPORT TOWARDS STRESS IN EARLY ADULTHOOD DURING PANDEMIC COVID-19	156
MECHANISM DISTRESS TOLERANCE DRIVEN SMOKING ADDICTION BEHAVIOR AMONG INDONESIAN ADULTS	163

PHYTOCHEMICAL SCREENING, TOTAL ANTIOXIDANT CAPACITY, AND TOXICITY TEST OF BASIL LEAF EXTRACT (OCIMUM X AFRICANUM LOUR) Timotius, David Limanan, Eny Yulianti, F. Ferdinal	169
HOW PSYCHOEDUCATIONAL INTERVENTION EFFECTS ON BURDEN IN CAREGIVERS OF SCHIZOPHRENIA: A SYSTEMATIC LITERATURE REVIEW	174
THE ASSOCIATION BETWEEN PHYSICAL ACTIVITY WITH THE NUTRITIONAL STATUS OF STUDENT IN FACULTY OF MEDICINE TARUMANAGARA UNIVERSITY IN 2019-2020	185
Yemima Graciela Munawar, Susy Olivia Lontoh	
FATHER INVOLVEMENT IN PARENTING TALENTED AUTISTIC ADOLESCENTS	190
EASY AND INEXPENSIVE INTERVENTION FOR PARENTS? PHYSICAL ACTIVITY INTERVENTIONS IN CHILDREN WITH AUTISM SPECTRUM DISORDER IN INDONESIA: LITERATURE REVIEW STUDY	197
Rizky Bina Nirbayaningtyas, Heryanti Satyadi, Naomi Soetikno	
THE RELATIONSHIP BETWEEN KNOWLEDGE AND MEDICATION ADHERENCE IN HYPERTENSIVE PATIENTS: A CROSS-SECTIONAL STUDY IN GUNUNG PUTRI HOSPITAL PURWAKARTA	203
Deitra Rifqah Oktaviani, Shirly Gunawan	203
CRIMINALITY AND ANTISOCIAL BEHAVIOR IN YOUNG ADULT	208
GRIT AND SOCIO-DEMOGRAPHIC CHARACTERISTICS AMONG WOMEN WITH POLYCYSTIC OVARY SYNDROME (PCOS)	214
Cindy Arlinda Christanty, Fransisca Iriani R Dewi, Riana Sahrani	
METHANOLIC EXTRACTS OF ROSE FLOWERS (ROSA CHINENSIS JACQ.): PHYTOCHEMICAL EVALUATION AND TOTAL ANTIOXIDANT CAPACITY	220
Natasya Theresia Simatupang, David Limanan, Eny Yulianti, Frans Ferdinal	220
REVIEW AND PROSPECT OF MINDFULNESS-BASED ART THERAPY IN REDUCING SYMPTOMS OF DEPRESSION IN CANCER PATIENTS	224
Melissa, Monty P. Satiadarma, Arlends Chris	22 1
SOCIAL SUPPORT AND QUALITY OF LIFE ON ONLINE-LEARNING UNIVERSITY STUDENTS	230
Elizabeth Sulistyorini, Roswiyani Roswiyani	
THE RELATIONSHIPS OF SELF-COMPASSION AND STRESS AMONG EMERGING ADULTS EXPERIENCING EARLY ADULT CRISIS	236
Jennifer Amanda, Roswiyani Roswiyani, Heryanti Satyadi	
DOES FRIENDSHIP MATTER FOR CHILDREN WITH AUTISM SPECTRUM DISORDER? PEER-MEDIATED INTERVENTION TOIPROMOTE SOCIAL COMPETENCE: REVIEW AND RECOMMENDATION	244
Tamara Wina, Naomi Soetikno, Pamela Hendra Heng	4 44
PHYTOCHEMICAL SCREENING, TOTAL ANTIOXIDANT CAPACITY AND TOXICITY TEST OF WHITE JASMINE FLOWER EXTRACT (JASMINUM SAMBAC)	251
Vincent Suaputra, David Limanan, Eny Yulianti, Frans Ferdinal	

ADOLESCENT MENTAL HEALTH DISORDERS DURING THE COVID-19 PANDEMIC	258
EFFECTIVENESS OF DEEP BREATHING RELAXATION AND MUSIC THERAPY AS A PAIN-REDUCING INTERVENTION IN POST-CAESAREAN SECTION PATIENTS	267
PSYCHOLOGICAL DISTRESS AMONG EMERGING ADULTS: A DESCRIPTIVE STUDY Frida Condinata, Monty P. Satiadarma, P. Tommy Y. S. Suyasa	272
DISTANCE LEARNING ON PAEDIATRICS CLERKSHIP: A NEW EXPERIENCE FOR MEDICAL STUDENTS AT UNIVERSITAS TARUMANAGARA	276
AUTISTIC CHILDREN PARENTING STRESS: A STUDY ON PARENTS TAKING CARING OF CHILDREN WITH AUTISM DURING THE COVID-19 PANDEMIC	281
PROBLEMATIC SMARTPHONE USE AND PROBLEMATIC INTERNET USE: THE TWO FACES OF TECHNOLOGICAL ADDICTION	286
STRESS RELATED WOUND CARE MANGAGEMENT DURING THE COVID-19 PANDEMIC: IMPROVING OUTCOMES THROUGH KAKI DIABET INDONESIA TELEMEDICINE	292
FACTORS INFLUENCING ADHERENCE TO TUBERCULOSIS TREATMENT AMONG PATIENTS IN UPTD PUSKESMAS MUARADUA AND UPTD PUSKESMAS BUAY PEMACA OGAN KOMERING ULU SELATAN	300
SEVERE COVID-19 TREATMENT USING HYPOXIC-MESENCHYMAL STEM CELL SECRETOME: A CASE REPORT	305
THE IMPACT BETWEEN QUALITY OF LIFE AND SELF COMPASSION ON THE EMERGENCE OF DEPRESSION SYMPTOMS IN UNIVERSITY STUDENTS	311

Author Index





SURAT TUGAS

Nomor: 58-R/UNTAR/PENELITIAN/II/2023

Rektor Universitas Tarumanagara, dengan ini menugaskan kepada saudara:

1. NAOMI SOETIKNO, Dr., M.Pd., Psikolog.

2. SAMSUNUWIJATI MAR'AT, Prof., Dr

Untuk melaksanakan kegiatan penelitian/publikasi ilmiah dengan data sebagai berikut:

Judul TEACCH for Parents and Child with Autism Spectrum Disorder: A Review

of the Literature

Nama Media Proceedings of the 1st Tarumanagara International Conference on

Medicine and Health (TICMIH 2021)

Penerbit **Atlantis Press** Volume/Tahun 41/2021

https://www.atlantis-press.com/proceedings/ticmih-21/125965062 **URL** Repository

Demikian Surat Tugas ini dibuat, untuk dilaksanakan dengan sebaik-baiknya dan melaporkan hasil penugasan tersebut kepada Rektor Universitas Tarumanagara

14 Februari 2023

Rektor





Prof. Dr. Ir. AGUSTINUS PURNA IRAWAN

Print Security: 82e966d441026a2b8e1b7e1516408a33

Disclaimer: Surat ini dicetak dari Sistem Layanan Informasi Terpadu Universitas Tarumanagara dan dinyatakan sah secara hukum.

- Penjaminan Mutu dan Sumber Daya
- Sistem Informasi dan Database



- Hukum
- Teknologi Informasi
- Teknik
- Seni Rupa dan Desain
- Kedokteran
- Ilmu Komunikasi • Program Pascasarjana



P: 021 - 5695 8744 (Humas)

Jl. Letjen S. Parman No. 1, Jakarta Barat 11440



E: humas@untar.ac.id



Proceedings of the 1st Tarumanagara International Conference on Medicine and Health (TICMIH 2021)

TEACCH for Parents and Child with Autism Spectrum Disorder: A Review of the Literature

Noni¹, Naomi Soetikno^{2,*}, Samsunuwijati Mar'at³

ABSTRACT

Treatment and Education of Autistic and Related Communication Handicapped Children (TEACCH) is one of the Comprehensive Treatment Models (CTM) interventions that have been implemented since the 1960s for children with Autism Spectrum Disorder (ASD). TEACCH uses structured teaching so that it has an impact on increasing individual independence. Intervention with this approach is still widely applied in schools and therapy centers. In recent years, researchers have begun to prove the effectiveness of the TEACCH approach not only on children but also on parents. However, experimental studies examining the outcomes of these interventions in parents and children with ASD are still limited and there are not many studies that summarize research results and provide recommendations regarding the use of the TEACCH intervention. This literature review aims to provide a summary of the results of experimental studies that apply the TEACCH intervention for parents and children with ASD, so that they can be considered by professionals and further research. A literature review was conducted on two experimental studies from 2019 and 2016, involving parents and children under 8 years old. The results of the study showed that the TEACCH intervention was able to improve social skills and emotional regulation in children and parents. In addition, it can also reduce the stress experienced by parents and improve well-being. Both studies suggest that increasing intensity may affect outcomes.

Keywords: Intervention, TEACCH, Autism Spectrum Disorder, Parents.

1. INTRODUCTION

Based on data obtained by the United Nations Education Scientific and Cultural Organization (UNESCO) in 2011, people with Autism Spectrum Disorder (ASD) in the world reached 35 million people [1]. The increasing number of individuals with ASD over time has attracted scientists. In the last 50 years, ASD has gone from being a rare and narrowly defined early childhood disorder to being discussed, published, being researched from early life to throughout life, beginning to be recognized as a fairly common and highly heterogeneous condition [2]. In the last three decades, interventions in individuals with ASD related to problems in education, behavior, and development have often been a topic of discussion [3].

Researchers have tried to examine evidence of the efficacy of interventions not only in children but also in parents. Many empirical studies prove that stress on parents increases after their child is diagnosed with ASD [4]. It's because many parents do not understand their

child's condition, they don't know what to do to with their child. The involvement of parents in interventions can increase parents' understanding of the child's condition, this will have an impact on reducing parenting stress.

There are two approaches in the intervention of individuals with ASD [2]. First, focused interventions, namely interventions that refer to treatments that are usually shorter in duration and target skills is specific or distinct characteristics (for example, interventions targeting toileting skills or fine motor skills). Second, interventions with Comprehensive Treatment Models (CTM), namely the application of intervention practices that are designed based on a theory or conceptual framework, are usually used more often in children with a longer period of time and target several developmental domains. One intervention with the CTM approach that has a long history in the field, is often used, and has a different conceptual framework is Treatment and Education of Autistic and related Communication Handicapped Children (TEACCH) [2]. The TEACCH program has been well received and applied in both

¹ Professional Psychology Magister Program, Universitas Tarumanagara, Indonesia

² Faculty of Psychology, Universitas Tarumanagara, Indonesia

³ Faculty of Psychology, Universitas Tarumanagara, Indonesia

^{*}Corresponding author. Email: naomis@fpsi.untar.ac.id



educational and therapeutic settings for more than 50 years. Until now this approach is often applied in schools and therapy centres. In recent years, researchers have also continued to conduct research to determine the impact of using the TEACCH intervention not only on children but also on parents. However, studies are still rare that research summarize results and provide recommendations regarding the use of TEACCH interventions. This literature review aims to provide a summary of the results of experimental studies that apply the TEACCH intervention to parents and children with ASD, so that they can be considered by professionals and further research.

1.1. TEACCH

TEACCH is an intervention developed in the 60s by Eric Schopler with a holistic psycho-educational approach based on close collaboration between parents and professionals [5]. The goal of the TEACCH program is to develop the strengths, skills, interests, and fulfilment of the needs of people with ASD so as to achieve maximum independence [3]. Although the characteristics of individuals with ASD differ from one another, they also have similarities. Individuals with ASD have challenges in perceptual, communication and learning processes [5]. Therefore, TEACCH seeks to offer interventions that help balance the unique characteristics of individuals with ASD with the norms and culture of the social environment. TEACCH's structured teaching is based on several combinations of psychological theories, such as cognitive social learning theory and developmental psychology. This approach recognizes the existence of external and internal influences in the learning process [6]. External factors can be in the form of reward and punishment. While internal such as ways of thinking, hopes / desires, and understanding.

In addition, the structured teaching of TEACCH also emphasizes the neuropsychology of individuals with ASD, which is commonly referred to as the culture of autism [6]. TEACCH coined the term culture of autism which describes a way of thinking about the behavioral characteristics seen by individuals with ASD and uses this concept as the basis for leading a long-term intervention process for individuals with ASD [5]. Culture of autism provides an overview of the uniqueness, strengths, and challenges that individuals with ASD have. The culture of autism includes executive functioning difficulties (e.g., difficulty maintaining attention and memory), a tendency to process visual information, communication difficulties, a tendency to seek or avoid (avoid) certain sensory types, a tendency to maintain certain routines and arrangements, difficulty in generalization, the problem of understanding the concept of time; and excessive interest in certain activities [6].

TEACCH helps parents, educators, people who work with individuals with ASD to see the world through their

eyes, thus achieving the main goal of TEACCH which is to teach individuals with ASD to function independently in all contexts of life by making the environment more predictable and easier to understand. for individuals with ASD [5].

1.2 ASD

Definition of ASD according to DSM V is a lifelong neurodevelopmental disorder that manifests from early life, characterized by a series of deficits in two specific domains, the first related to communication and social interaction, the second related to repetitive behavior patterns [7]. Manifestations of ASD disorders vary widely and depend on the severity of the condition, developmental level, and chronological age, hence using the term spectrum [7]. Symptoms of ASD are manifested into three classifieds, know as the Triad of impairments' or three disorders, namely lack of social communication skills, social interaction, and imagination abilities [8]. These three disorders will occur repeatedly and show distinctive characteristics. The impact of these three disorders will affect almost all aspects of a child's life.

In the early stages of a child's development, the primary impairment seen is in the ability to social interaction and communication. One of the reasons behind the problems of ASD children in social interaction and communication is mindblindness. Mindblindness was first mentioned by Baron-Cohen in explaining some of the problems experienced by individuals with ASD [9]. Mindblindness refers to the inability to make accurate estimates of what other people might think or feel. This situation makes individuals with ASD from childhood seem self-centered and have difficulty making friends with the environment [9].

Individuals with ASD also have difficulty understanding the core of the situation [9]. This problem has been seen since childhood, so children with ASD have difficulty combining information to understand the essence of what is going on or what the environment expects of them. Difficulty understanding the core affects the use of language to speak. Children with ASD have difficulty understanding the details of words in sentences. This impacts delays in the development of speech skills in children with ASD.

The impairment of children with ASD has an impact on parents, they do not know how to help and treat their children appropriately [10]. Lack of information about ASD makes parents experience stressful situations. Stress experienced by parents can have an impact on physical and mental health. One way to reduce stress for parents with ASD children is to provide information regarding their child's condition and involve them in the intervention process [4].



2. METHOD

Article search is use electronic database namely PubMed, by entering keywords in the form of "TEACCH" AND "autism OR autistic OR ASD". We found 61 articles. The requirements for inclusion criteria in this study are (a) article must be published in English text, (b) using interventions based on TEACCH and experimental study, (c) a participant in the study is parents and children under 12 years with ASD, (d) research conducted in the last 10 years. Finally, after we excluded articles that did not meet the inclusion criteria, we have two articles for our review.

3. RESULT

In this literature review we use two journals from Turner-Brown et al and Nowell et al. The design of these two studies is between group. The study conducted by Turner-brown et al used participants in the form of parents and children who were under 3 years old and had just received a diagnosis (early diagnosis with ASD). Randomly divided into two groups, the experimental group (n=32) received FITT (Family Implemented TEACCH for Toddlers) and the control group (n=17) received SAU (Service as Usual). The measurements used were ADOS (The autism diagnostic observation schedule) and MSEL (The Mullen Scales of Early Learning), while the parents used the parent interview for autism-clinical version (PIA-CV), The Parenting stress index: Short Form (PSI-SF), and The Rand-36.

While the participants in the research of Nowell et al consists of parents and children aged 6-8 years. This study used an RCT design, the control group received delayed treatment. The experimental group participants consisted of 8 pairs of children and parents. This study established inclusion criteria in the form of being diagnosed with ASD, attending 80-100% of study hours at level 1 or 2 regular classes, being able to read, being able to be separated from parents for at least 30 minutes, and in addition to being fluent in English. The measurements used are Child Observation Protocol (COP), The Parent Report of Group Outcomes (PROGO), and The 3-Box Task.

In the article Nowell et al the intervention was carried out for 3 months with meetings once a week for 1.5 hours (90 minutes) at the center. The purpose of the intervention is to see the effectiveness of the blanded strategy of TEACCH and the component of social thinking in improving social skills and self-regulation in children with ASD in grades 1 and 2. In this intervention, parents are involved and given homework that must be applied to children. The intervention provider is a clinical psychologist who has been training and assisted by a master's degree. This research was conducted at a center called Growing, Learning, and Living With Autism (GoriLLA) Group at the Chapel Hill TEACCH. The

GoriLLA group intervention combines two approaches, structured teaching based on TEACCH and components of social thinking. The results of this study are an increase in social communication skills and self-regulation concept knowledge in both parents and children after the intervention.

While in the article Turner-Brown et al, the intervention aims to support parents and develop the ability of children who have just received an ASD diagnosis. The intervention was conducted in a home and involved parents for six months, with one meeting every week and a duration of 1.5 hours. The intervention was performed by a Psychologist experienced with ASD and TEACCH. This study uses the FITT approach, which is an approach to help parents whose children have just been diagnosed with ASD, to understand more deeply about ASD and teach parents strategies that can be done to help their child improve. The main result of this study is that there is a strong and positive effect of FITT on decrease stress levels and improve parental well-being. In addition, a moderate effect was also found on increasing social communication skills.

4. DISCUSSION

One of the things behind the problems in ASD children in communication and socialization skills is mindblindness. Mindblindness refers to the inability to make accurate estimates of what other people might think or feel. This situation causes individuals with ASD to have difficulty understanding the core of circumstances since childhood [9]. Finally, it makes individuals with ASD look self-centered and have difficulty making friends with the surrounding environment. In other words, difficulty understanding the essence of the situation affects the development and use of language. Children with ASD have difficulty understanding the details of words in sentences [9].

Deficits in communication and socialization skills also have a negative impact on various aspects of life [11]. Such as withdrawal from the social environment and isolating oneself [12]. This situation is a concern for parents. Therefore, these two domains are the most frequently targeted in TEACCH intervention. The use of the TEACCH approach in the environment can make the environment more meaningful and attractive so that it is easier for individuals with ASD to understand the environment and have the opportunity to improve their socialization skills [13]. In line with this, according to Schopler et al, individuals with ASD have advantages in visual abilities, using structured teaching will make it easier for individuals with ASD to learn and understand their environment [5].

Schopler and Reichler emphasize one of the factors that influence the outcome of TEACCH treatment is a cooperation between intervention providers,



Table 1. Result

	Turner-Brown et al	Nowell et al
Participant	32 child (< 3 years old)	8 (6-8 years)
Setting	Home	Center
Duration	90 min/ session/ week	90 min/ session/ week
Study	6 months	3 months
Trainer Fidelity	Psychologist	Clinicians with master's degree
Assessor	Blind assessor	Blind assessor
Goal	The aims of this study were to examine effects of FITT on toddler ASD symptoms, skills, parent stress and well-being	This study aimed to examine the initial efficacy of an intervention in social communication and self-regulation concept knowledge for children and parents
Result	The main result of this study is that there is a strong and positive effect of FITT on decrease stress levels and improve parental well-being. In addition, a moderate effect was also found on increasing social communication skills	The results of this study are both parents and children have an increase in social communication skills and self-regulation concept knowledge after the intervention

professionals, and families [14]. While these factors are difficult to control in each TEACCH study. Another factor that affects the outcome of the intervention is the intensity of the intervention, which is expected to be standardized from the low intensity. There are four things to consider in conducting the TEACCH intervention [15]. First, it requires a large enough space to apply it. Second, it takes a lot of time to prepare specific programs and tools that support interventions. Third, the ability and understanding of the people involved in the intervention, so that the intervention provider is usually someone who has passed the TEACCH training. Fourth is the ability to adapt and flexibility when done classically (group). In other words, research with the TEACCH intervention requires considerable resources and effort.

A limitation of this study is that more resources are needed to provide sufficient evidence for the TEACCH intervention. Therefore, we suggest that future research can conduct a systematic literature review to minimize bias and provide stronger evidence.

5. CONCLUSION

The TEACCH approach is not rigidly applied in practice. However, it is necessary to consider the needs and conditions of the family and children. We need to consider family conditions, such as costs, children's abilities, family involvement and other aspects. In addition, this approach can be paired with other approaches in order to obtain maximum results.

AUTHOR'S CONTRIBUTIONS

Thanks to all colleagues for their cooperation. N, NS, SM conceived of the study, participated in its design and coordination and drafted the manuscript. All authors read and approved the final manuscript.

REFERENCES

- [1] R.D. Hapsari, A.M. Putri, D. Fitriani, Hubungan antara dukungan sosial dengan tingkat stres orang tua dengan anak penderita autism, Jurnal Psikologi, vol. 1, 2019, pp.74-84
- [2] B.A. Boyd, K. Hume, M.T. McBee, M. Alessandri, A. Gutierrez, L. Johnson, S.L. Odom, Comparative efficacy of LEAP, TEACCH and non-modelspecific special education programs for preschoolers with autism spectrum disorders, Journal of autism and developmental disorders, vol. 44, 2014, pp. 366-380. DOI: https://doi.org/10.1007/s10803-013-1877-9
- [3] A.M. Siu, Z. Lin, J. Chung, An evaluation of the TEACCH approach for teaching functional skills to adults with autism spectrum disorders and intellectual disabilities, Research in developmental disabilities, vol. 90, 2019, pp. 14-21. DOI: https://doi.org/10.1016/j.ridd.2019.04.006



- [4] L. Turner-Brown, K. Hume, B. A. Boyd, K. Kainz, Preliminary efficacy of family implemented TEACCH for toddlers: effects on parents and their toddlers with autism spectrum disorder, Journal of Autism and Developmental Disorders, vol. 49, 2016, pp. 2685-2698. DOI: https://doi.org/10.1007/s10803-016-2812-7
- [5] J. Virués-Ortega, A. Arnold-Saritepe, C. Hird, K. Phillips, The TEACCH program for people with autism: Elements, outcomes, and comparison with competing models, In Handbook of treatments for
- [7] American Psychiatric Association, Diagnostic and statistical manual of mental disorder-DSM V, (5thed). Washington DC, APA, 2013.
- [8] L. Wing, J. Gould, C. Gillberg, Autism spectrum disorders in the DSM-V: Better or worse than the DSM-IV?, Research in Developmental Disabilities, vol. 32, 2011, pp. 768-773. DOI: https://doi.org/10.1016/j.ridd.2010.11.003
- [9] C. Williams, B. Wright, How to live with autism and Asperger syndrome: Strategi praktis bagi orang tua dan guru anak autis. Jakarta, Dian Rakyat, 2007.
- [10] A. Fitriasari, A. Yusuf, N. Kholidah, Pengaruh program parenting dalam mengurangi stres orang tua dengan anak autis. Psychiatry nursing journal, Jurnal Keperawatan Jiwa, vol. 1, 2019.
- [11] S.W. Nowell, L.R, Watson, B. Boyd, L.G. Klinger, Efficacy Study of a social communication and selfregulation intervention for school-age children with autism spectrum disorder: a randomized controlled trial, Language, speech, and hearing services in schools, vol. 50(3), 2019, pp. 416-433. DOI: https://doi.org/10.1044/2019_LSHSS-18-0093
- [12] M. Zhao, S. Chen, The effects of structured physical activity program on social interaction and

- autism spectrum disorder, Springer, Cham, 2017, pp. 427-436. DOI: https://doi.org/10.1007/978-3-319-61738-1_23
- [6] L. McLay, S. Hansen, A. Carnett, TEACCH and other structured approaches to teaching, in: S. G. Little & A. Akin-Little (Eds.), Applying psychology in the schools book series, Behavioral interventions in schools: Evidence-based positive strategies, American Psychological Association, 299-322. 2019, pp. https://doi.org/10.1037/0000126-017 communication for children with autism, BioMed research international, 2018. DOI: https://doi.org/10.1155/2018/1825046
- [13] C. Carnahan, H. Harte, K. Schumacher, K. Hume, C. Borders, Structured work systems: Supporting meaningful engagement in preschool settings for children with autism spectrum disorders, Young Exceptional Children, vol. 14(1), 2011, pp. 2-16. DOI: https://doi.org/10.1177/1096250610388012
- [14] L. D'Elia, G. Valeri, F. Sonnino, I, Fontana, A. Mammone, S. Vicari, A longitudinal study of the TEACCH program in different settings: The potential benefits of low intensity intervention in preschool children with autism spectrum disorder, Journal of autism and developmental disorders, vol. 44(3), 2014, pp. 615-626. DOI: https://doi.org/10.1007/s10803-013-1911-y
- [15] K. Taylor, D. Preece, Using aspects of the TEACCH structured teaching approach with students with multiple disabilities and visual impairment: Reflections on practice, British Journal of Visual Impairment, vol. 28(3), 2010, pp. 244-259.
 DOI:

https://doi.org/10.1177/0264619610374682