

Energy Efficiency for the Train Lighting in an Executive Passenger Carriage Train from Jakarta to Surabaya Using LED Strip Lamp

by Endah Setyaningsih

Submission date: 18-Jul-2023 10:25AM (UTC+0700)

Submission ID: 2132911278

File name: ge_Train_from_Jakarta_to_Surabaya_Using_LED_Strip_Lamp_PAPER.pdf (2.76M)

Word count: 3227

Character count: 18355

ISBN 978-979-8396-36-6



IMPS 2017
International Multidisciplinary Conferences
on Productivity and Sustainability

PROCEEDING

of the 2017 International Multidisciplinary
Conferences on Productivity and Sustainability

Alila Hotel
Jakarta, 5-7 December 2017

UKR DA
press

PROCEEDING

of the 2017 International Multidisciplinary Conferences
on Productivity and Sustainability



Editors:

Indra Karnadi, Ph.D.

Ngadiman Djaja, Ph.D.

Hamin, DBA

Publisher:



Jakarta, 2018

PROCEEDING of the 2017 International Multidisciplinary Conferences on Productivity and Sustainability

Alila Hotel, Jakarta

5-7 December 2017

Editors: Indra Karnadi, Ph.D; Ngadiman Djaja, Ph.D; Hamin, DBA

Organizing Committee:

Dr. Oki Sunardi	Ignasia Yuyun, M.Pd.	Benisius Anu, M.Cs.
Prof. Huey-Min Sun	Riana M. M. Harahap, M.P.	Mellisa Fransisca
Prof. Chieh-Yu Lin	Nina Sevani, M.Si.	Fransisca Natalia
Prof. Erning Wihardjo	Siegfrieda A. S. M. Putri, M.Hum.	Ivan Suhendra
Prof. Kris H. Timotius	Pinkan Margaretha, M.Psi., Psikolog	

Reviewers:

Prof. Chian-Fang G. Cherng (Taiwan)	Dr. Terri Trireksani (Australia)
Prof. Huey-Min Sun (Taiwan)	Dr. Hsin-Chih Lai (Taiwan)
Prof. Mei-Kuei Yu (Taiwan)	Dr. Chong-Shiann Hsu (Taiwan)
Prof. Chieh-Yu Lin (Taiwan)	Dr. I Wayan Nuka Lantara (Indonesia)
Prof. Yeun-Wen Ku (Taiwan)	Dr. Isnaeni (Indonesia)
Prof. Naoki Kobayashi (Japan)	Dr. Erni Ekawati (Indonesia)
Prof. Joewono Widjaja (Thailand)	Dr. Salut Muhidin (Australia)
Prof. Suganda Jutamulia (USA)	Hamin, DBA (Indonesia)
Prof. Hatane Samuel (Indonesia)	Dr. Maria Teodora Ping (Indonesia)
Prof. Chi-Yang Yu (Taiwan)	Willy Gunadi, Ph.D. (Indonesia)
Prof. Rudy C. Tarumingkeng (Indonesia)	Gandhi Pawitan, Ph.D. (Indonesia)
Prof. Johana E. Prawitasari (Indonesia)	Dr. Catharina B. Nawangpalupi (Indonesia)
Prof. Kris H. Timotius (Indonesia)	Dr. Maria Widyarini (Indonesia)
Associate Prof. Ferry Jie (Australia)	Dr. Thedy Yogasara (Indonesia)
Associate Prof. Chris Baumann (Australia)	Sani Susanto, Ph.D. (Indonesia)
I Gede A. Widyadana, Ph.D. (Indonesia)	Denny Boy Saragih, Ph.D. (Indonesia)
Dr. Didik Wahjudi (Indonesia)	Dr. Oki Sunardi (Indonesia)
Dr. Ishak Ramli (Indonesia)	Dr. Moeljono Widjaja (Indonesia)
Dr. Iwan Aang Soenandi (Indonesia)	Ignasia Yuyun, M.Pd. (Indonesia)
Dr. Evans Garey (Indonesia)	Yuseva Ariyani Iswandari, M.Pd. (Indonesia)

PUBLISHED FIRST TIME BY:

20 RIDA PRESS
Krida Wacana Christian University
Jl. Tanjung Duren Raya 4
Jakarta 11470
Indonesia

First Edition

ISBN 978-979-8396-36-6

Copyright © 2018

Hak Cipta Dilindungi Undang-Undang

Dilarang memperbanyak, mencetak dan menerbitkan sebagian atau seluruh isi buku ini dalam bentuk apapun tanpa seizin penulis dan penerbit.

PREFACE

To make people are fascinated to us (either as a researcher or academician), we can make them keep asking about our research and project. The more interests from others, the more recognitions we get. The easiest way to learn about research and projects is by participating in an academic forum which discusses recent studies and facts from various disciplines. It is also a cost-effective way to build network with various researchers and academicians from various backgrounds.

On 5-7 December 2017, the 2017 International Multidisciplinary Conference on Productivity and Sustainability (IMPS 2017) is organized based on the fact that today's world demands better productivity due to the harsh competition, as well as the needs of sustainability as regards the scarce resources and global competition. Three sub-conferences are formed to accommodate the diversity of academic backgrounds: Science, Engineering and Technology (ICSET); Economics, Business and Management (ICEBM); and Social and Behavioural Science (ICSBS).

We have +250 papers submitted by authors from Indonesia, Malaysia, Taiwan, Japan, Vietnam, India, P. R. China, and USA, 154 papers were accepted, and 136 have registered to present their papers in the conference. **Selected authors are committed to publish their papers in the proceeding**, while the rest will continue their studies and publish their works in various reputable journals.

We would like to thank all the authors for participating in the IMPS 2017. Thanks to our invited speakers: Professor Naoki Kobayashi (Saitama Medical University, Japan), Professor Suganda Jutamulia (University of Northern California, USA), Professor Joewono Widjaja (Suranaree University of Technology, Thailand), Associate Professor Ferry Jie (Edith Cowan University, Australia), Dr. Hamin (Krida Wacana Christian University, Indonesia), Professor Sri Suryawati (UN; Gajah Mada University, Indonesia), Dr. Pillar Ramos-Jimenez (Philippine NGO Council on Population Health and Welfare, Philippine), and Professor Johana Endang Prawitasari (Krida Wacana Christian University, Indonesia). We appreciate Professor Stuart Yin (Pennsylvania State University, USA) for his insightful invited paper. A heartfelt thank is given to the committee, moderators and reviewers who have been involved in the organizing conference with heart and soul.

Finally, thank you for our organizing partners for making this happen: Taiwan Education Centre, Chang Jung Christian University (Taiwan), Tunghai University (Taiwan), Parahyangan Catholic University (Indonesia), and Petra Christian University (Indonesia).

Jakarta, 20 March 2018

Dr. Oki Sunardi
Krida Wacana Christian University, Indonesia
General Chair

TABLE OF CONTENTS

PREFACE

i

TABLE OF CONTENTS

ii

Science, Engineering and Technology

8

Staining Adjustment of Dye Amount to Clarify the Appearance of Fiber, Nuclei, and toplasm in HE-stained Pathological Kidney Tissue Image

Lina Septiana, Hiroyuki Suzuki, Masahiro Ishikawa, Takashi Obi, Naoki Kobayashi, Nagaaki Ohyama 001-005

Cascade PID-FUZZY Controller for Temperature System with Long Dead-Time

Rendra Dwi Firmansyah, Oyas Wahyunggoro, Adha Imam Cahyadi, Rella Mareta 006-010

1

Design a Facebook Messenger Chatbot for Course Counselling

*Hsin-Hung Chou, Ming-Chuan Wu, Wei-Jun Li, Yi-Jing Chen, Shi-Ming Tseng, Wei-Xing Shi,
Zong-Hua Yang, Shan-Ting Hsieh, Yao-An Chen* 011-014

An Application of Artificial Neural Network to Support Decision Making in Bilateral gotiation

Yusraini Muharni, Chao Ou-yang, Chun Ching Lee, Hartono 015-018

The Performance of NAM (Nedbør-Afstrømnings Model) Water Balance Model in Sodong Basin, West Java, Indonesia

Ermawati Permata, Doddi Yudianto, Fransisca Mulyantari 019-022

Prototype Application of Immunization Reminder/Recall as a Tool for Public Health Services Improvement

Nina Sevani, Edy Kristianto, Indrajani, Kevin Setiawan 023-026

Assessing User Experience Level of the General Directorate of Christian Community Counseling Website in Indonesia

Endi Putro, Budi Marpaung 027-029

Energy Efficiency for the Train Lighting in an Executive Passenger Carriage Train from akarta to Surabaya Using LED Strip Lamp

Endah Setyaningsih, Henry Candra, Dini Andriani, Wahyu Murwanto 030-033

Spectral Analysis of Conducted Emission Characteristics of LED Lightings with Dimmable Driver for Passenger Train

Muhammad Imam Sudrajat, Yopyy, Mohamad Khoirul Anam, R. Harry Arjadi, Hutomo Wahyu Nugroho 031-038

14

Characterization of Electromagnetic Compatibility Performance of Trains LED Lighting by Mapping of Radiated Interference Distribution

Priyo Wibowo, Haryo Dwi Prananto, Yudhistira, Yopyy, Mohamad Khoirul Anam, R. Harry Arjadi 039-042

Characteristics of Electromagnetic Interference LED Lightings for Passenger Train

Hutomo Wahyu Nugroho, Priyo Wibowo, R. Harry Arjadi, Haryo Dwi Prananto, Muhammad Imam Sudrajat 043-046

16

Comparison of Probabilistic Slope Stability Analysis Using Finite Element Method and Design Charts

Dio Alif Hutama, Isnaniati, Zainal Abidin, Miftachul Huda, Arifien Nursandah, Anna Rosytha, Bambang Kiswono 047-050

9

Determination of *Aedes Aegypti* Resistance Status with Bioassay and Biochemical Test in Medang Tangerang against Synthetic Pyrethroid

Rina Priastini Susilowati, Budiman Hartono 051-054

Economic, Business and Management

- 21**
Enabling Factors to Supply Chain Collaboration and Firm Performance: a Theoretical Framework
Venska Stefany, Oki Sunardi 055-058
- Health Education and Health Promotion for Workers in the Workplaces in Taiwan**
Yen-Cheng Tseng, Shih-Bin Su, How-Ran Guo 059-062
- Followership among Employees in Small Medium Enterprise**
Arief Fahmie, Lailatul Fitriah, Elisa Kusriani 063-067
- The Antecedents of Green Food Consumption in Indonesia**
Willy Gunadi, Jessica Andeanie, Primidya Kartika Miranda Soesilo 068-071
- The Importance Level of the Entrepreneurship Ecosystem in Different Phases of Entrepreneurship Activity: Evidence from GEM Data**
Gandhi Pawitan, Maria Widayarni, Catharina B. Nawangpalupi, Nguyen Thanh Tuan 072-074
- Valuing a Real Estate Project using Real Options Approach: Is It Worth It?**
Franciscus Rian Pratikto, Clarissa Gracia 075-078
- The Employee's Motivation and Performance at Garment X, Bandung**
Livenia Sutanto, Margaretha Banowati Talim 079-083
- The Analysis of Website Quality, Trust, Satisfaction, and Loyalty on the Online Shop in Indonesia**
Hatane Samuel, Hotlan Siagian 084-088
- The Influence of Marketing Mix on the Parent Loyalty through School Image**
Hotlan Siagian, Serli Wijaya, Patricia Karnia 089-093
- The Influence of Life Satisfaction and job Satisfaction to Career Development of Employees at PT. X in Jakarta**
Antonius Dieben Robinson Manurung 094-098
- 3 The Influence of Tacit Knowledge in Developing Small and Medium Enterprise**
Augustina Asih Rumanti, TMA Ari Samadhi, Iwan Inrawan Wiratmadja, Rocky Reynaldo 099-104
- The Influence of Inflation Rate, Interest Rate, and Crude Oil Prices on LQ45 Stock Price**
Benny Budiawan Tjandrasa 105-108
- 3 The Impacts of Corporate Social Performance: a Systematic Literature Review**
Amelia Kurniawati, Afrin Fauzya Rizana, T.M.A. Ari Samadhi, Iwan Inrawan Wiratmadja, Indryati Sunaryo 109-112

Social and Behavioural Science

- Sustainably Profitable and Socially Responsible: Identifying Factors for Implementing CSR within Indonesian Context**
Pius Suratman Kartasasmita 113-116
- Research Self-Efficacy: Bachelor student & the thesis**
Yenike Margaret Isak, Yasinta Astin Sokang 117-120
- 12 Toward Developing Sustainable Tourism: Correlation between Nature Relatedness, Eco-friendly Behavior, Willingness to Sacrifice for the Environment, and Happiness among Indonesian Tourists**
Burhanudin, Anandakuttan B. Unnithan 121-124

**Communication Role in Developing Collaboration to Build Ecovillage at Citarum's
Upstream Watershed in Bandung Regency**

Iriana Bakti, Susie Perbawasari, Evi Novianti, Heru Ryanto Budiana

125-127

College Students' Attitude toward Homosexuality

Aries Yulianto

128-133



CONFERENCE PAPERS

Energy Efficiency for the Train Lighting in an Executive Passenger Carriage Train from Jakarta to Surabaya Using LED Strip Lamp

Endah Setyaningsih¹, Henry Candra², Dini Andriani³, Wahyu Murwanto⁴

11

¹Electrical Engineering Department, Faculty of Engineering, Tarumanagara University, Jakarta, Indonesia

²Electrical Engineering Department, Faculty of Industrial Technology, Trisakti University, Jakarta, Indonesia

³Research Centre for Quality System and Testing Technology, Indonesian Institute of Sciences, Tangerang, Indonesia

⁴PT. Kreasi Mustika, Serang, Indonesia

*Corresponding author email: endahs@ft.untar.ac.id

Lighting in the train includes many different types of lighting such as general lighting, sleep lighting, and reading lighting. This paper conducted the survey and measurement of those several types of lighting in the executive *Sembrani train*, PT KAI which compared to the standard and lighting simulation to obtain appropriate lighting condition for the passenger carriage wagon. The average illumination measurement for general lighting exceeds the standard with the result of 650.95 lux which need to be decreased to reduce power consumption, while the measurement of reading light need to be increased twice to meet the standard requirement.

Keywords: LED strip train lighting, general lighting, reading lighting, energy efficiency

1. Introduction

Train lighting is one of the important passenger facility. Lighting in the train includes general lighting, sleep lighting, reading lighting, toilets lighting, emergencies lighting, together with the lighting for circulation space, generator room, restoration, dining and kitchen wagon. This paper provides an overview of the lighting inside the train carriages which includes general lighting, emergency lighting, and reading lighting. General lighting illuminates the entire space in the train when the passengers are not sleeping. Usually the general lighting is dimmed or switched off for sleeping time. Passengers can use the reading lighting for reading. Emergency light should automatically turn on in emergency. The purpose of emergency lighting is to ensure that people can move safely in the event of power failure and they should be able to see clearly the emergency exit and evacuation route instructions from their seats.¹ Emergency lighting system failures and low levels of illumination during the accidents have been reported as the cause of confusion and as a contributing factor for the injuries and victims.²

Currently, the train lighting for passenger carriages mostly uses tube lamps (TL), such as T8 or T12 type, which are arranged in a long row using acrylic lid.³ The current technology has proposed the use of light-emitting diode (LED) lights. The LED light is famous for the energy efficiency, long-lasting life, and easy to apply. In train lighting system, the use of LED lights can be integrated with a smart system for a comfortable transportation systems and also provide a significant reduction of the maintenance cost. Also, it can be implemented for both outdoor and indoor lighting. The use of LED lighting reduce the energy consumption over 50% with a lifecycle 5 to 6 times longer, and the cost savings can be up to 70% of their lifetime. Furthermore, LED lights for train lighting offer the benefits of reduced environmental impact.⁴ This is in accordance with the research on energy consumption, investment cost, and CO₂ gas generated from LED lamps which compared to the non-LED or conventional lamps to reduce Greenhouse Gases / GHG.⁵



2. Experimental Details

The measurement was taking place on a reserved train in a parking mode at the railway station warehouse of PT Kereta Api Indonesia (PT KAI). The train name is Sembrani, an executive train with a capacity of 300-400 seats and each carriage consists of 50/52 seats. The passenger carriage wagon was the work of PT INKA, while the LED lighting for the general lighting was the work of PT Kreasi Mustika, and the LED modules and drivers were the product of PT Philips.

The type of the lighting system and its location are: 1. General lights, using semi direct luminaires system mounted with recessed system in two long rows; 2. Emergency lights, using 3 LED strips, one light strip is mounted in the center of the general lights and one light strip at each corner of the passenger carriage; 3. Reading light, located above the center of each passenger seat with a direct luminaire light which consist of 2 LED lights, one light for each seat. Reading light is installed with recessed system. The lighting and lights location is illustrated in Figure 1.

The measurements were conducted at night, using a Luxmeter instrument to measure the average illuminance in the passenger carriage wagon. The measurement was done in 3 lighting conditions, first, using only general lights. The results are shown in Figure 2. Second, the general light was off and the sleep light was on. One reading light was on, and then two reading lights were turned on together.

3. Results and Discussion

3.1. Analysis for general lighting

The result of general light shows that the average illuminance value (E_{av}) = 650.95 lux, minimum illuminance (E_{min}) = 330 lux, and the maximum illuminance (E_{max}) = 1086 lux (see Figure 2). The magnitude of uniformity (u_0) = 0.3. The simulation result for general lighting is shown in Figure 3. It shows that E_{av} = 722 lux, E_{min} = 260 lux, E_{max} = 1094 and u_0 = 0.361. The light used for general lighting in the passenger area is 50 LED Strip lamp, 1400 lumens, 13 W. The dimension of the passenger train area is 15.5 × 3 m. The measurement and the simulation results have a slightly different illuminance, indicating that the LED light is very good, since more than 90% of the light is illuminated. However, the results of this measurement exceed the standard for the circulation area. The illuminance of the circulation area in the train is equivalent to the working space where simple visual tasks are performed with 100 lux to 200 lux.⁶ Therefore, the flus luminous light (in lumen unit) should be reduced to more than 50% for energy efficiency, while the number of the lights should be kept the same, as it is already in accordance with the size of the train wagon.

3.2. Analysis for reading lighting

The reading light measurement with one reading light on gives a result of E_{av} = 178.4 lux, E_{min} = 145 lux and E_{max} = 231 lux. While the measurement of 2 reading lights provides E_{av} = 281,22 lux; E_{min} = 176 lux and E_{max} = 409 lux. These results informs that the average illuminance for reading lights (178.4 lux) is smaller than the standard reading light, which is 300 lux.^{6,7} In this case, the luminous flux of the LED light for the reading light should be increased twice which equal to the measurement of 2 reading light with an average illuminance of 281.22 lux.

3.3. Analysis for Emergency Lighting

The result of emergency lighting is shown in Figure 4, which provides E_{min} = 3.5 lux, E_{max} = 17.6 lux, and uniformity 0.20. The results are the combination of emergency light and sleep lighting. Preferably, the sleep lighting should be turned off. However, the sleep lighting could not be turned off because the default setting for the sleep lighting is always on for security reason to protect the passengers and their properties from criminal action. It means that the sleep lighting also serves as a security lighting. Prior to the installation of the lights on the train carriage, a lighting design for the carriage was performed. The design was realized using Dialux software based on the size of the wagon, the luminaire, and the type and specification of the lights to be used and their installation procedure. The simulation results with 50% dimming is provided in Figure 5. The illumination measurement on floor obtained E_{min} 11 lux, E_{max} = 42 lux and uniformity 0,26. While the measurements of the illumination on wall gave E_{min} = 5.53 lux, E_{max} = 110 lux, uniformity 0,025.

The results of the simulations and the measurements are in accordance with the recommendation of BS EN 1838: 2016 4.2: *call for a minimum of 1 lux on the center of the escape route for normal risk. A uniformity ratio of 40: 1 maximum to minimum must not be exceeded. This illuminance must be provided*



for the full duration and life of the system. 50% of the illuminance must be available within 60 second of supply failure.

4. Conclusion

In conclusion, the average illumination for general lighting is 650.95 lux which exceeds the standard. Therefore, the flux luminous lights should be reduced, because the passenger circulation area in the train carriage wagon needs only 100 lux until 200 lux. The flux luminous for the reading lights should be increased at least twice from the current condition, because the average illuminance does not match with the recommendation that is at least 300 lux. In emergency condition, the simulation result shows that the minimum illuminance on floor is 11 lux with uniformity 0,25. Similarly the measuring results come with E_{\min} 3.5 lux and uniformity of 0.2 which is in accordance with the recommendations. This lighting condition allows the passenger to clearly see the emergency execution instructions and the direction of the evacuation path.

Acknowledgments

This study was conducted with the funding from RISTEK DIKTI, through a grant program to be completed in December 2017 in INSINAS scheme.

References and Notes

1. BS 5266-1:2016, *Emergency lighting. Code of practice for the emergency lighting of premises*, British Standards Institution (2017).
2. APTA Commuter Rail Executive Committee, *APTA PR-E-S-013-99, Rev. 1, Standard for Emergency Lighting System Design for Passenger Cars*, Volume III – Electrical, The American Public Transportation Association, N. W. Washington, DC, USA (2007).
3. Keputusan Menteri Perhubungan dan Telekomunikasi, Nomor KM 81 Tahun 2000, *Sarana Kereta Api*, Pasal 28 a,b dan c, page P-7 dan Pasal 84 ayat 2f, page P-18 (2000).
4. S.-R. Lim, D. Kang, O. A. Ogunseitan, and J. M. Schoenung, *Potential Environmental Impacts of Light-Emitting Diodes (LEDs): Metallic Resources, Toxicity, and Hazardous Waste Classification*, Environ. Sci. Technol., 45, 1 (2011).
5. Munzinger dan Supriadi, *Penggantian Penerangan Jalan Konvensional dengan LED, Suatu pendekatan untuk aksi mitigasi RAD-GRK (NAMA), giz* dan produsen lampu Osram (2012).
6. Dilaura, D.L., Houser, K.W., Mistrick, R.G. and Steffy G.R., *The lighting Handbook*, Tenth Edition: Reference and Application, Illuminating Engineering Society (2011).
7. Standar Nasional Indonesia, SNI 6197:2011, *Konservasi Energi Pada Sistem Pencahayaan*. Badan Standardisasi Nasional (2011).

Figure captions

Figure 1. Lighting in the ‘Sembrani’ train passenger carriage wagon.

Figure 2. Measurement Results of General Lighting in Passenger Carriage Train Wagon.

Figure 3. The Lighting Simulation of General Lighting in Passenger Carriage Train Wagon.

Figure 4. Measurement result of emergency lighting together with indirect lighting as the sleep lighting.

Figure 5. Simulation result of emergency lighting.



Figure 1. Setyaningsih et al.

Energy Efficiency for the Train Lighting in an Executive Passenger Carriage Train from Jakarta to Surabaya Using LED Strip Lamp

ORIGINALITY REPORT

14%

SIMILARITY INDEX

13%

INTERNET SOURCES

7%

PUBLICATIONS

5%

STUDENT PAPERS

PRIMARY SOURCES

1	sites.cjcu.edu.tw Internet Source	1%
2	Ardente, Fulvio, Fabrice Mathieux, and Marco Recchioni. "Recycling of electronic displays: Analysis of pre-processing and potential ecodesign improvements", Resources Conservation and Recycling, 2014. Publication	1%
3	lipsp.fti.itb.ac.id Internet Source	1%
4	www.macrothink.org Internet Source	1%
5	repository.lppm.unila.ac.id Internet Source	1%
6	zombiedoc.com Internet Source	1%
7	e-space.mmu.ac.uk Internet Source	1%

8	ukrida.ac.id Internet Source	1 %
9	repository.ukrida.ac.id Internet Source	1 %
10	Submitted to University of Wales Institute, Cardiff Student Paper	1 %
11	isomase.org Internet Source	1 %
12	pppm.perbanas.ac.id Internet Source	<1 %
13	ojs.uma.ac.id Internet Source	<1 %
14	www.researchgate.net Internet Source	<1 %
15	SPIE, Proceedings of, Feijun Song, Francis T. S. Yu, and Suganda Jutamulia. "", Information Optics and Photonics Technologies II, 2007. Publication	<1 %
16	Dio Alif Hutama, Himatul Farichah. "Evaluation of Probabilistic Slope Stability Due to Updating of Indonesia Seismic Hazard Maps", IOP Conference Series: Earth and Environmental Science, 2020 Publication	<1 %

17	media.neliti.com Internet Source	<1 %
18	repository.ub.ac.id Internet Source	<1 %
19	Rizal, D.. "Safety and reliability analysis in a polyvinyl chloride batch process using dynamic simulator-case study: Loss of containment incident", <i>Journal of Hazardous Materials</i> , 20061011 Publication	<1 %
20	Sunardi, Oki, Maria Widyarini, and Jann Hidajat Tjakraatmadja. "The Impact of Sales Forces Training Program to Employees Behaviour Styles (A Quasi-experimental Case Study In a Medium Sized Enterprise)", <i>Procedia Economics and Finance</i> , 2012. Publication	<1 %
21	Submitted to Sunway Education Group Student Paper	<1 %
22	pubmed.ncbi.nlm.nih.gov Internet Source	<1 %
23	data.opendevopmentmekong.net Internet Source	<1 %
24	www.firesafetyfirst.co.uk Internet Source	<1 %

25 "Interpretive structural model of key performance indicators for sustainable manufacturing evaluation in automotive companies", 'Institute of Electrical and Electronics Engineers (IEEE)' $<1\%$
Internet Source

26 arifsetiawan.com $<1\%$
Internet Source

27 ppid.lipi.go.id $<1\%$
Internet Source

28 www-euromonitor-com.ezproxy.herts.ac.uk $<1\%$
Internet Source

29 www.ciando.com $<1\%$
Internet Source

Exclude quotes Off

Exclude matches Off

Exclude bibliography Off