

DAFTAR PUSTAKA

- [1] S. A. Widyanto, “Pengembangan Teknologi Rapid Prototyping Untuk Pembuatan Produk-Produk Multi Material,” *Rotasi*, vol. 9, no. 4, pp. 10–14, 2007.
- [2] S. Lubis, S. Djamil, and Y. Yolanda, “Pengaruh Orientasi Objek Pada Proses 3D Printing Bahan Polymer Pla Dan Abs Terhadap Kekuatan Tarik Dan Ketelitian Dimensi Produk,” *Sinergi*, vol. 20, no. 1, p. 27, 2016, doi: 10.22441/sinergi.2016.1.005.
- [3] P. A. S. Raharjo *et al.*, “Anatomi Komparatif Skeleton Axiale Kucing Hutan (*Felis chaus*) dan Kucing Domestik (*Felis domestica*),” *J. Ilm. Mhs. Vet.*, vol. 7, no. 1, pp. 1–12, 2023.
- [4] R. A. Wicaksono, E. Kurniawan, M. K. Syafrianto, R. F. Suratman, and M. R. Sofyandi, “Rancang Bangun dan Simulasi 3D Printer Model Cartesian Berbasis Fused Deposition Modelling,” *J. Engine Energi, Manufaktur, dan Mater.*, vol. 5, no. 2, p. 53, 2021, doi: 10.30588/jeemm.v5i2.895.
- [5] Prusa Research a.s., “Original Prusa MK4,” 2023, [Online]. Available: <https://www.prusa3d.com/product/original-prusa-mk4-2/>
- [6] T. Birtchnell and W. Hoyle, “What is 3D Printing?,” *3D Print. Dev. Glob. South*, 2014, doi: 10.1057/9781137365668.0006.
- [7] Manish Singla, “What are the Advantages and Disadvantages of 3D Printing?,” *Tw-Global.Com*, pp. 1–12, 2022, [Online]. Available: <https://qidemy.com/what-are-the-advantages-and-disadvantages-of-kaizen/>
- [8] M. A. Mazlan, M. F. Mustar, A. H. Abdullah, N. A. C. Zakaria, N. M. Hashim, and A. I. Pangesty, “Effects of Printing Parameters on the Mechanical Strength of Thermoplastics 3D Printed Specimens,” *J. Mech. Eng.*, vol. SI12, pp. 101–117, 2023, doi: 10.24191/JMECHE.V12I1.24640.

- [9] “Pilihan Terbaik Untuk Kerapatan Isi Dan Pola Isi Dalam Pencetakan 3D”, [Online]. Available: <https://id.china-3dprinting.com/info/the-best-choice-for-infill-density-and-infill-78723852.html>
- [10] A. Mostafaei *et al.*, “Binder jet 3D printing—Process parameters, materials, properties, modeling, and challenges,” *Prog. Mater. Sci.*, vol. 119, no. June 2020, p. 100707, 2021, doi: 10.1016/j.pmatsci.2020.100707.
- [11] Pristiansyah and Herianto, “Pengaruh Parameter 3D Printing Terhadap Transparansi Produk yang Dihasilkan,” *Semin. Nas. Inov. Teknol. UN PGRI Kediri*, pp. 1–6, 2018.
- [12] I. B. Ananta, “Mengenal berbagai jenis filamen yang cocok untuk 3d Printing,” *Binus Univ.*, pp. 1–1, 2022, [Online]. Available: <https://binus.ac.id/malang/interior/2022/06/28/mengenal-berbagai-jenis-filamen-yang-cocok-untuk-3d-printing/>
- [13] P. G, “3D Printing ABS - All You Need To Know,” p. 1, 2023, [Online]. Available: <https://www.obico.io/blog/3d-printing-abs-filament/>
- [14] Xometry, “All About ABS 3D Printing Filament: Materials, Properties, Definition,” *Xometry*, 2022, [Online]. Available: <https://www.xometry.com/resources/3d-printing/abs-3d-printing-filament/>
- [15] M. Hikmat, S. Rostam, and Y. M. Ahmed, “Investigation of tensile property-based Taguchi method of PLA parts fabricated by FDM 3D printing technology,” *Results Eng.*, vol. 11, p. 100264, 2021, doi: 10.1016/j.rineng.2021.100264.
- [16] T. W. Patricia Wahyu Haumahu1, “Optimalisasi Produk Dengan Menggunakan Metode Perancangan Toleransi Taguchi,” *J. UNDIP*, vol. 13, no. 1, pp. 304–316, 2011.
- [17] A. Yankin *et al.*, “Optimization of Printing Parameters to Enhance Tensile Properties of ABS and Nylon Produced by Fused Filament Fabrication,” *Polymers (Basel)*, vol. 15, no. 14, 2023, doi: 10.3390/polym15143043.

- [18] N. A. Sutisna, “Rancang Bangun Mesin Uji Universal Untuk Pengujian Tarik dan Tekuk Bertenaga Hidrolik,” *J. Mech. Eng. Mechatronics*, vol. 6, no. 1, p. 32, 2021, doi: 10.33021/jmem.v6i1.1481.
- [19] N. Arjun, “Universal Testing Machine – Components and Functions,” *Constr. Civ. Eng. Home*, pp. 1–8, 2020, [Online]. Available: <https://theconstructor.org/practical-guide/universal-testing-machine-components-functions/2449/>
- [20] A. Rachman, B. S. Salim, A. Sodik, J. Iswanto, A. R. Vanchapo, and M. A. Manuhutu, “Pemodelan User Interface dan User Experience Menggunakan Design Thinking,” vol. 7, no. 2, pp. 9281–9289, 2023, [Online]. Available: <https://www.jptam.org/index.php/jptam/article/view/7807/6426>
- [21] Intertek, “Tensile Testing Composite ASTM D3039,” 2018, [Online]. Available: <https://www.intertek.com/polymers-plastics/tensile-testing/matrix-composite/>
- [22] I. Minitab, “What is the signal-to-noise ratio in a Taguchi design?,” *Minitab, Inc*, p. 1, 2017, [Online]. Available: <https://support.minitab.com/en-us/minitab/18/help-and-how-to/modeling-statistics/doe/supporting-topics/taguchi-designs/what-is-the-signal-to-noise-ratio/>
- [23] K. L. Alvarez C., R. F. Lagos C., and M. Aizpun, “Investigating the influence of infill percentage on the mechanical properties of fused deposition modelled ABS parts,” *Ing. e Investig.*, vol. 36, no. 3, pp. 110–116, 2016, doi: 10.15446/ing.investig.v36n3.56610.
- [24] Syaiful Arief Budiman Alchazin, “Perhitungan Ekuivalen Stress Rangka Utama Sepeda Lipat ‘Student Version’ menggunakan Strain Gage dengan Kombinasi Konfigurasi 2-Gage dan 4-Gage,” pp. 36–37, 2010.