

DAFTAR PUSTAKA

1. O'Brien J. Encyclopedia of gender and society. SAGE; 2009. 512 p.
2. Brooks-Gunn J, Peterson AC. Girls at puberty: biological and psychosocial perspectives. Springer Science & Business Media. 2013; 359 p.
3. Greenspan L, Deardorff J. The new puberty: how to navigate early development in today's girls. Rodale. 2014; 274 p.
4. Lobo RA, Gershenson DM, Lentz GM, Valea FA. Comprehensive gynecology. Elsevier Health Sciences. 2016; 971 p.
5. Zannoni L, Giorgi M, Spagnolo E, Montanari G, Villa G, Seracchioli R. Dysmenorrhea, absenteeism from school, and symptoms suspicious for endometriosis in adolescents. *J Pediatr Adolesc Gynecol*. 2014 Oct 1; 27(5):258–65.
6. Ju H, Jones M, Mishra G. The prevalence and risk factors of dysmenorrhea. *Epidemiol Rev*. 2014 Jan 1; 36(1):104–13.
7. Kamel DM, Tantawy SA, Abdelsamea GA. Experience of dysmenorrhea among a group of physical therapy students from Cairo University: an exploratory study. *J Pain Res*. 2017 May 9; 10:1079–85.
8. Maruf FA, Ezenwafor NV, Moroofo SO, Adeniyi AF, Okoye EC. Physical activity level and adiposity: are they associated with primary dysmenorrhea in school adolescents?. *Afr J Reprod Health [Internet]*. 2013 Jan 1; 17(4). Available from: <https://www.ajol.info/index.php/ajrh/article/view/98389>.
9. Kazama M, Maruyama K, Nakamura K. Prevalence of dysmenorrhea and its correlating lifestyle factors in Japanese female junior high school students. *Tohoku J Exp Med*. 2015; 236(2):107–13.
10. Larasati TA, Alatas F. Dismenore primer dan faktor risiko dismenore primer pada remaja. *Majority*. 2016; 5(3).
11. Osayande AS, Mehulic S. Diagnosis and initial management of dysmenorrhea. *Am Fam Physician*. 2014; 89(5):346.

12. Dambhare DG, Wagh SV, Dudhe JY. Age at menarche and menstrual cycle pattern among school adolescent girls in Central India. *Global journal of health science*. 2012; 4(1):105-11.
13. Hailemeskel S, Demissie A, Assefa N. Primary dysmenorrhea magnitude, associated risk factors, and its effect on academic performance: evidence from female university students in Ethiopia. *Int J Womens Health*. 2016 Sep 19; 8:489–96.
14. Evans J, Salamonsen LA. Inflammation, leukocytes and menstruation. *Rev Endocr Metab Disord*. 2012; 13:277–88.
15. Robinson WJ. *Woman, her sex and love life: sexual psychology*. 谷月社. 2015; 155 p.
16. Waugh A, Grant A. Ross & Wilson anatomy and physiology in health and illness. Elsevier Health Sciences. 2010; 508 p.
17. Reed BG, Carr BR. The normal menstrual cycle and the control of ovulation. In: de Groot LJ, Beck-Peccoz P, Chrousos G, et al., editors. , eds. *Endotext* [Internet]. South Dartmouth, MA: MDText.com, Inc; 2015.
18. Heffner LJ, Schust DJ. *The reproductive system at a glance*. John Wiley & Sons. 2014; 296 p.
19. Afshan A, Bahulekar A, Swati IA. The influence of different phases of normal menstrual cycle on simple visual reaction time. *Int J Bioassays*. 2013; 2(4):716-18.
20. Engelking L, Rebar AH. *Metabolic and endocrine physiology*. CRC Press. 2012; 224 p.
21. Takeo T, Nakagata N. Superovulation using the combined administration of inhibin antiserum and equine chorionic gonadotropin increases the number of ovulated oocytes in C57BL/6 female mice. *PLOS ONE*. 2015 May 29; 10(5).
22. Empeaire J-C. *Ovulation stimulation with gonadotropins*. Springer. 2015; 182 p.
23. Saxena R. *Bedside obstetric & gynecology*. JP Medical Ltd. 2014; 1156 p.

24. Dietrich JE. Female Puberty: A comprehensive guide for clinicians. Springer. 2014; 166 p.
25. Gumanga SK, Kwame-Aryee RA. Menstrual characteristics in some adolescent girls in Accra, Ghana. *Ghana Med J.* 2012; 46(1):3–7.
26. Sembulingam K, Sembulingam P. Essentials of medical physiology. JP Medical Ltd. 2012; 1119 p.
27. Schmidt, K., Weber, N., Steiner, M., Meyer, N., Dubberke, A., Rutenberg, D., et al. A lecithin phosphatidylserine and phosphatidic acid complex (PAS) reduces symptoms of the premenstrual syndrome (PMS): results of a randomized, placebo-controlled, double-blind clinical trial. *Clinical nutrition ESPEN.* 2018.
28. Story L. Pathophysiology: A practical approach. Jones & Bartlett Learning. 2017; 541 p.
29. Momoeda M, Hayakawa M, Shimazaki Y, Mizunuma H, Taketani Y. Does the presence of coexisting diseases modulate the effectiveness of a low-dose estrogen/progestin, ethinylestradiol/drospirenone combination tablet in dysmenorrhea? Reanalysis of two randomized studies in Japanese women. *Int J Womens Health.* 2014 Dec 2; 6:989–98.
30. Soydinc HE, Evsen MS, Sak ME, Ozler A, Turgut A, Gul T. Association between mean platelet volume and different phases of menstrual cycle in primary dysmenorrhea. *Clin Exp Obstet Gynecol.* 2013; 40.3: 429-32.
31. De Sanctis V, Soliman A, Bernasconi S, Bianchin L, Bona G, Bozzola M, et al. Primary dysmenorrhea in adolescents: prevalence, impact and recent knowledge. *Pediatr Endocrinol Rev.* 2015; 13(2):512–20.
32. Borgelt LM. Women's health across the lifespan: a pharmacotherapeutic approach. ASHP. 2010; 867 p.
33. Vaziri F, Hoseini A, Kamali F, Abdali K, Hadianfard M, Sayadi M. Comparing the effects of aerobic and stretching exercises on the intensity of primary dysmenorrhea in the students of Universities of Bushehr. *J Fam Reprod Health.* 2015 Mar; 9(1):23–8.

34. Faramarzi M, Salmalian H. Association of psychologic and nonpsychologic factors with primary dysmenorrhea. *Iran Red Crescent Med J* [Internet]. 2014 Aug [cited 2017 Oct 21]; 16(8). Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4222008/>
35. Pejic A, Jankovic S. Risk factors for dysmenorrhea among young adult female university students. *Ann Ist Super Sanita*. 2016; 52: 98-103.
36. Babil DA, Dolatian M, Mahmoodi Z, Baghban AA. Comparison of lifestyles of young women with and without primary dysmenorrhea. *Electronic Physician*. 2016; 8(3) 2107-14.
37. Daily JW, Zhang X, Kim DS, Park S. Efficacy of ginger for alleviating the symptoms of primary dysmenorrhea: a systematic review and meta-analysis of randomized clinical trials. *Pain Med*. 2015; 16(12).
38. Armour M, Dahlen HG, Zhu X, Farquhar C, Smith CA. The role of treatment timing and mode of stimulation in the treatment of primary dysmenorrhea with acupuncture: An exploratory randomised controlled trial. *PLOS ONE*. 2017 Jul 12; 12(7).
39. McGarry KA, Tong IL. The 5-minute consult clinical companion to women's health. Lippincott Williams & Wilkins. 2012; 281 p.
40. World Health Organization Western Pacific Region. The Asia-Pacific perspective: redefining obesity and its treatment. Australia: Health Communication Australia. 2000.
41. World Health Organization. Waist circumference and waist-hip ratio. WHO expert consultation. 2008 December 8-11.
42. Ju H, Jones M, Mishra GD. A u-shaped relationship between body mass index and dysmenorrhea: a longitudinal study. *PLOS ONE*. 2015 Jul 28; 10(7).
43. Ko KM, Han K, Chung YJ, Yoon KH, Park YG, Lee SH. Association between body weight changes and menstrual irregularity: the Korea national health and nutrition examination Survey 2010 to 2012. *Endocrinol Metab (Seoul)*. 2017; 32(02).

44. Kim JH. Body weight changes in obese women and menstruation. *endocrinology and metabolism*. 2017; 32(2).
45. Ju H. The magnitude, long-term trend and lifestyle risk factors of dysmenorrhea and premenstrual syndrome. The University of Queensland. 2016; 228 p.
46. Zhang Y, Xiao X, Zhang XM, Zhao ZQ, Zhang YQ. Estrogen facilitates spinal cord synaptic transmission via membrane-bound estrogen receptors: implications for pain hypersensitivity. *J Biol Chem*. 2012.
47. Susanti AV. Faktor resiko kejadian menarche dini pada remaja di SMP N 30 Semarang. 2012.
48. [RISKESDAS] Riset Kesehatan Dasar. Laporan nasional. Jakarta: Badan Penelitian dan Pengembangan Kesehatan, Departemen Kesehatan, Republik Indonesia. 2010.
49. Tavallaee M, Joffres MR, Corber SJ, Bayanzadeh M, Rad MM. The prevalence of menstrual pain and associated risk factors among Iranian women. *J Obstet Gynaecol Res*. 2011; 37(5):442–51.
50. Shah M, Monga A, Patel S, Shah M, Bakshi H. A study of prevalence of primary dysmenorrhea in young students-A cross-sectional study. *Healthline*. 2013; 4:30–4.
51. Astuti EP. Hubungan indeks masa tubuh (imt) dengan dismenorea pada remaja. *Jurnal kebidanan*. 2017.
52. Acintya S. Hubungan antara indeks massa tubuh (imt) dengan kejadian dismenore primer pada mahasiswi semester 7 Fakultas Kedokteran Universitas Hang Tuah Surabaya. *Hang Tuah Medical journal*. 2017.
53. Chauhan M, Kala J. Relation between dysmenorrhea and body mass index in adolescents with rural versus urban variation. *Journal of Obstetrics and Gynaecology of India*. 2012 Aug; 62(4):442–45.
54. Harlow SD, Park M. A longitudinal study of risk factors for the occurrence, duration and severity of menstrual cramps in a cohort of college women. *Br J Obstet Gynaecol* 1996; 103: 1134-42.

55. Nuryanto N, Karina SE, Kusumastuti AC. Hubungan obesitas sentral dengan siklus menstruasi dan dysmenorrhea primer pada remaja. Departemen Ilmu Gizi Fakultas Kedokteran Universitas Diponegoro Indonesia. 2017.
56. Haidari F, Akrami A, Sarhadi M, Mohammad Shahi M. Prevalence and severity of primary dysmenorrhea and its relation to anthropometric parameters. *Hayat*. 2011; 17(1):70–7.
57. Wang L, Wang X, Wang W, et al. Stress and dysmenorrhoea: a population based prospective study, *Occup Environ Med*. 2004; 61(12):1021-26.
58. Dahlin M, Joneborg N, Runeson B. Stress and depression among medical students: a cross-sectional study. *Med Educ*. 2005; 39:594–604.